

**Oregon Seed Certification Service**  
Department of Crop and Soil Science  
31 Crop Science Bldg  
Corvallis, Oregon 97331



**Tel:** (541) 737-4513  
**Fax:** (541) 737-2624  
[seed-cert@oscs.oregonstate.edu](mailto:seed-cert@oscs.oregonstate.edu)  
[www.oscs.oregonstate.edu](http://www.oscs.oregonstate.edu)

**Oregon Seed Certification Service**  
**Oregon State University**  
**Extension Service**

**Oregon Certification Activity Summary**  
**2007**

**October, 2007**

# Acres Passed for Seed Certification 2002 - 2007

## Oregon Seed Certification Service, Oregon State University Extension Service

<b>CROP</b>		<b>2007</b>	<b>2006</b>	<b>2005</b>	<b>2004</b>	<b>2003</b>	<b>2002</b>
<b>BENTGRASS</b> <i>(Colonial, Creeping, Idaho, Velvet, and Spike)</i>	Public - Highland	2,568	3,478	4,302	4,090	3,743	3,336
	Public - Seaside	24	25	25	25	61	39
	Private and OECD	4,464	3,684	3,456	3,024	3,145	3,833
	Experimental	221	382	305	369	581	207
	<b>Total Acres of Bentgrass</b>	<b>7,277</b>	<b>7,569</b>	<b>8,088</b>	<b>7,508</b>	<b>7,530</b>	<b>7,415</b>
<b>BLUEGRASS</b> <i>(Big, Creeping, Kentucky, Rough, Supina, and Wood)</i>	Public	67	80	80	71	21	0
	Private & OECD	15,824	16,102	17,762	15,212	14,976	14,465
	Experimental	932	510	525	1,134	769	2,142
	<b>Total Acres of Bluegrass</b>	<b>16,823</b>	<b>16,692</b>	<b>18,367</b>	<b>16,417</b>	<b>15,766</b>	<b>16,607</b>
<b>FINE FESCUE</b> <i>(Blue, Chewings, Hard, Idaho, Annual, Red, Sheep)</i>	Public - Boreal	70	70	70	85	0	0
	Public - Cascade	32	87	99	398	599	806
	Public - Durar	0	0	0	0	0	40
	Public - Zorro	0	0	1	0	98	0
	Private and OECD	14,808	12,364	11,933	10,144	9,468	13,993
	Experimental	1,480	1,124	584	540	349	1,668
<b>Total Acres of Fine Fescue</b>	<b>16,390</b>	<b>13,645</b>	<b>12,687</b>	<b>11,167</b>	<b>10,514</b>	<b>16,507</b>	
<b>TALL FESCUE</b>	Public - Alta	130	130	100	130	130	130
	Public - Fawn	4,223	4,925	5,641	5,059	5,052	4,696
	Public Kentucky 31	4,017	2,501	1,716	963	996	773
	Private and OECD	101,318	90,658	88,196	83,376	79,443	101,146
	Experimental	2,623	2,115	1,912	2,666	4,872	8,656
<b>Total Acres of Tall Fescue</b>	<b>112,311</b>	<b>100,329</b>	<b>97,565</b>	<b>92,194</b>	<b>90,493</b>	<b>115,401</b>	
<b>ORCHARDGRASS</b>	Public - Berber	0	0	0	31	31	31
	Public - Latar	79	79	79	79	79	79
	Public - Paiute	425	400	432	633	618	602
	Public - Potomac	2,406	2,133	2,876	3,067	3,425	3,754
	Private and OECD	4,318	4,465	4,991	5,099	4,973	4,664
	Experimental	349	132	171	486	1,349	683
<b>Total Acres of Orchardgrass</b>	<b>7,577</b>	<b>7,209</b>	<b>8,549</b>	<b>9,395</b>	<b>10,475</b>	<b>9,813</b>	
<b>ANNUAL AND INTERMEDIATE RYEGRASS</b>	Public - Floregon	10	0	0	0	0	0
	Public - Gulf	212	232	195	192	202	129
	Private and OECD	2,720	2,550	3,327	3,165	2,441	2,948
	Experimental	148	561	373	197	188	27
<b>Total Acres of Annual &amp; Intermediate Ryegrass</b>	<b>3,090</b>	<b>3,343</b>	<b>3,895</b>	<b>3,554</b>	<b>2,831</b>	<b>3,104</b>	
<b>PERENNIAL RYEGRASS</b>	Public - Linn	1,455	2,389	1,888	2,126	2,147	2,555
	Private and OECD	57,942	61,112	76,769	73,206	60,732	55,611
	Experimental	4,451	8,932	3,914	6,066	4,989	4,667
	<b>Total Acres of Perennial Ryegrass</b>	<b>63,848</b>	<b>72,433</b>	<b>82,571</b>	<b>81,398</b>	<b>67,868</b>	<b>62,833</b>
<b>ALFALFA</b>	Public	0	0	0	0	0	0
	Private and OECD	141	95	85	64	90	181
	Experimental	390	328	506	421	215	70
	<b>Total Acres of Alfalfa</b>	<b>531</b>	<b>423</b>	<b>591</b>	<b>485</b>	<b>305</b>	<b>251</b>
<b>CLOVERS</b> <i>(Berseem, Crimson, Ladino, Red, Arrowleaf Rose, White)</i>	Public	267	466	248	133	100	157
	Private and OECD	3,509	3,052	2,373	2,113	2,097	1,415
	Experimental	476	485	243	207	92	172
	<b>Total Acres of Clovers</b>	<b>4,252</b>	<b>4,003</b>	<b>2,864</b>	<b>2,453</b>	<b>2,289</b>	<b>1,744</b>
<b>MINT</b>	Public	5	12	68	56	106	*
	Experimental	0	0	10	0	4	*
	<b>Total Acres of Mint</b>	<b>5</b>	<b>12</b>	<b>78</b>	<b>56</b>	<b>110</b>	<b>40</b>

\*Not Available for Crop Year  
 \*\*Acres Applied For  
 \*\*\*For One Year ending on June 30


# Acres Passed for Seed Certification 2002 - 2007

## Oregon Seed Certification Service, Oregon State University Extension Service


<u>CROP</u>		<u>2007</u>	<u>2006</u>	<u>2005</u>	<u>2004</u>	<u>2003</u>	<u>2002</u>
<b>SMALL GRAINS</b> <i>(Barley, Oat, Red Oat, Club wheat, Wheat, Triticale, Cereal Rye, Sorghum)</i>	Public	9,201	9,077	10,338	12,818	12,377	10,543
	Private and OECD	4,456	4,349	3,131	991	1,081	652
	Experimental	364	274	125	212	17	42
	<b>Total Acres of Small Grains</b>	<b>14,021</b>	<b>13,700</b>	<b>13,594</b>	<b>14,021</b>	<b>13,475</b>	<b>11,237</b>
<b>GRASS CROPS</b> <i>(Indian ricegrass, Seashore paspalum, Blue wildrye, Crested dogtail, hairgrasses, Timothy, Sudangrass, Festulolium, Wheatgrasses)</i>	Public	290	252	52	212	553	516
	Private and OECD	446	397	254	224	224	228
	Experimental	81	73	104	30	17	4
	<b>Total Acres Other Grass Crops</b>	<b>817</b>	<b>722</b>	<b>410</b>	<b>466</b>	<b>794</b>	<b>748</b>
<b>OTHER LEGUME CROPS</b> <i>(Field beans, Little burnet, Lupine, Vetches, Field pea, Trefoil, Chickpea)</i>	Public	201	166	63	63	99	118
	Private and OECD	125	156	200	99	0	6
	Experimental	45	0	0	0	0	0
	<b>Total Acres Other Legumes</b>	<b>371</b>	<b>322</b>	<b>263</b>	<b>162</b>	<b>99</b>	<b>124</b>
<b>OTHER CROPS</b> <i>(Sugar beets, Radish, Plantain, Kale, Sunflower, Meadowfoam, Turnip, Rapes, forage kochia, flax, Mustard)</i>	Public	16	0	7	15	8	8
	Private and OECD	788	189	496	358	643	154
	Experimental	1,261	811	414	36	14	45
	<b>Total Acres of Other Crops</b>	<b>2,065</b>	<b>1,000</b>	<b>917</b>	<b>409</b>	<b>665</b>	<b>207</b>
<b>POTATO</b>	Public	1,790	2,418	2,045	3,055	2,765	2,275
	Private and OECD	515	264	195	140	198	37
	Experimental	10	34	11	22	98	116
	<b>Total Acres of Potatoes</b>	<b>2,315</b>	<b>2,716</b>	<b>2,251</b>	<b>3,217</b>	<b>3,061</b>	<b>2,428</b>
	Survey Seed Farm Req. (acs)	0	8	0	1	27	162
	Winter Test (# of Seed lots )	*	74	78	111	108	94
<b>TOTAL ACREAGE OF:</b>	<i>All Crops Certified</i>	<b>251,814</b>	<b>244,279</b>	<b>252,849</b>	<b>243,087</b>	<b>226,507</b>	<b>248,622</b>
	<i>Public Varieties</i>	<b>27,488</b>	<b>28,920</b>	<b>30,324</b>	<b>33,301</b>	<b>33,210</b>	<b>30,587</b>
	<i>Private and OECD Varieties</i>	<b>211,374</b>	<b>199,437</b>	<b>213,168</b>	<b>197,215</b>	<b>179,511</b>	<b>199,333</b>
	<i>Experimental Varieties</i>	<b>12,831</b>	<b>15,761</b>	<b>9,197</b>	<b>12,386</b>	<b>13,554</b>	<b>18,499</b>
	<i>Establishing Crop History**</i>	<b>4,993</b>	<b>3,887</b>	<b>3,992</b>	<b>3,999</b>	<b>3,737</b>	<b>4,296</b>
	<i>Modified Land History**</i>	<b>3,140</b>	<b>5,125</b>	<b>4,520</b>	<b>3,088</b>	<b>5,627</b>	<b>5,055</b>
	<i>Pre-Variety Germplasm</i>	<b>121</b>	<b>161</b>	<b>160</b>	<b>185</b>	<b>232</b>	<b>163</b>
<b>TOTALS FOR MIXTURES &amp; BLENDS</b>	# Requests\# Separate Co.'s	*	2,129\25	2,326\30	1,935\29	1,978\31	1,987\34
	No. of Blends\# Companies	*	44\11	49\30	117\12	81\16	76\13
	Pounds of Blends Certified	*	1,337,884	891,520	3,316,015	3,483,190	*
	No. of Mixtures\# Companies	*	2,085\23	2,277\27	1,818\25	1,897\22	1,911\21
	Pounds of Mixtures Certified	*	39,761,392	42,262,495	36,002,784	36,849,709	*
<b>PRE-VARIETY GERmplasm TOTALS</b>	Selected	0	10	17	8	10	0
	Source ID	0	151	143	177	222	163
	<b>Total Acres of P.V.G.</b>	<b>121</b>	<b>161</b>	<b>160</b>	<b>185</b>	<b>232</b>	<b>163</b>
<b>TREE SEED TOTALS</b> <i>(bushels of cones)</i>	Selected, G0 (species/sites)	0/0	0/0	0/0	0/0	1/1	0/0
	Source ID, G0 (species/sites)	1/1	1/1	0/0	3/2	21/21	10/11
	Tested	*	0	0	0	0	0
	Select B	*	0	0	0	0	0
<b>TOTALS</b>	Source Identified-A	*	327	0	0	224	0
	Source Identified-B	*	88	0	17	0	0
	<b>Total Bushels Certified</b>	*	<b>415</b>	<b>0</b>	<b>17</b>	<b>224</b>	<b>0</b>
	<b>OECD***</b>	<b>Pounds tagged</b>	<b>10,899,413</b>	<b>10,242,299</b>	<b>21,756,307</b>	<b>13,700,331</b>	<b>16,595,094</b>
<b>TOTALS</b>	<i>No. of lots tagged</i>	<b>766</b>	<b>780</b>	<b>1,378</b>	<b>988</b>	<b>1,196</b>	<b>853</b>
	<i>No. Varieties tagged</i>	<b>167</b>	<b>158</b>	<b>169</b>	<b>163</b>	<b>170</b>	<b>151</b>
	<i>Foreign Lots Received in OR</i>	<b>57</b>	<b>80</b>	<b>99</b>	<b>80</b>	<b>79</b>	<b>89</b>

\*Not Available for Crop Year  
 \*\*Acres Applied For  
 \*\*\*For One Year ending on June 30

**Total Acres Passed for Certification**  
**Oregon Seed Certification Service**  
**Oregon State University Extension Service**



**Acres Certified by Category in 2007**  
**Oregon Seed Certification Service**  
**Oregon State University Extension Service**



- Public Varieties
- Private and OECD Varieties
- Experimental Varieties

**Seed Certification Activities by County 2004 - 2007**  
**Eligible Fields, Acres Passed, and Growers with Production**  
Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2007 Fields	2007 Acres	2007 Gro*	2006 Fields	2006 Acres	2006 Gro*	2005 Fields	2005 Acres	2005 Gro*	2004 Fields	2004 Acres	2004 Gro*
<b>BAKER</b>	Annual Rape	0	0		1	120		0	0		0	0	
	Barley	0	0		1	13		0	0		0	0	
	Chewings fescue	1	27		1	27		0	0		0	0	
	Kentucky bluegrass	4	181		4	147		2	37		2	37	
	Mint	0	0		3	12		3	7		2	3	
	Potato	1	33		2	25		2	28		2	40	
	Red fescue	1	35		0	0		0	0		0	0	
	Wheat	0	0		1	68		0	0		0	0	
	<b>Total Baker</b>	<b>7</b>	<b>276</b>	<b>4</b>	<b>13</b>	<b>412</b>	<b>4</b>	<b>7</b>	<b>72</b>	<b>3</b>	<b>6</b>	<b>80</b>	<b>3</b>
<b>BENTON</b>	Annual rape	1	20		0	0		2	11		1	6	
	Annual ryegrass	16	634		10	483		19	576		20	714	
	Arrowleaf Clover	1	60		2	105		5	218		7	330	
	Blue wildrye	4	4		2	2		2	2		0	0	
	Chewings fescue	1	3		0	0		1	5		1	5	
	Creeping bentgrass	3	97		3	81		6	163		5	106	
	Festulolium	1	40		1	40		3	145		2	105	
	Hard fescue	0	0		0	0		1	40		2	86	
	Idaho bentgrass	1	49		1	49		0	0		0	0	
	Intermediate ryegrass	9	316		8	375		5	198		8	377	
	Ladino clover	1	50		2	100		1	50		0	0	
	Meadowfoam	0	0		1	50		0	0		0	0	
	Oat	0	0		0	0		0	0		3	124	
	Orchardgrass	30	1,077		29	1,231		33	1,522		49	2,067	
	Perennial ryegrass	28	1,283		33	1,700		43	1,996		34	1,608	
	Potato	0	0		0	0		38	1		13	1	
	Red clover	3	100		3	150		2	180		2	125	
	Red fescue	0	0		1	5		0	0		0	0	
	Red oat	0	0		3	125		0	0		0	0	
	Tall fescue	189	10,392		162	9,180		153	8,558		137	7,583	
	Velvet bentgrass	0	0		0	0		1	20		0	0	
	Wheat	4	133		3	143		10	694		15	649	
	White clover	6	160		6	123		6	123		4	66	
	Pre-variety germplasm	8	14.78		7	12		8	13		6	8	
	<b>Total Benton</b>	<b>306</b>	<b>14,433</b>	<b>33</b>	<b>277</b>	<b>13,954</b>	<b>30</b>	<b>339</b>	<b>14,515</b>	<b>35</b>	<b>309</b>	<b>13,960</b>	<b>37</b>
<b>CLACKAMAS</b>	Annual ryegrass	3	45		1	30		0	0		0	0	
	Chewings fescue	3	25		5	61		4	57		4	57	
	Colonial bentgrass	0	0		0	0		1	9		2	25	
	Creeping bentgrass	22	430		20	420		20	384		15	345	
	Crimson clover	0	0		0	0		0	0		1	33	
	Hard Fescue	0	0		1	15		1	15		2	23	
	Kentucky bluegrass	4	30		4	30		4	32		6	69	
	Orchardgrass	7	98		6	82		4	57		6	57	
	Perennial ryegrass	100	2,583		122	3,165		121	3,090		123	3,040	
	Red clover	2	64		2	95		1	75		1	75	
	Red fescue	0	0		0	0		1	26		1	26	
	Seashore paspalum	13	186		9	94		4	25		2	12	
	Tall fescue	86	2,258		77	1,919		75	2,036		88	2,557	
	Tufted hairgrass	0	0		1	16		1	16		1	3	
	Velvet bentgrass	1	20		1	20		0	0		0	0	
	Wheat	0	0		0	0		0	0		1	34	
		<b>Total Clackamas</b>	<b>241</b>	<b>5,739</b>	<b>29</b>	<b>249</b>	<b>5,947</b>	<b>29</b>	<b>237</b>	<b>5,822</b>	<b>26</b>	<b>253</b>	<b>6,356</b>
<b>COLUMBIA</b>	Tall fescue	3	142		1	50		0	0		0	0	
	<b>Total Columbia</b>	<b>3</b>	<b>142</b>	<b>1</b>	<b>1</b>	<b>50</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>CROOK</b>	Barley	0	0		3	91		0	0		0	0	
	Chickpea	0	0		0	0		0	0		3	75	
	Potato	0	0		4	36		5	46		4	50	

Gro\* = Total number of growers with production in county.

**Seed Certification Activities by County 2004 - 2007**  
**Eligible Fields, Acres Passed, and Growers with Production**  
Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2007 Fields	2007 Acres	2007 Gro*	2006 Fields	2006 Acres	2006 Gro*	2005 Fields	2005 Acres	2005 Gro*	2004 Fields	2004 Acres	2004 Gro*
DESCHUTES	Rough bluegrass	0	0		1	15		1	34		2	54	
	<b>Total Crook</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>8</b>	<b>142</b>	<b>4</b>	<b>6</b>	<b>80</b>	<b>2</b>	<b>9</b>	<b>179</b>	<b>5</b>
	Basin wildrye	0	0		1	10		0	0		0	0	
	Kentucky bluegrass	0	0		1	40		1	40		2	80	
DOUGLAS	<b>Total Deschutes</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>50</b>	<b>1</b>	<b>1</b>	<b>40</b>	<b>1</b>	<b>2</b>	<b>80</b>	<b>1</b>
	Sugar beet	0	0		0	0		0	0		9	9	
	Annual Rape	2	4		0	0		0	0		0	0	
	Meadowfoam	4	140		0	0		0	0		0	0	
GILLIAM	<b>Total Douglas</b>	<b>6</b>	<b>144</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>9</b>	<b>9</b>	<b>0</b>
	Alfalfa	2	119		1	19		2	119		0	0	
	Kentucky bluegrass	0	0		0	0		2	242		2	242	
JACKSON	<b>Total Gilliam</b>	<b>2</b>	<b>119</b>	<b>0</b>	<b>1</b>	<b>19</b>	<b>0</b>	<b>4</b>	<b>361</b>	<b>0</b>	<b>2</b>	<b>242</b>	<b>0</b>
	Alfalfa	3	50		2	29		5	101		5	84	
	Creeping bentgrass	4	33		2	20		1	11		1	11	
JEFFERSON	Kentucky bluegrass	0	0		0	0		0	0		1	2	
	Tall fescue	0	0		0	0		4	39		6	58	
	<b>Total Jackson</b>	<b>7</b>	<b>83</b>	<b>2</b>	<b>4</b>	<b>49</b>	<b>2</b>	<b>10</b>	<b>151</b>	<b>3</b>	<b>13</b>	<b>155</b>	<b>4</b>
	Barley	9	148		8	125		7	184		7	161	
	Big bluegrass	6	67		6	67		6	67		4	58	
	Blue fescue	1	18		2	17		0	0		0	0	
	Chickpea	0	0		3	54		3	40		2	24	
	Creeping bentgrass	0	0		0	0		0	0		1	6	
	Crested wheatgrass	0	0		1	6		1	6		1	6	
	Hard fescue	1	24		0	0		0	0		0	0	
	Intermediate ryegrass	1	5		0	0		0	0		0	0	
	Kentucky bluegrass	184	5,067		196	5,539		183	5,193		174	4,621	
	Lewis flax	1	16		0	0		0	0		0	0	
	Orchardgrass	0	0		0	0		0	0		5	129	
	Potato	17	333		19	330		12	264		30	400	
	Red Fescue	2	51		0	0		0	0		0	0	
	Rough bluegrass	64	1,880		64	1,746		70	2,094		71	2,260	
Triticale	0	0		1	8		1	35		0	0		
Wheat	67	1,695		58	1,466		54	1,343		63	1,546		
Pre-variety germplasm	4	16		1	6		1	6		1	6		
KLAMATH	<b>Total Jefferson</b>	<b>357</b>	<b>9,320</b>	<b>51</b>	<b>359</b>	<b>9,364</b>	<b>50</b>	<b>338</b>	<b>9,232</b>	<b>57</b>	<b>359</b>	<b>9,217</b>	<b>53</b>
	Barley	0	0		0	0		1	51		2	30	
	Mint	0	0		0	0		5	60		6	52	
	Potato	55	751		60	856		49	754		86	1,007	
	Triticale	1	40		2	160		1	36		0	0	
	Wheat	0	0		0	0		4	60		4	92	
	<b>Total Klamath</b>	<b>56</b>	<b>791</b>	<b>8</b>	<b>62</b>	<b>1,016</b>	<b>9</b>	<b>60</b>	<b>961</b>	<b>11</b>	<b>98</b>	<b>1,181</b>	<b>12</b>
LAKE	Oat	1	49		1	126		2	258		1	125	
	Red oat	0	0		1	125		1	51		0	0	
	Triticale	0	0		0	0		1	132		0	0	
	<b>Total Lake</b>	<b>1</b>	<b>49</b>	<b>1</b>	<b>2</b>	<b>251</b>	<b>2</b>	<b>4</b>	<b>441</b>	<b>2</b>	<b>1</b>	<b>125</b>	<b>1</b>
LANE	Annual rape	2	6		6	11		2	3		1	1	
	Annual ryegrass	8	243		6	113		8	228		14	250	
	Barley	0	0		0	0		0	0		3	40	
	Chewings fescue	1	5		1	3		1	3		0	0	
	Colonial bentgrass	4	322		5	612		5	612		5	612	
	Creeping bentgrass	10	255		8	245		8	218		8	134	
	Crimson clover	0	0		0	0		1	2		0	0	
	Festulolium	1	66		1	66		1	15		0	0	
	Field pea	1	3		0	0		0	0		0	0	
	Hard fescue	2	8		3	27		2	22		3	56	
Intermediate ryegrass	4	162		3	87		5	61		6	92		

Gro\* = Total number of growers with production in county.

**Seed Certification Activities by County 2004 - 2007**  
**Eligible Fields, Acres Passed, and Growers with Production**  
Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2007 Fields	2007 Acres	2007 Gro*	2006 Fields	2006 Acres	2006 Gro*	2005 Fields	2005 Acres	2005 Gro*	2004 Fields	2004 Acres	2004 Gro*
LINN	Kale	1	22		2	38		2	21		2	20	
	Kentucky bluegrass	0	0		0	0		2	20		6	25	
	Meadow fescue	1	5		1	5		0	0		0	0	
	Meadowfoam	2	32		0	0		2	38		0	0	
	Orchardgrass	26	1,406		24	1,247		27	1,185		27	1,068	
	Perennial ryegrass	64	1,676		81	1,813		74	1,880		72	1,898	
	Red clover	1	5		1	5		1	5		1	5	
	Red fescue	3	9		3	10		3	12		0	0	
	Redtop	1	11		2	11		0	0		0	0	
	Rough bluegrass	1	1		1	1		0	0		2	11	
	Smooth brome	0	0		0	0		3	30		4	45	
	Sudangrass	1	26		0	0		0	0		1	24	
	Sugar beet	0	0		0	0		0	0		3	3	
	Swede	0	0		0	0		1	5		0	0	
	Tall fescue	185	6,639		154	5,907		148	5,988		135	5,289	
	Turnip	0	0		0	0		0	0		1	20	
	White clover	1	2		1	2		0	0		0	0	
	Wood bluegrass	3	43		3	43		5	51		3	24	
	Pre-variety germplasm	0	0		1	5		4	13		7	23	
	<b>Total Lane</b>	<b>323</b>	<b>10,947</b>	<b>31</b>	<b>307</b>	<b>10,251</b>	<b>30</b>	<b>305</b>	<b>10,412</b>	<b>32</b>	<b>304</b>	<b>9,640</b>	<b>33</b>
	Annual rape	2	25		4	7		1	2		3	6	
	Annual ryegrass	17	1,048		21	1,317		20	1,178		12	658	
	Arrowleaf clover	0	0		0	0		0	0		4	162	
Chewings fescue	27	1,086		22	962		18	784		18	880		
Colonial bentgrass	25	1,123		28	1,348		38	1,717		37	1,643		
Creeping bentgrass	28	778		26	690		29	822		25	777		
Crested dogtail	1	45		1	47		0	0		0	0		
Crimson clover	0	0		2	35		0	0		0	0		
Festulolium	0	0		1	34		1	34		0	0		
Hard fescue	6	122		4	94		0	0		0	0		
Intermediate ryegrass	2	67		6	264		4	222		11	566		
Ladino clover	15	1,554		9	957		9	707		3	132		
Little burnet	1	20		1	20		0	0		0	0		
Meadowfoam	1	12		2	2		1	42		0	0		
Mountain brome	0	0		0	0		0	0		1	28		
Oat	0	0		4	147		1	16		6	199		
Orchardgrass	75	2,651		66	2,169		79	2,784		78	2,572		
Perennial ryegrass	158	8,670		178	10,624		208	12,310		203	12,391		
Red clover	3	102		5	100		1	11		0	0		
Red fescue	10	516		13	542		13	575		13	546		
Sudangrass	0	0		0	0		0	0		2	42		
Tall fescue	479	27,076		432	23,887		420	22,358		398	20,606		
Triticale	0	0		0	0		1	20		1	80		
Tufted hairgrass	2	9		1	6		0	0		0	0		
Turnip	1	17		0	0		3	110		1	12		
Velvet bentgrass	1	27		1	11		1	11		1	11		
Wheat	1	53		0	0		0	0		3	55		
White clover	15	668		13	742		8	306		4	220		
Winter rape	0	0		0	0		0	0		0	0		
Pre-variety germplasm	3	15		4	27		8	40		5	12		
<b>Total Linn</b>	<b>873</b>	<b>45,684</b>	<b>130</b>	<b>844</b>	<b>44,032</b>	<b>131</b>	<b>864</b>	<b>44,049</b>	<b>134</b>	<b>829</b>	<b>41,598</b>	<b>128</b>	
MALHEUR	Kentucky bluegrass	1	62		0	0		0	0		0	0	
	Potato	3	150		2	135		2	100		0	0	
<b>Total Malheur</b>	<b>4</b>	<b>212</b>	<b>2</b>	<b>2</b>	<b>135</b>	<b>1</b>	<b>2</b>	<b>100</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	
MARION	Annual ryegrass	0	0		1	7		0	0		0	0	
	Annual rape	1	20		0	0		0	0		0	0	

Gro\* = Total number of growers with production in county.



**Seed Certification Activities by County 2004 - 2007**  
**Eligible Fields, Acres Passed, and Growers with Production**  
Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2007 Fields	2007 Acres	2007 Gro*	2006 Fields	2006 Acres	2006 Gro*	2005 Fields	2005 Acres	2005 Gro*	2004 Fields	2004 Acres	2004 Gro*
	Blue fescue	1	33		1	33		0	0		4	139	
	Chewings fescue	135	5,867		113	4,560		88	3,559		71	2,639	
	Colonial bentgrass	46	1,293		51	1,543		63	2,116		68	2,090	
	Creeping bentgrass	96	2,714		78	2,338		64	1,855		55	1,596	
	Crested dogtail	0	0		0	0		0	0		1	54	
	Crimson clover	0	0		0	0		1	18		0	0	
	Hard fescue	30	970		26	725		19	390		15	337	
	Intermediate ryegrass	1	4		0	0		3	74		1	38	
	Kentucky bluegrass	4	8		0	0		0	0		0	0	
	Lewis flax	0	0		0	0		1	7		2	15	
	Little burnet	4	60		2	15		2	15		2	15	
	Meadow fescue	1	24		1	24		0	0		0	0	
	Oat	1	10		1	55		0	0		5	92	
	Orchardgrass	19	397		18	399		23	527		25	644	
	Perennial ryegrass	855	29,219		924	31,320		1,094	38,857		1,150	40,218	
	Red clover	3	96		2	74		2	75		1	23	
	Red fescue	66	2,902		56	2,214		54	2,174		53	1,892	
	Red oat	0	0		3	70		1	14		0	0	
	Riverbank lupine	1	2		1	2		0	0		0	0	
	Seashore paspalum	7	79		7	88		4	30		3	18	
	Sheep fescue	6	368		5	303		3	112		5	185	
	Sugar beet	2	55		0	0		0	0		0	0	
	Tall fescue	490	14,507		367	11,516		376	11,899		417	13,077	
	Tufted hairgrass	0	0		0	0		1	2		2	11	
	Velvet bentgrass	5	102		4	59		5	56		5	58	
	Wheat	0	0		3	112		0	0		2	16	
	White clover	1	26		1	2		1	2		0	0	
	Wood bluegrass	0	0		1	4		1	4		0	0	
	Pre-variety germplasm	14	48.55		17	79		16	64		29	98	
	<b>Total Marion</b>	<b>1,789</b>	<b>58,805</b>	<b>278</b>	<b>1,683</b>	<b>55,542</b>	<b>268</b>	<b>1,822</b>	<b>61,850</b>	<b>284</b>	<b>1,916</b>	<b>63,255</b>	<b>292</b>
<b>MORROW</b>	Chewings fescue	0	0		2	60		0	0		0	0	
	Hard fescue	0	0		0	0		1	130		0	0	
	Kentucky bluegrass	0	0		11	804		7	597		13	567	
	Perennial ryegrass	14	1,360		10	995		10	786		3	253	
	Red fescue	1	75		1	75		0	0		1	100	
	Wheat	0	0		0	0		8	353		8	317	
	<b>Total Morrow</b>	<b>15</b>	<b>1,435</b>	<b>4</b>	<b>24</b>	<b>1,934</b>	<b>4</b>	<b>26</b>	<b>1,866</b>	<b>4</b>	<b>25</b>	<b>1,237</b>	<b>4</b>
<b>MULTNOMAH</b>	Perennial ryegrass	9	369		5	283		5	312		1	40	
	Red clover	0	0		1	135		1	135		0	0	
	Tall fescue	22	1,196		15	891		10	663		8	435	
	<b>Total Multnomah</b>	<b>31</b>	<b>1,565</b>	<b>0</b>	<b>21</b>	<b>1,309</b>	<b>0</b>	<b>16</b>	<b>1,110</b>	<b>0</b>	<b>9</b>	<b>475</b>	<b>0</b>
<b>POLK</b>	Annual rape	1	7		1	1		0	0		0	0	
	Annual ryegrass	8	504		14	541		19	652		5	241	
	Arrowleaf Clover	0	0		0	0		2	100		2	100	
	Blue wildrye	0	0		0	0		1	10		1	10	
	Chewings fescue	4	117		3	105		1	85		0	0	
	Colonial bentgrass	1	12		2	58		0	0		0	0	
	Hard fescue	2	54		2	54		1	27		2	53	
	Intermediate ryegrass	0	0		0	0		16	620		15	462	
	Kale	0	0		0	0		1	12		0	0	
	Ladino clover	1	81		1	81		0	0		0	0	
	Meadowfoam	4	155		5	105		1	30		1	8	
	Oat	1	25		0	0		1	45		0	0	
	Orchardgrass	36	1,353		34	1,494		42	1,757		46	2,000	
	Perennial ryegrass	88	3,927		118	6,105		137	7,258		133	7,417	
	Red clover	0	0		1	56		0	0		2	51	

Gro\* = Total number of growers with production in county.

**Seed Certification Activities by County 2004 - 2007**  
**Eligible Fields, Acres Passed, and Growers with Production**  
Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2007 Fields	2007 Acres	2007 Gro*	2006 Fields	2006 Acres	2006 Gro*	2005 Fields	2005 Acres	2005 Gro*	2004 Fields	2004 Acres	2004 Gro*	
SHERMAN	Tall fescue	331	16,158		309	14,762		303	14,226		305	13,688		
	Triticale	1	24		1	18		0	0		1	12		
	Turnip	0	0		0	0		2	26		2	63		
	Velvet bentgrass	1	11		0	0		0	0		0	0		
	Wheat	2	22		1	11		1	11		3	41		
	<b>Total Polk</b>	<b>481</b>	<b>22,450</b>	<b>72</b>	<b>492</b>	<b>23,391</b>	<b>67</b>	<b>528</b>	<b>24,859</b>	<b>68</b>	<b>518</b>	<b>24,146</b>	<b>71</b>	
	Barley	3	362		3	447		1	100		0	0		
	Club wheat	2	250		3	497		4	313		2	282		
	Wheat	29	4,500		28	3,227		28	3,576		26	3,019		
	<b>Total Sherman</b>	<b>34</b>	<b>5,112</b>	<b>1</b>	<b>34</b>	<b>4,171</b>	<b>1</b>	<b>33</b>	<b>3,989</b>	<b>1</b>	<b>28</b>	<b>3,301</b>	<b>1</b>	
UMATILLA	Alfalfa	9	362		9	375		7	371		9	401		
	Barley	0	0		1	116		0	0		0	0		
	Big bluegrass	0	0		1	13		1	13		1	13		
	Blue fescue	1	48		0	0		0	0		0	0		
	Chewings fescue	6	190		9	357		4	153		1	79		
	Chickpea	1	32		1	95		3	160		0	0		
	Club wheat	0	0		0	0		0	0		2	281		
	Field bean	1	125		0	0		0	0		0	0		
	Hard fescue	4	299		4	178		4	182		7	419		
	Kentucky bluegrass	63	3,489		55	4,152		59	4,378		49	3,570		
	Orchardgrass	0	0		0	0		0	0		3	52		
	Perennial ryegrass	70	6,896		72	6,358		59	5,027		44	3,690		
	Red clover	2	110		3	200		2	160		1	100		
	Red fescue	2	224		1	153		5	268		4	115		
	Sheep fescue	0	0		0	0		1	30		0	0		
	Sudangrass	5	260		2	240		2	40		2	105		
	Tall fescue	8	427		7	528		19	1,675		28	2,210		
	Triticale	0	0		1	35		0	0		0	0		
	Wheat	27	3,496		23	3,766		24	3,354		25	3,805		
	Winter rape	1	175		0	0		0	0		0	0		
	White clover	0	0		0	0		2	166		0	0		
	Pre-variety germplasm	11	17.15		17	25		9	11		3	2		
	<b>Total Umatilla</b>	<b>211</b>	<b>16,150</b>	<b>22</b>	<b>206</b>	<b>16,591</b>	<b>30</b>	<b>201</b>	<b>15,988</b>	<b>36</b>	<b>179</b>	<b>14,842</b>	<b>35</b>	
	UNION	Annual rape	18	1,122		8	493		11	491		5	175	
		Barley	11	511		7	236		4	193		2	93	
		Chewings fescue	25	848		23	805		14	513		7	256	
		Club wheat	1	23		1	24		2	42		0	0	
		Hard fescue	11	406		8	290		5	150		4	105	
		Kentucky bluegrass	128	5,357		95	3,871		125	5,439		120	4,750	
Mint		1	5		0	0		3	10	GH	1	1	GH	
Oat		2	82		1	10		1	12		0	0		
Potato		32	1,048		50	1,334		46	1,058		62	1,719		
Red fescue		64	2,425		44	1,941		82	3,374		86	3,142		
Sunflower		5	225		2	101		0	0		0	0		
Tall fescue		2	78		1	78		1	78		2	123		
Triticale		4	210		2	100		1	122		1	120		
Wheat		23	918		24	1,196		26	1,156		40	1,293		
Pre-variety germplasm		7	9.3		5	7		5	7		5	28		
<b>Total Union</b>		<b>334</b>	<b>13,267</b>	<b>50</b>	<b>271</b>	<b>10,486</b>	<b>52</b>	<b>326</b>	<b>12,645</b>	<b>55</b>	<b>335</b>	<b>11,805</b>	<b>61</b>	
WALLOWA		Annual rape	0	0		1	72		0	0		0	0	
		Barley	4	289		0	0		4	221		8	485	
		Oat	0	0		1	10		0	0		0	0	
	Oriental mustard	0	0		0	0		1	75		1	60		
	Red clover	2	62		0	0		0	0		0	0		
	Wheat	13	805		17	866		13	941		12	775		
	<b>Total Wallowa</b>	<b>19</b>	<b>1,156</b>	<b>5</b>	<b>19</b>	<b>948</b>	<b>5</b>	<b>18</b>	<b>1,237</b>	<b>4</b>	<b>21</b>	<b>1,320</b>	<b>5</b>	

Gro\* = Total number of growers with production in county.

**Seed Certification Activities by County 2004 - 2007**  
**Eligible Fields, Acres Passed, and Growers with Production**  
Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2007 Fields	2007 Acres	2007 Gro*	2006 Fields	2006 Acres	2006 Gro*	2005 Fields	2005 Acres	2005 Gro*	2004 Fields	2004 Acres	2004 Gro*
<b>WASCO</b>	Kentucky bluegrass	3	97		3	97		2	60		0	0	
	Orchardgrass	0	0		0	0		0	0		1	37	
	Rough bluegrass	0	0		4	123		2	66		1	34	
	Wheat	0	0		0	0		1	65		0	0	
	Pre-variety germplasm	0	0		0	0		1	6		1	8	
	<b>Total Wasco</b>	<b>3</b>	<b>97</b>	<b>0</b>	<b>7</b>	<b>220</b>	<b>0</b>	<b>6</b>	<b>197</b>	<b>1</b>	<b>3</b>	<b>79</b>	<b>1</b>
<b>WASHINGTON</b>	Annual fescue	0	0		0	0		1	1		0	0	
	Annual rape	0	0		0	0		5	12		2	9	
	Annual ryegrass	3	43		0	0		0	0		0	0	
	Crimson clover	6	365		4	314		2	152		10	728	
	Hairy vetch	0	0		1	7		0	0		0	0	
	Little burnet	2	90		2	90		1	48		1	48	
	Oat	1	28		0	0		0	0		0	0	
	Orchardgrass	0	0		0	0		1	39		7	111	
	Perennial ryegrass	85	3,284		109	3,858		107	3,836		83	2,807	
	Red clover	5	204		10	345		6	259		5	214	
	Tall fescue	377	13,560		359	12,577		323	11,399		277	9,430	
	Wheat	1	30		2	57		5	72		6	130	
	White clover	0	0		0	0		1	1		0	0	
	<b>Total Washington</b>	<b>480</b>	<b>17,604</b>	<b>65</b>	<b>487</b>	<b>17,248</b>	<b>61</b>	<b>452</b>	<b>15,819</b>	<b>62</b>	<b>391</b>	<b>13,477</b>	<b>61</b>
	<b>WHEELER</b>	Red fescue	0	0		0	0		0	0		1	27
Rough bluegrass		5	176		0	0		0	0		0	0	
<b>Total Wheeler</b>		<b>5</b>	<b>176</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>27</b>	<b>0</b>
<b>YAMHILL</b>	Annual rape	0	0		0	0		0	0		1	2	
	Annual ryegrass	1	14		5	126		1	36		1	36	
	Colonial bentgrass	0	0		3	64		4	94		4	94	
	Crimson clover	0	0		0	0		1	31		3	89	
	Festulolium	2	73		2	73		1	55		0	0	
	Intermediate ryegrass	0	0		0	0		1	50		1	120	
	Ladino clover	1	80		1	80		0	0		0	0	
	Little burnet	1	39		1	39		0	0		0	0	
	Meadowfoam	0	0		0	0		1	32		0	0	
	Oat	5	223		4	216		0	0		0	0	
	Orchardgrass	20	595		19	587		22	678		24	658	
	Perennial ryegrass	117	4,581		158	6,212		178	7,219		192	8,036	
	Red clover	7	208		2	47		3	88		0	0	
	Red oat	0	0		1	14		0	0		0	0	
	Sugar beet	1	12		0	0		0	0		0	0	
	Tall fescue	449	19,878		428	19,034		421	18,646		401	17,138	
	Wheat	3	100		1	20		4	124		5	125	
	White clover	2	255		2	255		0	0		0	0	
	<b>Total Yamhill</b>	<b>609</b>	<b>26,058</b>	<b>84</b>	<b>627</b>	<b>26,767</b>	<b>80</b>	<b>637</b>	<b>27,053</b>	<b>81</b>	<b>632</b>	<b>26,298</b>	<b>80</b>
	<b>YEARLY TOTALS</b>												
		<b>6,197</b>	<b>251,814</b>	<b>874</b>	<b>6,002</b>	<b>244,279</b>	<b>862</b>	<b>6,242</b>	<b>252,849</b>	<b>903</b>	<b>6,252</b>	<b>243,084</b>	<b>915</b>

Gro\* = Total number of growers with production in county.



**Number of Fields and Acres Passed for Production of  
Foundation, Registered, or Certified Class Seed in 2007**  
Oregon Seed Certification Service, Oregon State University Extension Service

<i>CLASS OF SEED</i>	<b>FOUNDATION</b>		<b>REGISTERED</b>		<b>CERTIFIED</b>		<b>TOTALS FOR 2007</b>	
	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>
<b>GRASSES</b>								
Annual ryegrass	4	34	3	28	49	2,469	56	2,531
Basin wildrye	0	0	0	0	0	0	0	0
Big bluegrass	0	0	1	21	5	46	6	67
Blue fescue	0	0	0	0	3	99	3	99
Bluebunch wheatgrass	0	0	0	0	0	0	0	0
Blue wildrye	4	4	0	0	0	0	4	4
Chewings fescue	5	21	3	20	195	8,127	203	8,168
Colonial bentgrass	2	7	1	10	73	2,733	76	2,750
Creeping bentgrass	8	25	0	0	155	4,282	163	4,307
Creeping bluegrass	0	0	0	0	0	0	0	0
Crested dogtail	0	0	0	0	1	45	1	45
Crested hairgrass	0	0	0	0	0	0	0	0
Crested wheatgrass	0	0	0	0	0	0	0	0
Festulolium	0	0	0	0	4	179	4	179
Hard fescue	3	12	3	17	50	1,854	56	1,883
Idaho bentgrass	0	0	0	0	1	49	1	49
Indian ricegrass	0	0	0	0	0	0	0	0
Intermediate ryegrass	1	5	1	4	15	545	17	554
Kentucky bluegrass	18	75	28	121	345	14,095	391	14,291
Meadow fescue	1	5	0	0	1	24	2	29
Mountain brome	0	0	0	0	0	0	0	0
Orchardgrass	6	13	2	20	205	7,544	213	7,577
Perennial ryegrass	38	223	48	350	1,502	63,275	1,588	63,848
Red fescue	8	32	3	47	138	6,158	149	6,237
Redtop	1	11	0	0	0	0	1	11
Rough bluegrass	4	11	2	24	64	2,022	70	2,057
Seashore paspalum	0	0	0	0	20	265	20	265
Sheep fescue	1	3	1	6	4	359	6	368
Siberian wheatgrass	0	0	0	0	0	0	0	0
Smooth brome	0	0	0	0	0	0	0	0
Streambank wheatgrass	0	0	0	0	0	0	0	0
Sudangrass	0	0	1	13	5	273	6	286
Tall fescue	65	363	36	183	2,520	111,765	2,621	112,311
Tall wheatgrass	0	0	0	0	0	0	0	0
Thickspike wheatgrass	0	0	0	0	0	0	0	0
Timothy	0	0	0	0	0	0	0	0
Tufted hairgrass	1	3	0	0	1	6	2	9
Velvet bentgrass	0	0	0	0	8	160	8	160
Western wheatgrass	0	0	0	0	0	0	0	0
Wood bluegrass	0	0	0	0	3	43	3	43
<b>TOTAL GRASSES</b>	<b>170</b>	<b>847</b>	<b>133</b>	<b>864</b>	<b>5,367</b>	<b>226,417</b>	<b>5,670</b>	<b>228,128</b>

**Number of Fields and Acres Passed for Production of  
Foundation, Registered, or Certified Class Seed in 2007**  
Oregon Seed Certification Service, Oregon State University Extension Service

<i>CLASS OF SEED</i>	<b>FOUNDATION</b>		<b>REGISTERED</b>		<b>CERTIFIED</b>		<b>TOTALS FOR 2007</b>	
	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>
<b><i>CEREALS</i></b>								
Barley	0	0	8	258	19	1,052	27	1,310
Cereal Rye	0	0	0	0	0	0	0	0
Club wheat	0	0	2	43	1	230	3	273
Durum wheat	0	0	0	0	0	0	0	0
Oat	0	0	2	58	9	359	11	417
Red oat	0	0	0	0	0	0	0	0
Sorghum	0	0	0	0	0	0	0	0
Triticale	1	5	1	24	4	245	6	274
Wheat	0	0	16	490	154	11,262	170	11,752
<b><i>TOTAL CEREALS</i></b>	<b>1</b>	<b>5</b>	<b>29</b>	<b>873</b>	<b>187</b>	<b>13,148</b>	<b>217</b>	<b>14,026</b>
<b><i>LEGUMES</i></b>								
Alfalfa	0	0	0	0	14	531	14	531
Arrowleaf clover	0	0	0	0	1	60	1	60
Birdsfoot trefoil	0	0	0	0	0	0	0	0
Chickpea	0	0	1	32	0	0	1	32
Common vetch	0	0	0	0	0	0	0	0
Crimson clover	0	0	2	27	4	338	6	365
Field bean	0	0	0	0	1	125	1	125
Field pea	0	0	1	3	0	0	1	3
Hairy vetch	0	0	0	0	0	0	0	0
Ladino clover	2	7	0	0	16	1,758	18	1,765
Little burnet	1	5	1	10	6	194	8	209
Red clover	1	5	2	40	25	906	28	951
Riverbank lupine	1	2	0	0	0	0	1	2
Rose clover	0	0	0	0	0	0	0	0
White clover	1	2	1	3	23	1,106	25	1,111
<b><i>TOTAL LEGUMES</i></b>	<b>6</b>	<b>21</b>	<b>8</b>	<b>115</b>	<b>90</b>	<b>5,018</b>	<b>104</b>	<b>5,154</b>
<b><i>OTHER CROPS</i></b>								
Annual rape	6	19	0	0	21	1,185	27	1,204
Buckhorn plantain	0	0	0	0	0	0	0	0
Fodder beet	0	0	0	0	0	0	0	0
Forage kochia	0	0	0	0	0	0	0	0
Kale	0	0	0	0	1	22	1	22
Lewis flax	0	0	0	0	1	16	1	16
Meadowfoam	1	12	2	40	8	287	11	339
Mint	0	0	0	0	1	5	1	5
Oriental Mustard	0	0	0	0	0	0	0	0
Radish	0	0	0	0	0	0	0	0
Potato	0	0	0	0	108	2,315	108	2,315
Sugar beet	0	0	0	0	3	67	3	67
Sunflower	0	0	0	0	5	225	5	225
Swede	0	0	0	0	0	0	0	0
Turnip	0	0	0	0	1	17	1	17
White Mustard	0	0	0	0	0	0	0	0
Winter rape	0	0	0	0	1	175	1	175
All Pre-Variety germplasm crops	0	0	0	0	47	121	47	121
<b><i>TOTAL OTHER CROPS</i></b>	<b>7</b>	<b>31</b>	<b>2</b>	<b>40</b>	<b>197</b>	<b>4,435</b>	<b>206</b>	<b>4,506</b>
<b><i>TOTALS PER CLASS</i></b>	<b>184</b>	<b>904</b>	<b>172</b>	<b>1,892</b>	<b>5,841</b>	<b>249,018</b>	<b>6,197</b>	<b>251,814</b>

**Total Acres Certified by Crop Kind in 2007**  
**Oregon Seed Certification Service**  
**Oregon State University Extension Service**



## Comparison of Production for Selected Crops: 2006 vs. 2007

### Oregon Seed Certification Service, Oregon State University Extension Service

CROP	TOTALS FOR 2007		TOTALS FOR 2006		PERCENT CHANGE IN 2007	
	<i>Fields</i>	<i>Acres</i>	<i>Fields</i>	<i>Acres</i>	<i>Fields</i>	<i>Acres</i>
<b><i>SELECTED GRASSES</i></b>						
Annual ryegrass	56	2,531	58	2,617	-3.4%	-3.3%
Basin wildrye	0	0	1	10	-100.0%	-100.0%
Big bluegrass	6	67	7	80	-14.3%	-16.3%
Blue fescue	3	99	3	50	0.0%	98.0%
Blue wildrye	4	4	2	2	100.0%	100.0%
Chewings fescue	203	8,168	179	6,940	13.4%	17.7%
Colonial bentgrass	76	2,750	89	3,625	-14.6%	-24.1%
Creeping bentgrass	163	4,307	137	3,794	19.0%	13.5%
Crested dogtail	1	45	1	47	0.0%	-4.3%
Crested wheatgrass	0	0	1	6	-100.0%	-100.0%
Festulolium	4	179	5	213	-20.0%	-16.0%
Hard fescue	56	1,883	48	1,383	16.7%	36.2%
Idaho bentgrass	1	49	1	49	0.0%	0.0%
Intermediate ryegrass	17	554	17	726	0.0%	-23.7%
Kentucky bluegrass	391	14,291	369	14,680	6.0%	-2.6%
Meadow fescue	2	29	2	29	0.0%	0.0%
Orchardgrass	213	7,577	196	7,209	8.7%	5.1%
Perennial ryegrass	1,588	63,848	1,810	72,433	-12.3%	-11.9%
Redtop	1	11	2	11	-50.0%	0.0%
Red fescue	149	6,237	119	4,940	25.2%	26.3%
Rough bluegrass	70	2,057	70	1,885	0.0%	9.1%
Seashore paspalum	20	265	16	182	25.0%	45.6%
Sheep fescue	6	368	5	303	20.0%	21.5%
Sudangrass	6	286	2	240	200.0%	19.2%
Tall fescue	2,621	112,311	2,312	100,329	13.4%	11.9%
Tufted hairgrass	2	9	2	22	0.0%	-59.1%
Velvet bentgrass	8	160	6	90	33.3%	77.8%
Wood bluegrass	3	43	4	47	-25.0%	-8.5%
<b><i>CHANGE IN GRASSES</i></b>	<b>5,670</b>	<b>228,128</b>	<b>5,464</b>	<b>221,942</b>	<b>3.8%</b>	<b>2.8%</b>

## Comparison of Production for Selected Crops: 2006 vs. 2007

Oregon Seed Certification Service, Oregon State University Extension Service

CROP	TOTALS FOR 2007		TOTALS FOR 2006		PERCENT CHANGE IN 2007	
	<i>Fields</i>	<i>Acres</i>	<i>Fields</i>	<i>Acres</i>	<i>Fields</i>	<i>Acres</i>
<b><i>SELECTED CEREALS</i></b>						
Barley	27	1,310	23	1,028	17.4%	27.4%
Club wheat	3	273	4	521	-25.0%	-47.6%
Oat	11	417	12	564	-8.3%	-26.1%
Red oat	0	0	8	334	-100.0%	-100.0%
Triticale	6	274	7	321	-14.3%	-14.6%
Wheat	170	11,752	161	10,932	5.6%	7.5%
<b><i>CHANGE IN CEREALS</i></b>	<b>217</b>	<b>14,026</b>	<b>215</b>	<b>13,700</b>	<b>0.9%</b>	<b>2.4%</b>
<b><i>SELECTED LEGUMES</i></b>						
Alfalfa	14	531	12	423	16.7%	25.5%
Arrowleaf clover	1	60	2	105	-50.0%	-42.9%
Chickpea	1	32	4	149	-75.0%	-78.5%
Crimson clover	6	365	6	349	0.0%	4.6%
Field bean	1	125	0	0	100.0%	100.0%
Field pea	1	3	0	0	100.0%	100.0%
Hairy vetch	0	0	1	7	-100.0%	-100.0%
Ladino clover	18	1,765	13	1,218	38.5%	44.9%
Little burnet	8	209	6	164	33.3%	27.4%
Lupine	1	2	1	2	100.0%	100.0%
Red clover	28	951	30	1,207	-6.7%	-21.2%
White clover	25	1,111	23	1,124	8.7%	-1.2%
<b><i>CHANGE IN LEGUMES</i></b>	<b>104</b>	<b>5,154</b>	<b>98</b>	<b>4,748</b>	<b>6.1%</b>	<b>8.6%</b>
<b><i>SELECTED OTHER CROPS</i></b>						
Annual rape	27	1,204	21	704	28.6%	71.0%
Kale	1	22	2	38	-50.0%	-42.1%
Lewis flax	1	16	0	0	100.0%	100.0%
Meadowfoam	11	339	8	157	37.5%	115.9%
Mint	1	5	3	12	-66.7%	-58.3%
Potato	108	2,315	137	2,716	-21.2%	-14.8%
Sunflower	5	225	2	101	150.0%	122.8%
Sugar beet	3	67	0	0	100.0%	100.0%
Turnip	1	17	0	0	100.0%	100.0%
Winter rape	1	175	0	0	100.0%	100.0%
All Pre-Variety germplasm crops	47	121	52	161	-9.6%	-24.8%
<b><i>CHANGE IN OTHER CROPS</i></b>	<b>206</b>	<b>4,506</b>	<b>225</b>	<b>3,889</b>	<b>-8.4%</b>	<b>15.9%</b>
<b><i>OVERALL CHANGE IN SELECTED CROPS</i></b>						
	<b>6,197</b>	<b>251,814</b>	<b>6,002</b>	<b>244,279</b>	<b>3.2%</b>	<b>3.1%</b>



# Varieties Eligible, Produced <sup>1</sup>, and Growers <sup>2</sup> with Fields From 2004-2007

## Oregon Seed Certification Service, Oregon State University Extension Service

CROPTYPE	Eligible Varieties in 2007	Varieties with Eligible Fields in 2007	Growers with Eligible Fields in 2007	Varieties with Eligible Fields in 2006	Growers with Eligible Fields in 2006	Varieties with Eligible Fields in 2005	Growers with Eligible Fields in 2005	Varieties with Eligible Fields in 2004	Growers with Eligible Fields in 2004
<i>GRASSES</i>									
Weeping alkaligrass	2	0	0	0	0	0	0	0	0
Meadow barley	2	2	2	1	1	0	0	0	0
Colonial bentgrass	33	8	28	5	29	7	34	7	33
Creeping bentgrass	70	38	42	32	40	32	39	33	37
Idaho bentgrass	1	1	1	1	1	0	0	0	0
Redtop bentgrass	2	1	1	1	1	0	0	0	0
Velvet bentgrass	7	6	3	3	2	4	4	4	4
Bermudagrass	12	0	0	0	0	0	0	0	0
Big bluegrass	1	1	1	1	2	1	2	1	2
Canada bluegrass	3	0	0	0	0	0	0	0	0
Creeping bluegrass	1	0	0	0	0	0	0	0	0
Kentucky bluegrass	349	113	86	84	90	78	99	88	93
Rough bluegrass	32	17	21	16	22	14	23	17	25
Supina bluegrass	1	0	0	0	0	0	0	0	0
Wood bluegrass	3	1	2	2	3	2	3	1	1
Meadow brome	1	0	0	0	0	0	0	0	0
Mountain brome	5	2	2	3	2	0	0	1	1
Smooth brome	3	0	0	0	0	1	2	1	2
Sweet brome	2	0	0	0	0	0	0	0	0
Reed canarygrass	3	0	0	0	0	0	0	0	0
Crested dogtail	1	1	1	1	1	0	0	1	1
Annual fescue	1	0	0	0	0	1	1	0	0
Blue fescue	2	2	3	2	1	0	0	1	2
Chewings fescue	112	39	56	35	56	34	49	25	41
Hard fescue	64	23	29	20	29	18	23	19	21
Idaho fescue	4	3	1	2	2	0	0	0	0
Meadow fescue	5	2	2	2	2	0	0	0	0
Red fescue	95	35	61	35	53	36	62	35	63
Sheep fescue	11	3	3	2	3	3	4	2	3
Tall fescue	524	285	478	231	449	227	459	224	474
Festulolium	10	2	2	3	3	4	4	1	1
Creeping foxtail	1	0	0	0	0	0	0	0	0
Meadow foxtail	3	0	0	0	0	0	0	0	0
Water foxtail	1	0	0	0	0	0	0	0	0
Crested hairgrass	2	0	0	0	0	0	0	0	0
Tufted hairgrass	9	4	4	4	4	1	2	2	3
Hardinggrass	1	0	0	0	0	0	0	0	0
Tall mannagrass	1	0	0	1	1	0	0	0	0
Orchardgrass	124	41	56	35	56	45	67	53	86
Seashore paspalum	1	1	4	1	5	1	4	1	3
Polargrass	1	0	0	0	0	0	0	0	0
Annual ryegrass	148	28	28	30	30	35	30	28	29
Intermediate ryegrass	33	7	11	7	9	9	13	7	23
Perennial ryegrass	645	246	388	271	431	249	449	210	451

<sup>1</sup>Varieties include all eligible fields; field may not be signed-up or passed in current year.

<sup>2</sup>Includes growers that did not sign-up eligible fields; Pre-variety germplasm growers NOT included.

# Varieties Eligible, Produced <sup>1</sup>, and Growers <sup>2</sup> with Fields From 2004-2007

## Oregon Seed Certification Service, Oregon State University Extension Service

CROPTYPE	Eligible	Varieties	Growers	Varieties	Growers	Varieties	Growers	Varieties	Growers
	Varieties	with	with	with	with	with	with	with	with
	in 2007	Eligible	Eligible	Eligible	Eligible	Eligible	Eligible	Eligible	Eligible
		Fields in	Fields in	Fields in	Fields in	Fields in	Fields in	Fields in	Fields in
		2007	2007	2006	2006	2005	2005	2004	2004
Wimmera ryegrass	1	0	0	0	0	0	0	0	0
Sudangrass	1	1	2	1	1	1	1	1	3
Timothy	22	0	0	0	0	0	0	0	0
Beardless wheatgrass	1	0	0	0	0	0	0	0	0
Bluebunch wheatgrass	6	3	1	3	1	0	0	0	0
Crested wheatgrass	4	0	0	1	1	2	1	1	1
Intermediate wheatgrass	1	0	0	0	0	0	0	0	0
Montana wheatgrass	1	1	1	1	1	0	0	0	0
Pubescent wheatgrass	1	0	0	0	0	0	0	0	0
Siberian wheatgrass	2	0	0	0	0	0	0	0	0
Snake River wheatgrass	1	0	0	0	0	0	0	0	0
Streambank wheatgrass	1	0	0	0	0	0	0	0	0
Tall wheatgrass	2	0	0	0	0	0	0	0	0
Thickspike wheatgrass	2	0	0	0	0	0	0	0	0
Altai wildrye	1	0	0	0	0	0	0	0	0
Blue wildrye	18	8	4	15	7	2	2	1	2
Canada wildrye	1	0	0	0	0	0	0	0	0
Russian wildrye	1	0	0	0	0	0	0	0	0
<b>TOTAL GRASSES</b>	<b>2399</b>	<b>925</b>	<b>1324</b>	<b>852</b>	<b>1339</b>	<b>807</b>	<b>1377</b>	<b>765</b>	<b>1405</b>
<b>CEREALS</b>									
Barley	66	9	9	8	6	6	8	11	10
Oat	34	4	10	6	10	3	5	4	7
Red oat	6	0	0	4	5	2	2	0	0
Cereal rye	1	0	0	0	0	0	0	0	0
Mountain rye	1	0	0	0	0	0	0	0	0
Triticale	17	2	3	3	4	2	4	1	3
Club wheat	8	2	2	2	2	2	2	1	2
Durum wheat	10	0	0	0	0	0	0	0	0
Hybrid wheat	1	0	0	0	0	0	0	0	0
Wheat	88	20	22	22	24	20	29	26	44
<b>TOTAL CEREALS</b>	<b>232</b>	<b>37</b>	<b>46</b>	<b>45</b>	<b>51</b>	<b>35</b>	<b>50</b>	<b>43</b>	<b>66</b>
<b>LEGUMES</b>									
Alfalfa	316	10	3	10	3	10	4	9	5
Austrian winter pea	1	0	0	0	0	0	0	0	0
Field bean	72	1	1	1	2	0	0	0	0
Little burnet	2	2	4	1	4	1	2	1	2
Chickpea	6	1	1	2	3	1	2	1	4
Arrowleaf clover	2	1	1	1	1	1	4	1	6
Berseem clover	2	0	0	0	0	0	0	0	0
Crimson clover	20	1	1	1	2	3	4	2	8

<sup>1</sup>Varieties include all eligible fields; field may not be signed-up or passed in current year.  
<sup>2</sup>Includes growers that did not sign-up eligible fields; Pre-variety germplasm growers NOT included.

# Varieties Eligible, Produced <sup>1</sup>, and Growers <sup>2</sup> with Fields From 2004-2007

## Oregon Seed Certification Service, Oregon State University Extension Service

CROPTYPE	Eligible Varieties in 2007	Varieties with Eligible Fields in 2007	Growers with Eligible Fields in 2007	Varieties with Eligible Fields in 2006	Growers with Eligible Fields in 2006	Varieties with Eligible Fields in 2005	Growers with Eligible Fields in 2005	Varieties with Eligible Fields in 2004	Growers with Eligible Fields in 2004
Ladino clover	22	8	12	6	8	5	7	2	2
Persian clover	1	0	0	0	0	0	0	0	0
Red clover	86	14	20	14	17	9	18	6	12
Rose clover	2	0	0	0	0	0	0	0	0
Strawberry clover	1	0	0	0	0	0	0	0	0
White clover	43	11	14	12	14	8	10	3	4
Riverbank lupine	1	1	1	1	1	0	0	0	0
Field pea	18	1	1	0	0	0	0	0	0
Roughpea	1	0	0	0	0	0	0	0	0
Big trefoil	1	0	0	0	0	0	0	0	0
Big flower vetch	1	0	0	0	0	0	0	0	0
Common vetch	4	0	0	0	0	0	0	0	0
Hairy vetch	3	0	0	1	1	0	0	0	0
<b>TOTAL LEGUMES</b>	<b>605</b>	<b>51</b>	<b>59</b>	<b>50</b>	<b>56</b>	<b>38</b>	<b>51</b>	<b>25</b>	<b>43</b>
<b>OTHER CROPS</b>									
Buckhorn plantain	1	0	0	0	0	0	0	0	0
Buckwheat	1	0	0	0	0	0	0	0	0
Fodder beet	2	0	0	0	0	0	0	0	0
Chickory	1	0	0	0	0	0	0	0	0
Lewis flax	3	2	2	1	1	1	1	1	1
Kale	10	1	1	2	2	2	3	1	2
Forage kochia	3	0	0	0	0	0	0	0	0
Meadowfoam	14	3	6	5	4	2	4	1	1
Mint	11	0	0	2	1	3	6	3	5
Oriental mustard	1	0	0	0	0	1	1	1	1
White mustard	1	0	0	0	0	0	0	0	0
Potato	173	0	0	31	18	57	17	51	19
Radish	4	0	0	0	0	0	0	0	0
Annual rape	44	12	13	13	9	12	7	9	5
Winter rape	27	1	1	0	0	0	0	0	0
Sugar beet	541	2	1	0	0	0	0	9	1
Sunflower	9	2	3	1	1	0	0	0	0
Swede	2	0	0	0	0	1	1	0	0
Turnip	13	1	1	0	0	2	4	1	4
<b>TOTAL OTHER CROPS</b>	<b>861</b>	<b>24</b>	<b>28</b>	<b>55</b>	<b>36</b>	<b>81</b>	<b>44</b>	<b>77</b>	<b>39</b>
<b>YEARLY TOTALS</b>	<b>4097</b>	<b>1037</b>	<b>1457</b>	<b>1002</b>	<b>1482</b>	<b>961</b>	<b>1522</b>	<b>910</b>	<b>1553</b>

<sup>1</sup>Varieties include all eligible fields; field may not be signed-up or passed in current year.

<sup>2</sup>Includes growers that did not sign-up eligible fields; Pre-variety germplasm growers NOT included.

# Number of Fields and Acres Eligible, Signed-up, and Passed by Generation <sup>1</sup> From 2003 - 2007

Oregon Seed Certification Service, Oregon State University Extension Service

<u>GENERATION</u>		<u>2007</u>	<u>2007</u>	<u>2006</u>	<u>2006</u>	<u>2005</u>	<u>2005</u>	<u>2004</u>	<u>2004</u>	<u>2003</u>	<u>2003</u>
		<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>
<b>ELIGIBLE</b>	Foundation	238	1,243	184	1,124	208	1,271	200	1,103	201	1,498
	Registered	188	2,949	166	2,877	165	3,662	201	3,903	172	2,506
	Certified	6,715	287,137	6,558	283,954	6,721	283,062	6,603	278,941	6,198	252,410
	OECD 2nd Gen.	0	0	0	0	0	0	0	0	0	0
	Identity Preserved	1	29	0	0	4	94	1	8	1	65
	<b>Eligible Totals</b>	<b>7,142</b>	<b>291,358</b>	<b>6,908</b>	<b>287,955</b>	<b>7,098</b>	<b>288,089</b>	<b>7,005</b>	<b>283,955</b>	<b>6,572</b>	<b>256,479</b>
<b>SIGNED-UP</b>	Foundation	218	1,090	164	841	195	1,202	184	1,020	180	998
	Registered	169	2,037	140	2,147	139	2,471	169	3,029	152	2,027
	Certified	5,972	253,370	5,705	244,179	6,042	254,458	5,786	240,709	5,576	225,334
	OECD 2nd Gen.	0	0	0	0	0	0	0	0	0	0
	Identity Preserved	0	0	0	0	0	0	0	0	0	0
	<b>Signed-up Totals</b>	<b>6,359</b>	<b>256,497</b>	<b>6,009</b>	<b>247,167</b>	<b>6,376</b>	<b>258,131</b>	<b>6,139</b>	<b>244,758</b>	<b>5,908</b>	<b>228,359</b>
<b>PASSED</b>	Foundation	184	904	140	716	162	922	144	790	146	795
	Registered	172	1,892	135	1,965	138	2,256	170	2,731	156	1,965
	Certified	5,841	249,018	5,727	241,598	5,942	249,671	5,676	236,108	5,451	220,344
	OECD 2nd Gen.	0	0	0	0	0	0	0	0	0	0
	Identity Preserved	0	0	0	0	0	0	0	0	0	0
	<b>Passed Totals</b>	<b>6,197</b>	<b>251,814</b>	<b>6,002</b>	<b>244,279</b>	<b>6,242</b>	<b>252,849</b>	<b>5,990</b>	<b>239,629</b>	<b>5,753</b>	<b>223,104</b>

*1The totals are different than reported elsewhere in this report due to different generational formats used by Mint, Potato, and Pre-Variety Germplasm crops.*


## Program and Variety Information, 2000-2007

### Oregon Seed Certification Service, Oregon State University Extension Service

		<u>2007*</u>	<u>2006*</u>	<u>2005</u>	<u>2004</u>	<u>2003</u>	<u>2002</u>	<u>2001</u>	<u>2000</u>
<b>General Program Information</b>	Growers	874	844	903	915	922	983	1,044	1,081
	Warehouses	391	386	382	379	375	374	382	406
	Contractors	363	350	319	293	278	251	237	231
	Crop Types Eligible	132	130	134	131	125	115	112	111
	Crop Types Certified	78	78	48	48	51	55	50	47
<b>Eligible Varieties</b>	Public	350	351	357	427	417	331	322	307
	Private	2,109	1,957	1,806	1,726	1,615	1,473	1,362	1,318
	OECD	531	520	507	476	461	440	429	424
	Experimental	1,173	1,181	1,182	1,197	1,106	1,037	1,020	930
	<b>Total Eligible Varieties</b>	<b>4,163</b>	<b>4,009</b>	<b>3,852</b>	<b>3,826</b>	<b>3,599</b>	<b>3,281</b>	<b>3,133</b>	<b>2,979</b>
<b>Varieties with Active Production</b>	Public	75	50	49	85	89	66	69	57
	Private	762	716	638	627	584	566	548	587
	OECD	57	62	63	50	56	57	53	61
	Experimental	235	216	220	236	231	243	290	259
	<b>Total Active Production</b>	<b>1,129</b>	<b>1,044</b>	<b>970</b>	<b>998</b>	<b>960</b>	<b>932</b>	<b>960</b>	<b>964</b>

\* Includes PVG

**Eligible vs. Active Varieties by Category - 2007**  
**Oregon Seed Certification Service**  
**Oregon State University Extension Service**



## Active Varieties by Category Oregon Seed Certification Service

