

**Oregon Seed Certification Service**  
Department of Crop and Soil Science  
31 Crop Science Bldg  
Corvallis, Oregon 97331



**Tel:** (541) 737-4513  
**Fax:** (541) 737-2624  
[seed-cert@oscs.oregonstate.edu](mailto:seed-cert@oscs.oregonstate.edu)  
[www.oscs.oregonstate.edu](http://www.oscs.oregonstate.edu)

**Oregon Seed Certification Service**  
**Oregon State University**  
**Extension Service**

**Oregon Certification Activity Summary**  
**2008**

**October 2008**

# Acres Passed for Seed Certification 2003 - 2008

## Oregon Seed Certification Service, Oregon State University Extension Service

<b>CROP</b>		<b>2008</b>	<b>2007</b>	<b>2006</b>	<b>2005</b>	<b>2004</b>	<b>2003</b>
<b>BENTGRASS</b> <i>(Colonial, Creeping, Idaho, Velvet, and Spike)</i>	Public - Highland	1,916	2,568	3,478	4,302	4,090	3,743
	Public - Seaside	24	24	25	25	25	61
	Private and OECD	4,831	4,464	3,684	3,456	3,024	3,145
	Experimental	98	221	382	305	369	581
	<b>Total Acres of Bentgrass</b>	<b>6,869</b>	<b>7,277</b>	<b>7,569</b>	<b>8,088</b>	<b>7,508</b>	<b>7,530</b>
<b>BLUEGRASS</b> <i>(Big, Creeping, Kentucky, Rough, Supina, and Wood)</i>	Public	67	67	80	80	71	21
	Private & OECD	12,285	15,824	16,102	17,762	15,212	14,976
	Experimental	1,340	932	510	525	1,134	769
	<b>Total Acres of Bluegrass</b>	<b>13,692</b>	<b>16,823</b>	<b>16,692</b>	<b>18,367</b>	<b>16,417</b>	<b>15,766</b>
<b>FINE FESCUE</b> <i>(Blue, Chewings, Hard, Idaho, Annual, Red, Sheep)</i>	Public - Boreal	0	70	70	70	85	0
	Public - Cascade	40	32	87	99	398	599
	Public - Covar	19	0	0	0	0	0
	Public - Durar	12	0	0	0	0	0
	Public - Zorro	0	0	0	1	0	98
	Private and OECD	15,243	14,808	12,364	11,933	10,144	9,468
	Experimental	927	1,480	1,124	584	540	349
	<b>Total Acres of Fine Fescue</b>	<b>16,241</b>	<b>16,390</b>	<b>13,645</b>	<b>12,687</b>	<b>11,167</b>	<b>10,514</b>
<b>TALL FESCUE</b>	Public - Alta	30	130	130	100	130	130
	Public - Fawn	5,956	4,223	4,925	5,641	5,059	5,052
	Public-Kentucky 31	5,187	4,017	2,501	1,716	963	996
	Private and OECD	103,180	101,318	90,658	88,196	83,376	79,443
	Experimental	4,331	2,623	2,115	1,912	2,666	4,872
	<b>Total Acres of Tall Fescue</b>	<b>118,684</b>	<b>112,311</b>	<b>100,329</b>	<b>97,565</b>	<b>92,194</b>	<b>90,493</b>
<b>ORCHARDGRASS</b>	Public - Berber	18	0	0	0	31	31
	Public - Latar	79	79	79	79	79	79
	Public - Paiute	425	425	400	432	633	618
	Public - Potomac	2,361	2,406	2,133	2,876	3,067	3,425
	Private and OECD	4,492	4,318	4,465	4,991	5,099	4,973
	Experimental	292	349	132	171	486	1,349
	<b>Total Acres of Orchardgrass</b>	<b>7,667</b>	<b>7,577</b>	<b>7,209</b>	<b>8,549</b>	<b>9,395</b>	<b>10,475</b>
<b>ANNUAL AND INTERMEDIATE RYEGRASS</b>	Public - Floregon	10	10	0	0	0	0
	Public - Gulf	81	212	232	195	192	202
	Private and OECD	2,661	2,720	2,550	3,327	3,165	2,441
	Experimental	171	148	561	373	197	188
	<b>Total Acres of Annual &amp; Intermediate Ryegrass</b>	<b>2,923</b>	<b>3,090</b>	<b>3,343</b>	<b>3,895</b>	<b>3,554</b>	<b>2,831</b>
<b>PERENNIAL RYEGRASS</b>	Public - Linn	972	1,455	2,389	1,888	2,126	2,147
	Private and OECD	48,135	57,942	61,112	76,769	73,206	60,732
	Experimental	2,209	4,451	8,932	3,914	6,066	4,989
	<b>Total Acres of Perennial Ryegrass</b>	<b>51,316</b>	<b>63,848</b>	<b>72,433</b>	<b>82,571</b>	<b>81,398</b>	<b>67,868</b>
<b>ALFALFA</b>	Public	0	0	0	0	0	0
	Private and OECD	135	141	95	85	64	90
	Experimental	47	390	328	506	421	215
	<b>Total Acres of Alfalfa</b>	<b>182</b>	<b>531</b>	<b>423</b>	<b>591</b>	<b>485</b>	<b>305</b>
<b>CLOVERS</b> <i>(Berseem, Crimson, Ladino, Red, Arrowleaf Rose, White)</i>	Public	344	267	466	248	133	100
	Private and OECD	3,444	3,509	3,052	2,373	2,113	2,097
	Experimental	607	476	485	243	207	92
	<b>Total Acres of Clovers</b>	<b>4,395</b>	<b>4,252</b>	<b>4,003</b>	<b>2,864</b>	<b>2,453</b>	<b>2,289</b>
<b>MINT</b>	Public	2	5	12	68	56	106
	Experimental	0	0	0	10	0	4
	<b>Total Acres of Mint</b>	<b>2</b>	<b>5</b>	<b>12</b>	<b>78</b>	<b>56</b>	<b>110</b>

\*Not Available for Crop Year  
 \*\*Acres Applied For  
 \*\*\*For One Year ending on June 30

# Acres Passed for Seed Certification 2003 - 2008

## Oregon Seed Certification Service, Oregon State University Extension Service



<u>CROP</u>		<u>2008</u>	<u>2007</u>	<u>2006</u>	<u>2005</u>	<u>2004</u>	<u>2003</u>
<b>SMALL GRAINS</b> (Barley, Oat, Red Oat, Club wheat, Wheat, Triticale, Cereal Rye, Sorghum)	Public	10,826	9,201	9,077	10,338	12,818	12,377
	Private and OECD	5,617	4,456	4,349	3,131	991	1,081
	Experimental	4	364	274	125	212	17
	<b>Total Acres of Small Grains</b>	<b>16,447</b>	<b>14,021</b>	<b>13,700</b>	<b>13,594</b>	<b>14,021</b>	<b>13,475</b>
<b>GRASS CROPS</b> (Indian ricegrass, Seashore paspalum, Blue wildrye, Crested dogtail, hairgrasses, Timothy, Sudangrass, Festulolium, Wheatgrasses)	Public	469	290	252	52	212	553
	Private and OECD	370	446	397	254	224	224
	Experimental	3	81	73	104	30	17
	<b>Total Acres Other Grass Crops</b>	<b>842</b>	<b>817</b>	<b>722</b>	<b>410</b>	<b>466</b>	<b>794</b>
<b>OTHER LEGUME CROPS</b> (Field beans, Little burnet, Lupine, Vetches, Field pea, Trefoil, Chickpea)	Public	135	201	166	63	63	99
	Private and OECD	16	125	156	200	99	0
	Experimental	65	45	0	0	0	0
	<b>Total Acres Other Legumes</b>	<b>216</b>	<b>371</b>	<b>322</b>	<b>263</b>	<b>162</b>	<b>99</b>
<b>OTHER CROPS</b> (Sugar beets, Radish, Plantain, Kale, Sunflower, Meadowfoam, Turnip, Rapes, forage kochia, flax, Mustard)	Public	26	16	0	7	15	8
	Private and OECD	79	788	189	496	358	643
	Experimental	1,254	1,261	811	414	36	14
	<b>Total Acres of Other Crops</b>	<b>1,359</b>	<b>2,065</b>	<b>1,000</b>	<b>917</b>	<b>409</b>	<b>665</b>
<b>POTATO</b>	Public	1,815	1,790	2,418	2,045	3,055	2,765
	Private and OECD	666	515	264	195	140	198
	Experimental	27	10	34	11	22	98
	<b>Total Acres of Potatoes</b>	<b>2,508</b>	<b>2,315</b>	<b>2,716</b>	<b>2,250</b>	<b>3,217</b>	<b>3,061</b>
	Survey Seed Farm Req. (acs)		0	8	0	1	27
Winter Test (# of Seed lots)		*	74	78	111	108	
<b>TOTAL ACREAGE OF:</b>	<i>All Crops Certified</i>	<b>243,438</b>	<b>251,814</b>	<b>244,279</b>	<b>252,849</b>	<b>243,087</b>	<b>226,507</b>
	<i>Public Varieties</i>	<b>30,795</b>	<b>27,488</b>	<b>28,920</b>	<b>30,324</b>	<b>33,301</b>	<b>33,210</b>
	<i>Private and OECD Varieties</i>	<b>201,154</b>	<b>211,374</b>	<b>199,437</b>	<b>213,168</b>	<b>197,215</b>	<b>179,511</b>
	<i>Experimental Varieties</i>	<b>11,375</b>	<b>12,831</b>	<b>15,761</b>	<b>9,197</b>	<b>12,386</b>	<b>13,554</b>
	<i>Establishing Crop History**</i>	<b>1,954</b>	<b>4,993</b>	<b>3,887</b>	<b>3,992</b>	<b>3,999</b>	<b>3,737</b>
	<i>Modified Land History**</i>	<b>3,169</b>	<b>3,140</b>	<b>5,125</b>	<b>4,520</b>	<b>3,088</b>	<b>5,627</b>
	<i>Pre-Variety Germplasm</i>	<b>95</b>	<b>121</b>	<b>161</b>	<b>160</b>	<b>185</b>	<b>232</b>
<b>TOTALS FOR MIXTURES &amp; BLENDS</b>	# Requests\# Separate Co.'s	*	1,796\33	2,129\25	2,326\30	1,935\29	1,978\31
	No. of Blends\# Companies	*	51\17	44\11	49\30	117\12	81\16
	Pounds of Blends Certified	*	1,240,612	1,337,884	891,520	3,316,015	3,483,190
	No. of Mixtures\# Companies	*	1,745\24	2,085\23	2,277\27	1,818\25	1,897\22
	Pounds of Mixtures Certified	*	34,421,841	39,761,392	42,262,495	36,002,784	36,849,709
<b>PRE-VARIETY GERMPLASM TOTALS</b>	Selected	12	0	10	17	8	10
	Source ID	83	0	151	143	177	222
	<b>Total Acres of P.V.G.</b>	<b>95</b>	<b>121</b>	<b>161</b>	<b>160</b>	<b>185</b>	<b>232</b>
	Selected, G0 (species/sites)	0/0	0/0	0/0	0/0	0/0	1/1
	Source ID, G0 (species/sites)	5/5	2/2	1/1	0/0	3/2	21/21
<b>TREE SEED TOTALS</b> (bushels of cones)	Tested	0	0	0	0	0	0
	Select B	0	0	0	0	0	0
	Source Identified-A	0	0	327	0	0	224
	Source Identified-B	0	0	88	0	17	0
	<b>Total Bushels Certified</b>	<b>0</b>	<b>0</b>	<b>415</b>	<b>0</b>	<b>17</b>	<b>224</b>
<b>OECD*** TOTALS</b>	<i>Pounds tagged</i>	32,610,136	12,756,113	10,242,299	21,756,307	13,700,331	16,595,094
	<i>No. of lots tagged</i>	1986	766	780	1,378	988	1,196
	<i>No. Varieties tagged</i>	217	167	158	169	163	170
	<i>Foreign Lots Received in OR</i>	68	57	80	99	80	79

\*Not Available for Crop Year


\*\*Acres Applied For

\*\*\*For One Year ending on June 30

**Acres Certified by Category in 2008**  
**Oregon Seed Certification Service**  
**Oregon State University Extension Service**



**Total Acres Passed for Certification**  
**Oregon Seed Certification Service**  
**Oregon State University Extension Service**



**Seed Certification Activities by County 2005 - 2008**  
**Eligible Fields, Acres Passed, and Growers with Production**  
Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2008 Fields	2008 Acres	2008 Gro*	2007 Fields	2007 Acres	2007 Gro*	2006 Fields	2006 Acres	2006 Gro*	2005 Fields	2005 Acres	2005 Gro*
<b>BAKER</b>	Annual Rape	0	0		0	0		1	120		0	0	
	Barley	0	0		0	0		1	13		0	0	
	Chewings fescue	1	27		1	27		1	27		0	0	
	Kentucky bluegrass	3	161		4	181		4	147		2	37	
	Mint	1	2		0	0		3	12		3	7	
	Potato	1	40		1	33		2	25		2	28	
	Red fescue	0	0		1	35		0	0		0	0	
	Wheat	0	0		0	0		1	68		0	0	
	<b>Total Baker</b>	<b>6</b>	<b>230</b>	<b>3</b>	<b>7</b>	<b>276</b>	<b>4</b>	<b>13</b>	<b>412</b>	<b>4</b>	<b>7</b>	<b>72</b>	<b>3</b>
<b>BENTON</b>	Annual rape	0	0		1	20		0	0		2	11	
	Annual ryegrass	14	329		16	634		10	483		19	576	
	Arrowleaf Clover	0	0		1	60		2	105		5	218	
	Blue wildrye	3	3		4	4		2	2		2	2	
	Chewings fescue	1	3		1	3		0	0		1	5	
	Creeping bentgrass	4	117		3	97		3	81		6	163	
	Festulolium	1	40		1	40		1	40		3	145	
	Hard fescue	0	0		0	0		0	0		1	40	
	Idaho bentgrass	1	49		1	49		1	49		0	0	
	Intermediate ryegrass	4	154		9	316		8	375		5	198	
	Kale	1	16		0	0		0	0		0	0	
	Ladino clover	0	0		1	50		2	100		1	50	
	Meadowfoam	0	0		0	0		1	50		0	0	
	Oat	0	0		0	0		0	0		0	0	
	Orchardgrass	32	1,225		30	1,077		29	1,231		33	1,522	
	Perennial ryegrass	18	809		28	1,283		33	1,700		43	1,996	
	Potato	1	1		0	0		0	0		38	1	
	Red clover	2	55		3	100		3	150		2	180	
	Red fescue	0	0		0	0		1	5		0	0	
	Red oat	0	0		0	0		3	125		0	0	
	Riverbank lupine	1	3		0	0		0	0		0	0	
	Tall fescue	202	11,930		189	10,392		162	9,180		153	8,558	
	Velvet bentgrass	0	0		0	0		0	0		1	20	
	Wheat	12	447		4	133		3	143		10	694	
	White clover	6	206		6	160		6	123		6	123	
	Pre-variety germplasm	19	4.73		8	14.78		7	12		8	13	
		<b>Total Benton</b>	<b>322</b>	<b>15,392</b>	<b>35</b>	<b>306</b>	<b>14,433</b>	<b>33</b>	<b>277</b>	<b>13,954</b>	<b>30</b>	<b>339</b>	<b>14,515</b>
<b>CLACKAMAS</b>	Annual ryegrass	2	33		3	45		1	30		0	0	
	Chewings fescue	4	56		3	25		5	61		4	57	
	Colonial bentgrass	0	0		0	0		0	0		1	9	
	Creeping bentgrass	23	455		22	430		20	420		20	384	
	Crimson clover	0	0		0	0		0	0		0	0	
	Hard Fescue	0	0		0	0		1	15		1	15	
	Kentucky bluegrass	5	35		4	30		4	30		4	32	
	Orchardgrass	9	148		7	98		6	82		4	57	
	Perennial ryegrass	72	1,854		100	2,583		122	3,165		121	3,090	
	Red clover	0	0		2	64		2	95		1	75	
	Red fescue	2	72		0	0		0	0		1	26	
	Seashore paspalum	13	186		13	186		9	94		4	25	
	Tall fescue	93	2,565		86	2,258		77	1,919		75	2,036	
	Tufted hairgrass	0	0		0	0		1	16		1	16	
	Velvet bentgrass	1	20		1	20		1	20		0	0	
	Wheat	1	47		0	0		0	0		0	0	
		<b>Total Clackamas</b>	<b>225</b>	<b>5,471</b>	<b>27</b>	<b>241</b>	<b>5,739</b>	<b>29</b>	<b>249</b>	<b>5,947</b>	<b>29</b>	<b>237</b>	<b>5,822</b>
<b>COLUMBIA</b>	Tall fescue	3	117		3	142		1	50		0	0	
	<b>Total Columbia</b>	<b>3</b>	<b>117</b>	<b>1</b>	<b>3</b>	<b>142</b>	<b>1</b>	<b>1</b>	<b>50</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>

Gro\* = Total number of growers with production in county.

**Seed Certification Activities by County 2005 - 2008**  
**Eligible Fields, Acres Passed, and Growers with Production**  
Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2008 Fields	2008 Acres	2008 Gro*	2007 Fields	2007 Acres	2007 Gro*	2006 Fields	2006 Acres	2006 Gro*	2005 Fields	2005 Acres	2005 Gro*
<b>CROOK</b>	Barley	0	0		0	0		3	91		0	0	
	Potato	10	76		0	0		4	36		5	46	
	Rough bluegrass	0	0		0	0		1	15		1	34	
	Triticale	2	67		0	0		0	0		0	0	
	<b>Total Crook</b>	<b>12</b>	<b>143</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>8</b>	<b>142</b>	<b>4</b>	<b>6</b>	<b>80</b>	<b>2</b>
<b>DESCHUTES</b>	Basin wildrye	0	0		0	0		1	10		0	0	
	Kentucky bluegrass	0	0		0	0		1	40		1	40	
	<b>Total Deschutes</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>50</b>	<b>1</b>	<b>1</b>	<b>40</b>	<b>1</b>
<b>DOUGLAS</b>	Sugar beet	0	0		0	0		0	0		0	0	
	Annual Rape	3	12		2	4		0	0		0	0	
	<b>Total Douglas</b>	<b>3</b>	<b>12</b>	<b>0</b>	<b>6</b>	<b>144</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>GILLIAM</b>	Alfalfa	1	19		2	119		1	19		2	119	
	Kentucky bluegrass	0	0		0	0		0	0		2	242	
	<b>Total Gilliam</b>	<b>2</b>	<b>139</b>	<b>0</b>	<b>2</b>	<b>119</b>	<b>0</b>	<b>1</b>	<b>19</b>	<b>0</b>	<b>4</b>	<b>361</b>	<b>0</b>
<b>JACKSON</b>	Alfalfa	0	0		3	50		2	29		5	101	
	Creeping bentgrass	4	33		4	33		2	20		1	11	
	<b>Total Jackson</b>	<b>4</b>	<b>33</b>	<b>1</b>	<b>7</b>	<b>83</b>	<b>2</b>	<b>4</b>	<b>49</b>	<b>2</b>	<b>10</b>	<b>151</b>	<b>3</b>
<b>JEFFERSON</b>	Barley	2	46		9	148		8	125		7	184	
	Big bluegrass	6	67		6	67		6	67		6	67	
	Blue fescue	0	0		1	18		2	17		0	0	
	Chickpea	0	0		0	0		3	54		3	40	
	Crested wheatgrass	0	0		0	0		1	6		1	6	
	Hard fescue	0	0		1	24		0	0		0	0	
	Intermediate ryegrass	0	0		1	5		0	0		0	0	
	Kentucky bluegrass	163	4,393		184	5,067		196	5,539		183	5,193	
	Lewis flax	3	26		1	16		0	0		0	0	
	Potato	25	321		17	333		19	330		12	264	
	Red Fescue	0	0		2	51		0	0		0	0	
	Rough bluegrass	60	1,794		64	1,880		64	1,746		70	2,094	
	Triticale	0	0		0	0		1	8		1	35	
	Wheat	63	1,679		67	1,695		58	1,466		54	1,343	
	Pre-variety germplasm	5	23		4	16		1	6		1	6	
	<b>Total Jefferson</b>	<b>327</b>	<b>8,349</b>	<b>43</b>	<b>357</b>	<b>9,320</b>	<b>51</b>	<b>359</b>	<b>9,364</b>	<b>50</b>	<b>338</b>	<b>9,232</b>	<b>57</b>
	<b>KLAMATH</b>	Barley	2	80		0	0		0	0		1	51
Mint		0	0		0	0		0	0		5	60	
Oat		1	30		0	0		0	0		0	0	
Potato		63	946		55	751		60	856		49	754	
Triticale		2	105		1	40		2	160		1	36	
Wheat		4	83		0	0		0	0		4	60	
<b>Total Klamath</b>		<b>72</b>	<b>1,244</b>	<b>10</b>	<b>56</b>	<b>791</b>	<b>8</b>	<b>62</b>	<b>1,016</b>	<b>9</b>	<b>60</b>	<b>961</b>	<b>11</b>
<b>LAKE</b>	Oat	1	127		1	49		1	126		2	258	
	Red oat	0	0		0	0		1	125		1	51	
	<b>Total Lake</b>	<b>1</b>	<b>127</b>	<b>1</b>	<b>1</b>	<b>49</b>	<b>1</b>	<b>2</b>	<b>251</b>	<b>2</b>	<b>4</b>	<b>441</b>	<b>2</b>
<b>LANE</b>	Annual rape	1	2		2	6		6	11		2	3	
	Annual ryegrass	9	187		8	243		6	113		8	228	
	Chewings fescue	2	10		1	5		1	3		1	3	
	Colonial bentgrass	4	186		4	322		5	612		5	612	
	Creeping bentgrass	9	251		10	255		8	245		8	218	
	Crimson clover	0	0		0	0		0	0		1	2	
	Festulolium	0	0		1	66		1	66		1	15	
	Field bean	1	5		0	0		0	0		0	0	
	Field pea	1	7		1	3		0	0		0	0	

Gro\* = Total number of growers with production in county.

**Seed Certification Activities by County 2005 - 2008**  
**Eligible Fields, Acres Passed, and Growers with Production**  
Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2008 Fields	2008 Acres	2008 Gro*	2007 Fields	2007 Acres	2007 Gro*	2006 Fields	2006 Acres	2006 Gro*	2005 Fields	2005 Acres	2005 Gro*	
LINN	Garden Pea	2	15		0	0		0	0		0	0		
	Hard fescue	2	12		2	8		3	27		2	22		
	Intermediate ryegrass	2	42		4	162		3	87		5	61		
	Kale	0	0		1	22		2	38		2	21		
	Kentucky bluegrass	0	0		0	0		0	0		2	20		
	Meadow fescue	0	0		1	5		1	5		0	0		
	Meadowfoam	0	0		2	32		0	0		2	38		
	Oat	2	101		0	0		0	0		0	0		
	Orchardgrass	33	1,689		26	1,406		24	1,247		27	1,185		
	Perennial ryegrass	49	1,402		64	1,676		81	1,813		74	1,880		
	Red clover	1	5		1	5		1	5		1	5		
	Red fescue	3	14		3	9		3	10		3	12		
	Redtop	2	11		1	11		2	11		0	0		
	Rough bluegrass	0	0		1	1		1	1		0	0		
	Smooth brome	1	5		0	0		0	0		3	30		
	Sudangrass	3	139		1	26		0	0		0	0		
	Swede	0	0		0	0		0	0		1	5		
	Tall fescue	179	6,550		185	6,639		154	5,907		148	5,988		
	White clover	0	0		1	2		1	2		0	0		
	Wood bluegrass	0	0		3	43		3	43		5	51		
	Pre-variety germplasm	0	0		0	0		1	5		4	13		
	<b>Total Lane</b>		<b>306</b>	<b>10,633</b>	<b>34</b>	<b>323</b>	<b>10,947</b>	<b>31</b>	<b>307</b>	<b>10,251</b>	<b>30</b>	<b>305</b>	<b>10,412</b>	<b>32</b>
	Annual rape	0	0		2	25		4	7		1	2		
	Annual ryegrass	21	1,407		17	1,048		21	1,317		20	1,178		
	Chewings fescue	30	1,175		27	1,086		22	962		18	784		
	Colonial bentgrass	18	852		25	1,123		28	1,348		38	1,717		
	Creeping bentgrass	29	768		28	778		26	690		29	822		
	Crested dogtail	0	0		1	45		1	47		0	0		
	Crimson clover	0	0		0	0		2	35		0	0		
	Festulolium	0	0		0	0		1	34		1	34		
	Hard fescue	7	141		6	122		4	94		0	0		
	Intermediate ryegrass	2	57		2	67		6	264		4	222		
Ladino clover	14	1,340		15	1,554		9	957		9	707			
Little burnet	1	20		1	20		1	20		0	0			
Meadowfoam	0	0		1	12		2	2		1	42			
Oat	0	0		0	0		4	147		1	16			
Orchardgrass	80	2,636		75	2,651		66	2,169		79	2,784			
Perennial ryegrass	131	7,008		158	8,670		178	10,624		208	12,310			
Red clover	2	3		3	102		5	100		1	11			
Red fescue	11	522		10	516		13	542		13	575			
Tall fescue	546	30,017		479	27,076		432	23,887		420	22,358			
Triticale	1	40		0	0		0	0		1	20			
Tufted hairgrass	2	9		2	9		1	6		0	0			
Turnip	0	0		1	17		0	0		3	110			
Velvet bentgrass	1	51		1	27		1	11		1	11			
Wheat	4	204		1	53		0	0		0	0			
White clover	16	987		15	668		13	742		8	306			
Pre-variety germplasm	8	20.51		3	15		4	27		8	40			
<b>Total Linn</b>		<b>924</b>	<b>47,258</b>	<b>126</b>	<b>873</b>	<b>45,684</b>	<b>130</b>	<b>844</b>	<b>44,032</b>	<b>131</b>	<b>864</b>	<b>44,049</b>	<b>134</b>	
MALHEUR	Kentucky bluegrass	0	0		1	62		0	0		0	0		
	Potato	2	125		3	150		2	135		2	100		
<b>Total Malheur</b>		<b>2</b>	<b>125</b>	<b>1</b>	<b>4</b>	<b>212</b>	<b>2</b>	<b>2</b>	<b>135</b>	<b>1</b>	<b>2</b>	<b>100</b>	<b>1</b>	
MARION	Annual ryegrass	0	0		0	0		1	7		0	0		
	Annual rape	0	0		1	20		0	0		0	0		
	Barley	1	20		0	0		0	0		0	0		
	Blue fescue	0	0		1	33		1	33		0	0		

Gro\* = Total number of growers with production in county.



**Seed Certification Activities by County 2005 - 2008**  
**Eligible Fields, Acres Passed, and Growers with Production**  
Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2008 Fields	2008 Acres	2008 Gro*	2007 Fields	2007 Acres	2007 Gro*	2006 Fields	2006 Acres	2006 Gro*	2005 Fields	2005 Acres	2005 Gro*
	Chewings fescue	134	5,721		135	5,867		113	4,560		88	3,559	
	Colonial bentgrass	35	1,031		46	1,293		51	1,543		63	2,116	
	Creeping bentgrass	104	2,962		96	2,714		78	2,338		64	1,855	
	Crimson clover	0	0		0	0		0	0		1	18	
	Hard fescue	39	1,404		30	970		26	725		19	390	
	Intermediate ryegrass	0	0		1	4		0	0		3	74	
	Kentucky bluegrass	4	4		4	8		0	0		0	0	
	Lewis flax	0	0		0	0		0	0		1	7	
	Little burnet	4	60		4	60		2	15		2	15	
	Meadow fescue	1	24		1	24		1	24		0	0	
	Meadowfoam	1	14		0	0		0	0		0	0	
	Oat	5	170		1	10		1	55		0	0	
	Orchardgrass	25	448		19	397		18	399		23	527	
	Perennial ryegrass	697	24,286		855	29,219		924	31,320		1,094	38,857	
	Red clover	3	115		3	96		2	74		2	75	
	Red fescue	70	3,074		66	2,902		56	2,214		54	2,174	
	Red oat	0	0		0	0		3	70		1	14	
	Riverbank lupine	0	0		1	2		1	2		0	0	
	Seashore paspalum	7	79		7	79		7	88		4	30	
	Sheep fescue	7	317		6	368		5	303		3	112	
	Sugar beet	0	0		2	55		0	0		0	0	
	Tall fescue	549	16,936		490	14,507		367	11,516		376	11,899	
	Tufted hairgrass	0	0		0	0		0	0		1	2	
	Velvet bentgrass	4	83		5	102		4	59		5	56	
	Wheat	14	487		0	0		3	112		0	0	
	White clover	2	42		1	26		1	2		1	2	
	Winter rape	1	25		0	0		0	0		0	0	
	Wood bluegrass	0	0		0	0		1	4		1	4	
	Pre-variety germplasm	17	40.30		14	48.55		17	79		16	64	
	<b>Total Marion</b>	<b>1,724</b>	<b>57,342</b>	<b>255</b>	<b>1,789</b>	<b>58,805</b>	<b>278</b>	<b>1,683</b>	<b>55,542</b>	<b>268</b>	<b>1,822</b>	<b>61,850</b>	<b>284</b>
<b>MORROW</b>	Chewings fescue	0	0		0	0		2	60		0	0	
	Hard fescue	4	266		0	0		0	0		1	130	
	Kentucky bluegrass	7	512		0	0		11	804		7	597	
	Perennial ryegrass	13	1,211		14	1,360		10	995		10	786	
	Red fescue	0	0		1	75		1	75		0	0	
	Sunflower	1	40		0	0		0	0		0	0	
	Tall fescue	2	260		0	0		0	0		0	0	
	Wheat	0	0		0	0		0	0		8	353	
	<b>Total Morrow</b>	<b>27</b>	<b>2,289</b>	<b>5</b>	<b>15</b>	<b>1,435</b>	<b>4</b>	<b>24</b>	<b>1,934</b>	<b>4</b>	<b>26</b>	<b>1,866</b>	<b>4</b>
<b>MULTNOMAH</b>	Perennial ryegrass	7	272		9	369		5	283		5	312	
	Red clover	0	0		0	0		1	135		1	135	
	Tall fescue	22	1,101		22	1,196		15	891		10	663	
	<b>Total Multnomah</b>	<b>29</b>	<b>1,373</b>	<b>0</b>	<b>31</b>	<b>1,565</b>	<b>0</b>	<b>21</b>	<b>1,309</b>	<b>0</b>	<b>16</b>	<b>1,110</b>	<b>0</b>
<b>POLK</b>	Annual rape	0	0		1	7		1	1		0	0	
	Annual ryegrass	11	594		8	504		14	541		19	652	
	Arrowleaf Clover	0	0		0	0		0	0		2	100	
	Blue wildrye	0	0		0	0		0	0		1	10	
	Chewings fescue	2	43		4	117		3	105		1	85	
	Colonial bentgrass	0	0		1	12		2	58		0	0	
	Hard fescue	2	54		2	54		2	54		1	27	
	Intermediate ryegrass	1	30		0	0		0	0		16	620	
	Kale	0	0		0	0		0	0		1	12	
	Ladino clover	2	154		1	81		1	81		0	0	
	Meadowfoam	0	0		4	155		5	105		1	30	
	Oat	0	0		1	25		0	0		1	45	
	Orchardgrass	28	995		36	1,353		34	1,494		42	1,757	

Gro\* = Total number of growers with production in county.

**Seed Certification Activities by County 2005 - 2008**  
**Eligible Fields, Acres Passed, and Growers with Production**  
Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2008 Fields	2008 Acres	2008 Gro*	2007 Fields	2007 Acres	2007 Gro*	2006 Fields	2006 Acres	2006 Gro*	2005 Fields	2005 Acres	2005 Gro*	
	Perennial ryegrass	55	2,434		88	3,927		118	6,105		137	7,258		
	Red clover	1	43		0	0		1	56		0	0		
	Tall fescue	353	17,096		331	16,158		309	14,762		303	14,226		
	Triticale	0	0		1	24		1	18		0	0		
	Turnip	0	0		0	0		0	0		2	26		
	Velvet bentgrass	0	0		1	11		0	0		0	0		
	Wheat	9	399		2	22		1	11		1	11		
	White clover	1	42		0	0		0	0		0	0		
	Pre-variety germplasm	1	0.01		0	0		0	0		0	0		
	<b>Total Polk</b>	<b>466</b>	<b>21,884</b>	<b>69</b>	<b>481</b>	<b>22,450</b>	<b>72</b>	<b>492</b>	<b>23,391</b>	<b>67</b>	<b>528</b>	<b>24,859</b>	<b>68</b>	
<b>SHERMAN</b>	Barley	7	532		3	362		3	447		1	100		
	Club wheat	3	424		2	250		3	497		4	313		
	Wheat	27	3,297		29	4,500		28	3,227		28	3,576		
<b>Total Sherman</b>	<b>37</b>	<b>4,253</b>	<b>1</b>	<b>34</b>	<b>5,112</b>	<b>1</b>	<b>34</b>	<b>4,171</b>	<b>1</b>	<b>33</b>	<b>3,989</b>	<b>1</b>		
<b>UMATILLA</b>	Alfalfa	5	163		9	362		9	375		7	371		
	Annual rape	1	6		0	0		0	0		0	0		
	Barley	0	0		0	0		1	116		0	0		
	Bermudagrass	1	30		0	0		0	0		0	0		
	Big bluegrass	0	0		0	0		1	13		1	13		
	Blue fescue	1	48		1	48		0	0		0	0		
	Chewings fescue	5	123		6	190		9	357		4	153		
	Chickpea	0	0		1	32		1	95		3	160		
	Field bean	0	0		1	125		0	0		0	0		
	Hard fescue	2	180		4	299		4	178		4	182		
	Kentucky bluegrass	53	2,506		63	3,489		55	4,152		59	4,378		
	Perennial ryegrass	67	6,916		70	6,896		72	6,358		59	5,027		
	Red clover	3	150		2	110		3	200		2	160		
	Red fescue	2	224		2	224		1	153		5	268		
	Sheep fescue	1	125		0	0		0	0		1	30		
	Sudangrass	5	327		5	260		2	240		2	40		
	Tall fescue	7	422		8	427		7	528		19	1,675		
	Triticale	1	1		0	0		1	35		0	0		
	Wheat	22	3,465		27	3,496		23	3,766		24	3,354		
	Winter rape	0	0		1	175		0	0		0	0		
	White clover	0	0		0	0		0	0		2	166		
	Pre-variety germplasm	6	4.74		11	17.15		17	25		9	11		
	<b>Total Umatilla</b>	<b>182</b>	<b>14,691</b>	<b>18</b>	<b>211</b>	<b>16,150</b>	<b>22</b>	<b>206</b>	<b>16,591</b>	<b>30</b>	<b>201</b>	<b>15,988</b>	<b>36</b>	
	<b>UNION</b>	Annual rape	8	541		18	1,122		8	493		11	491	
		Barley	8	299		11	511		7	236		4	193	
		Chewings fescue	16	637		25	848		23	805		14	513	
		Club wheat	1	22		1	23		1	24		2	42	
Hard fescue		11	430		11	406		8	290		5	150		
Kentucky bluegrass		100	4,099		128	5,357		95	3,871		125	5,439		
Mint		0	0		1	5		0	0		3	10	GH	
Oat		1	65		2	82		1	10		1	12		
Potato		20	999		32	1,048		50	1,334		46	1,058		
Red fescue		39	1,506		64	2,425		44	1,941		82	3,374		
Sheep fescue		2	35		0	0		0	0		0	0		
Sunflower		9	621		5	225		2	101		0	0		
Tall fescue		1	44		2	78		1	78		1	78		
Triticale		7	370		4	210		2	100		1	122		
Wheat		41	1,838		23	918		24	1,196		26	1,156		
Pre-variety germplasm		2	2		7	9.3		5	7		5	7		
<b>Total Union</b>		<b>266</b>	<b>11,508</b>	<b>44</b>	<b>334</b>	<b>13,267</b>	<b>50</b>	<b>271</b>	<b>10,486</b>	<b>52</b>	<b>326</b>	<b>12,645</b>	<b>55</b>	

Gro\* = Total number of growers with production in county.

**Seed Certification Activities by County 2005 - 2008**  
**Eligible Fields, Acres Passed, and Growers with Production**  
Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2008 Fields	2008 Acres	2008 Gro*	2007 Fields	2007 Acres	2007 Gro*	2006 Fields	2006 Acres	2006 Gro*	2005 Fields	2005 Acres	2005 Gro*	
WALLOWA	Annual rape	0	0		0	0		1	72		0	0		
	Barley	7	465		4	289		0	0		4	221		
	Brown mustard	1	32		0	0		0	0		0	0		
	Oat	0	0		0	0		1	10		0	0		
	Oriental mustard	1	40		0	0		0	0		1	75		
	Red clover	1	40		2	62		0	0		0	0		
	Wheat	19	1,096		13	805		17	866		13	941		
	<b>Total Wallowa</b>	<b>29</b>	<b>1,673</b>	<b>5</b>	<b>19</b>	<b>1,156</b>	<b>5</b>	<b>19</b>	<b>948</b>	<b>5</b>	<b>18</b>	<b>1,237</b>	<b>4</b>	
WASCO	Kentucky bluegrass	0	0		3	97		3	97		2	60		
	Rough bluegrass	0	0		0	0		4	123		2	66		
	Wheat	0	0		0	0		0	0		1	65		
	Pre-variety germplasm	0	0		0	0		0	0		1	6		
		<b>Total Wasco</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>97</b>	<b>0</b>	<b>7</b>	<b>220</b>	<b>0</b>	<b>6</b>	<b>197</b>	<b>1</b>
WASHINGTON	Annual fescue	0	0		0	0		0	0		1	1		
	Annual rape	0	0		0	0		0	0		5	12		
	Annual ryegrass	2	33		3	43		0	0		0	0		
	Crimson clover	2	210		6	365		4	314		2	152		
	Hairy vetch	0	0		0	0		1	7		0	0		
	Intermediate ryegrass	1	18		0	0		0	0		0	0		
	Little burnet	2	90		2	90		2	90		1	48		
	Oat	0	0		1	28		0	0		0	0		
	Orchardgrass	1	18		0	0		0	0		1	39		
	Perennial ryegrass	49	2,261		85	3,284		109	3,858		107	3,836		
	Red clover	3	137		5	204		10	345		6	259		
	Sheep fescue	2	22		0	0		0	0		0	0		
	Tall fescue	355	12,895		377	13,560		359	12,577		323	11,399		
	Wheat	6	145		1	30		2	57		5	72		
	White clover	0	0		0	0		0	0		1	1		
		<b>Total Washington</b>	<b>423</b>	<b>15,829</b>	<b>65</b>	<b>480</b>	<b>17,604</b>	<b>65</b>	<b>487</b>	<b>17,248</b>	<b>61</b>	<b>452</b>	<b>15,819</b>	<b>62</b>
	WHEELER	Rough bluegrass	5	121		5	176		0	0		0	0	
	<b>Total Wheeler</b>	<b>5</b>	<b>121</b>	<b>0</b>	<b>5</b>	<b>176</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	
YAMHILL	Annual ryegrass	5	39		1	14		5	126		1	36		
	Colonial bentgrass	0	0		0	0		3	64		4	94		
	Crimson clover	1	37		0	0		0	0		1	31		
	Festulolium	0	0		2	73		2	73		1	55		
	Intermediate ryegrass	0	0		0	0		0	0		1	50		
	Ladino clover	2	223		1	80		1	80		0	0		
	Little burnet	0	0		1	39		1	39		0	0		
	Meadowfoam	0	0		0	0		0	0		1	32		
	Oat	4	110		5	223		4	216		0	0		
	Orchardgrass	17	508		20	595		19	587		22	678		
	Perennial ryegrass	73	2,743		117	4,581		158	6,212		178	7,219		
	Red clover	13	484		7	208		2	47		3	88		
	Red oat	0	0		0	0		1	14		0	0		
	Sugar beet	0	0		1	12		0	0		0	0		
	Tall fescue	432	18,751		449	19,878		428	19,034		421	18,646		
	Wheat	8	186		3	100		1	20		4	124		
	White clover	2	122		2	255		2	255		0	0		
		<b>Total Yamhill</b>	<b>557</b>	<b>23,203</b>	<b>84</b>	<b>609</b>	<b>26,058</b>	<b>84</b>	<b>627</b>	<b>26,767</b>	<b>80</b>	<b>637</b>	<b>27,053</b>	<b>81</b>
	<b>YEARLY TOTALS</b>		<b>5,954</b>	<b>243,438</b>	<b>831</b>	<b>6,197</b>	<b>251,814</b>	<b>874</b>	<b>6,002</b>	<b>244,279</b>	<b>862</b>	<b>6,242</b>	<b>252,849</b>	<b>903</b>

Gro\* = Total number of growers with production in county.

# Number of Fields and Acres Passed for Production of Foundation, Registered, or Certified Class Seed in 2008

Oregon Seed Certification Service, Oregon State University Extension Service



<i>CLASS OF SEED</i>	<b>FOUNDATION</b>		<b>REGISTERED</b>		<b>CERTIFIED</b>		<b>TOTALS FOR 2008</b>	
	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>
<b><i>GRASSES</i></b>								
Annual ryegrass	3	11	9	80	52	2,531	64	2,622
Basin wildrye	0	0	0	0	0	0	0	0
Bermudagrass	0	0	0	0	1	30	1	30
Big bluegrass	0	0	1	21	5	46	6	67
Blue fescue	0	0	0	0	1	48	1	48
Bluebunch wheatgrass	0	0	0	0	0	0	0	0
Blue wildrye	3	3	0	0	0	0	3	3
Chewings fescue	5	19	4	33	186	7,743	195	7,795
Colonial bentgrass	1	7	0	0	56	2,062	57	2,069
Creeping bentgrass	2	4	0	0	171	4,582	173	4,586
Creeping bluegrass	0	0	0	0	0	0	0	0
Crested dogtail	0	0	0	0	0	0	0	0
Crested hairgrass	0	0	0	0	0	0	0	0
Crested wheatgrass	0	0	0	0	0	0	0	0
Festulolium	0	0	0	0	1	40	1	40
Hard fescue	4	20	3	24	60	2,443	67	2,487
Idaho bentgrass	0	0	0	0	1	49	1	49
Indian ricegrass	0	0	0	0	0	0	0	0
Intermediate ryegrass	0	0	0	0	10	301	10	301
Kentucky bluegrass	18	68	25	85	292	11,557	335	11,710
Meadow fescue	0	0	0	0	1	24	1	24
Mountain brome	0	0	0	0	0	0	0	0
Orchardgrass	9	19	1	8	215	7,640	225	7,667
Perennial ryegrass	21	117	38	225	1,173	50,974	1,232	51,316
Red fescue	7	27	3	40	117	5,345	127	5,412
Redtop	1	1	0	0	1	10	2	11
Rough bluegrass	1	2	0	0	64	1,913	65	1,915
Seashore paspalum	0	0	0	0	20	265	20	265
Sheep fescue	1	3	1	3	10	493	12	499
Siberian wheatgrass	0	0	0	0	0	0	0	0
Smooth brome	1	5	0	0	0	0	1	5
Streambank wheatgrass	0	0	0	0	0	0	0	0
Sudangrass	0	0	0	0	8	466	8	466
Tall fescue	53	271	32	149	2,659	118,264	2,744	118,684
Tall wheatgrass	0	0	0	0	0	0	0	0
Thickspike wheatgrass	0	0	0	0	0	0	0	0
Timothy	0	0	0	0	0	0	0	0
Tufted hairgrass	1	3	0	0	1	6	2	9
Velvet bentgrass	0	0	0	0	6	154	6	154
Western wheatgrass	0	0	0	0	0	0	0	0
Wood bluegrass	0	0	0	0	0	0	0	0
<b><i>TOTAL GRASSES</i></b>	<b>131</b>	<b>580</b>	<b>117</b>	<b>668</b>	<b>5,111</b>	<b>216,986</b>	<b>5,359</b>	<b>218,234</b>

# Number of Fields and Acres Passed for Production of Foundation, Registered, or Certified Class Seed in 2008

Oregon Seed Certification Service, Oregon State University Extension Service

<i>CLASS OF SEED</i>	<b>FOUNDATION</b>		<b>REGISTERED</b>		<b>CERTIFIED</b>		<b>TOTALS FOR 2008</b>	
	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>
<b><i>CEREALS</i></b>								
Barley	0	0	6	177	21	1,265	27	1,442
Cereal Rye	0	0	0	0	0	0	0	0
Club wheat	0	0	1	20	3	426	4	446
Durum wheat	0	0	0	0	0	0	0	0
Oat	1	1	5	86	8	516	14	603
Red oat	0	0	0	0	0	0	0	0
Sorghum	0	0	0	0	0	0	0	0
Triticale	0	0	1	20	12	563	13	583
Wheat	1	3	55	2,103	174	11,267	230	13,373
<b><i>TOTAL CEREALS</i></b>	<b>2</b>	<b>4</b>	<b>68</b>	<b>2,406</b>	<b>218</b>	<b>14,037</b>	<b>288</b>	<b>16,447</b>
<b><i>LEGUMES</i></b>								
Alfalfa	0	0	0	0	6	182	6	182
Arrowleaf clover	0	0	0	0	0	0	0	0
Birdsfoot trefoil	0	0	0	0	0	0	0	0
Chickpea	0	0	0	0	0	0	0	0
Common vetch	0	0	0	0	0	0	0	0
Crimson clover	0	0	1	37	2	210	3	247
Field bean	0	0	0	0	1	5	1	5
Field pea	0	0	0	0	1	7	1	7
Garden pea	0	0	0	0	2	15	2	15
Hairy vetch	0	0	0	0	0	0	0	0
Ladino clover	1	2	0	0	17	1,715	18	1,717
Little burnet	1	5	0	0	6	165	7	170
Red clover	5	20	1	20	23	992	29	1,032
Riverbank lupine	0	0	0	0	1	3	1	3
Rose clover	0	0	0	0	0	0	0	0
White clover	0	0	1	3	26	1,396	27	1,399
<b><i>TOTAL LEGUMES</i></b>	<b>7</b>	<b>27</b>	<b>3</b>	<b>60</b>	<b>85</b>	<b>4,690</b>	<b>95</b>	<b>4,777</b>
<b><i>OTHER CROPS</i></b>								
Annual rape	5	20	0	0	8	541	13	561
Brown mustard	0	0	0	0	1	32	1	32
Buckhorn plantain	0	0	0	0	0	0	0	0
Fodder beet	0	0	0	0	0	0	0	0
Forage kochia	0	0	0	0	0	0	0	0
Kale	0	0	0	0	1	16	1	16
Lewis flax	0	0	3	26	0	0	3	26
Meadowfoam	0	0	1	14	0	0	1	14
Mint	0	0	0	0	1	2	1	2
Oriental Mustard	0	0	0	0	1	40	1	40
Radish	0	0	0	0	0	0	0	0
Potato	0	0	0	0	122	2,508	122	2,508
Sugar beet	0	0	0	0	0	0	0	0
Sunflower	0	0	0	0	10	661	10	661
Swede	0	0	0	0	0	0	0	0
Turnip	0	0	0	0	0	0	0	0
White Mustard	0	0	0	0	0	0	0	0
Winter rape	0	0	0	0	1	25	1	25
All Pre-Variety germplasm crops	0	0	0	0	58	95	58	95
<b><i>TOTAL OTHER CROPS</i></b>	<b>5</b>	<b>20</b>	<b>4</b>	<b>40</b>	<b>203</b>	<b>3,920</b>	<b>212</b>	<b>3,980</b>
<b><i>TOTALS PER CLASS</i></b>	<b>145</b>	<b>631</b>	<b>192</b>	<b>3,174</b>	<b>5,617</b>	<b>239,633</b>	<b>5,954</b>	<b>243,438</b>

**Total Acres Certified by Crop Kind in 2008**  
Oregon Seed Certification Service  
Oregon State University Extension Service



# Comparison of Production for Selected Crops: 2007 vs. 2008

## Oregon Seed Certification Service, Oregon State University Extension Service

CROP	TOTALS FOR 2008		TOTALS FOR 2007		PERCENT CHANGE IN 2008	
	<i>Fields</i>	<i>Acres</i>	<i>Fields</i>	<i>Acres</i>	<i>Fields</i>	<i>Acres</i>
<b><i>SELECTED GRASSES</i></b>						
Annual ryegrass	64	2,622	56	2,531	14.3%	3.6%
Basin wildrye	0	0	0	0	0.0%	0.0%
Bermudagrass	1	30	0	0	100.0%	100.0%
Big bluegrass	6	67	6	67	0.0%	0.0%
Blue fescue	1	48	3	99	-66.7%	-51.5%
Blue wildrye	3	3	4	4	-25.0%	-25.0%
Chewings fescue	195	7,795	203	8,168	-3.9%	-4.6%
Colonial bentgrass	57	2,069	76	2,750	-25.0%	-24.8%
Creeping bentgrass	173	4,586	163	4,307	6.1%	6.5%
Crested dogtail	0	0	1	45	-100.0%	-100.0%
Crested wheatgrass	0	0	0	0	0.0%	0.0%
Festulolium	1	40	4	179	-75.0%	-77.7%
Hard fescue	67	2,487	56	1,883	19.6%	32.1%
Idaho bentgrass	1	49	1	49	0.0%	0.0%
Intermediate ryegrass	10	301	17	554	-41.2%	-45.7%
Kentucky bluegrass	335	11,710	391	14,291	-14.3%	-18.1%
Meadow fescue	1	24	2	29	-50.0%	-17.2%
Orchardgrass	225	7,667	213	7,577	5.6%	1.2%
Perennial ryegrass	1,232	51,316	1,588	63,848	-22.4%	-19.6%
Redtop	2	11	1	11	100.0%	0.0%
Red fescue	127	5,412	149	6,237	-14.8%	-13.2%
Rough bluegrass	65	1,915	70	2,057	-7.1%	-6.9%
Seashore paspalum	20	265	20	265	0.0%	0.0%
Sheep fescue	12	499	6	368	100.0%	35.6%
Smooth brome	1	5	0	0	100.0%	100.0%
Sudangrass	8	466	6	286	33.3%	62.9%
Tall fescue	2,744	118,684	2,621	112,311	4.7%	5.7%
Tufted hairgrass	2	9	2	9	0.0%	0.0%
Velvet bentgrass	6	154	8	160	-25.0%	-3.8%
Wood bluegrass	0	0	3	43	-100.0%	-100.0%
<b><i>CHANGE IN GRASSES</i></b>	<b>5,359</b>	<b>218,234</b>	<b>5,670</b>	<b>228,128</b>	<b>-5.5%</b>	<b>-4.3%</b>

# Comparison of Production for Selected Crops: 2007 vs. 2008

## Oregon Seed Certification Service, Oregon State University Extension Service

CROP	TOTALS FOR 2008		TOTALS FOR 2007		PERCENT CHANGE IN 2008	
	<i>Fields</i>	<i>Acres</i>	<i>Fields</i>	<i>Acres</i>	<i>Fields</i>	<i>Acres</i>
<b><i>SELECTED CEREALS</i></b>						
Barley	27	1,442	27	1,310	0.0%	10.1%
Club wheat	4	446	3	273	33.3%	63.4%
Oat	14	603	11	417	27.3%	44.6%
Red oat	0	0	0	0	0.0%	0.0%
Triticale	13	583	6	274	116.7%	112.8%
Wheat	230	13,373	170	11,752	35.3%	13.8%
<b><i>CHANGE IN CEREALS</i></b>	<b>288</b>	<b>16,447</b>	<b>217</b>	<b>14,026</b>	<b>32.7%</b>	<b>17.3%</b>
<b><i>SELECTED LEGUMES</i></b>						
Alfalfa	6	182	14	531	-57.1%	-65.7%
Arrowleaf clover	0	0	1	60	-100.0%	-100.0%
Chickpea	0	0	1	32	-100.0%	-100.0%
Crimson clover	3	247	6	365	-50.0%	-32.3%
Field bean	1	5	1	125	0.0%	-96.0%
Field pea	1	7	1	3	0.0%	133.3%
Garden pea	2	15	0	0	100.0%	100.0%
Hairy vetch	0	0	0	0	0.0%	0.0%
Ladino clover	18	1,717	18	1,765	0.0%	-2.7%
Little burnet	7	170	8	209	-12.5%	-18.7%
Lupine	1	3	1	2	0.0%	50.0%
Red clover	29	1,032	28	951	3.6%	8.5%
White clover	27	1,399	25	1,111	8.0%	25.9%
<b><i>CHANGE IN LEGUMES</i></b>	<b>95</b>	<b>4,777</b>	<b>104</b>	<b>5,154</b>	<b>-8.7%</b>	<b>-7.3%</b>
<b><i>SELECTED OTHER CROPS</i></b>						
Annual rape	13	561	27	1,204	-51.9%	-53.4%
Brown mustard	1	32	0	0	100.0%	100.0%
Kale	1	16	1	22	0.0%	-27.3%
Lewis flax	3	26	1	16	200.0%	62.5%
Meadowfoam	1	14	11	339	-90.9%	-95.9%
Mint	1	2	1	5	0.0%	-60.0%
Oriental mustard	1	40	0	0	100.0%	100.0%
Potato	122	2,508	108	2,315	13.0%	8.3%
Sunflower	10	661	5	225	100.0%	193.8%
Sugar beet	0	0	3	67	-100.0%	-100.0%
Turnip	0	0	1	17	-100.0%	-100.0%
Winter rape	1	25	1	175	0.0%	-85.7%
All Pre-Variety germplasm crops	58	95	47	121	23.4%	-21.5%
<b><i>CHANGE IN OTHER CROPS</i></b>	<b>212</b>	<b>3,980</b>	<b>206</b>	<b>4,506</b>	<b>2.9%</b>	<b>-11.7%</b>
<b><i>OVERALL CHANGE IN SELECTED CROPS</i></b>						
	<b>5,954</b>	<b>243,438</b>	<b>6,197</b>	<b>251,814</b>	<b>-3.9%</b>	<b>-3.3%</b>



# Varieties Eligible, Produced <sup>1</sup>, and Growers <sup>2</sup> with Fields From 2005-2008

## Oregon Seed Certification Service, Oregon State University Extension Service

CROPTYPE	Varieties	Varieties	Varieties	Varieties	Varieties	Varieties	Varieties	Varieties	Varieties
	Eligible Varieties in 2008	with Eligible Fields in 2008	with Eligible Fields in 2008	with Eligible Fields in 2007	with Eligible Fields in 2007	with Eligible Fields in 2006	with Eligible Fields in 2006	with Eligible Fields in 2005	with Eligible Fields in 2005
<b>GRASSES</b>									
Weeping alkaligrass	2	0	0	0	0	0	0	0	0
Meadow barley	2	2	2	2	2	1	1	0	0
Colonial bentgrass	33	7	21	8	28	5	29	7	34
Creeping bentgrass	72	43	44	38	42	32	40	32	39
Idaho bentgrass	1	1	1	1	1	1	1	0	0
Redtop bentgrass	2	1	1	1	1	1	1	0	0
Velvet bentgrass	7	4	2	6	3	3	2	4	4
Bermudagrass	13	1	1	0	0	0	0	0	0
Big bluegrass	1	1	1	1	1	1	2	1	2
Canada bluegrass	3	0	0	0	0	0	0	0	0
Creeping bluegrass	1	0	0	0	0	0	0	0	0
Kentucky bluegrass	371	114	73	113	86	84	90	78	99
Rough bluegrass	32	17	18	17	21	16	22	14	23
Supina bluegrass	1	0	0	0	0	0	0	0	0
Wood bluegrass	3	0	0	1	2	2	3	2	3
California brome	10	3	2	0	0	0	0	0	0
Meadow brome	1	0	0	0	0	0	0	0	0
Mountain brome	5	0	0	2	2	3	2	0	0
Smooth brome	3	1	1	0	0	0	0	1	2
Sweet brome	2	0	0	0	0	0	0	0	0
Reed canarygrass	3	0	0	0	0	0	0	0	0
Crested dogtail	1	0	0	1	1	1	1	0	0
Annual fescue	1	0	0	0	0	0	0	1	1
Blue fescue	3	2	1	2	3	2	1	0	0
California fescue	4	0	0	0	0	0	0	0	0
Chewings fescue	113	38	48	39	56	35	56	34	49
Hard fescue	67	28	36	23	29	20	29	18	23
Idaho fescue	3	1	1	3	1	2	2	0	0
Meadow fescue	5	1	1	2	2	2	2	0	0
Red fescue	102	34	41	35	61	35	53	36	62
Sheep fescue	12	7	8	3	3	2	3	3	4
Tall fescue	572	282	505	285	478	231	449	227	459
Festulolium	10	1	1	2	2	3	3	4	4
Creeping foxtail	1	0	0	0	0	0	0	0	0
Meadow foxtail	3	0	0	0	0	0	0	0	0
Water foxtail	1	0	0	0	0	0	0	0	0
Crested hairgrass	2	0	0	0	0	0	0	0	0
Tufted hairgrass	9	4	3	4	4	4	4	1	2
Hardinggrass	1	0	0	0	0	0	0	0	0
Tall mannagrass	1	0	0	0	0	1	1	0	0
California oatgrass	10	3	3	0	0	0	0	0	0
Orchardgrass	130	42	58	41	56	35	56	45	67
Seashore paspalum	1	1	4	1	4	1	5	1	4
Polargrass	1	0	0	0	0	0	0	0	0
Annual ryegrass	160	32	26	28	28	30	30	35	30
Intermediate ryegrass	34	5	7	7	11	7	9	9	13
Perennial ryegrass	684	224	321	246	388	271	431	249	449

<sup>1</sup>Varieties include all eligible fields; field may not be signed-up or passed in current year.  
<sup>2</sup>Includes growers that did not sign-up eligible fields; Pre-variety germplasm growers NOT included.

# Varieties Eligible, Produced <sup>1</sup>, and Growers <sup>2</sup> with Fields From 2005-2008

## Oregon Seed Certification Service, Oregon State University Extension Service

CROPTYPE	Varieties	Varieties	Growers	Varieties	Growers	Varieties	Growers	Varieties	Growers
	Eligible Varieties in 2008	with Eligible Fields in 2008	with Eligible Fields in 2008	with Eligible Fields in 2007	with Eligible Fields in 2007	with Eligible Fields in 2006	with Eligible Fields in 2006	with Eligible Fields in 2005	with Eligible Fields in 2005
Wimmera ryegrass	1	0	0	0	0	0	0	0	0
Sudangrass	1	1	3	1	2	1	1	1	1
Timothy	23	0	0	0	0	0	0	0	0
Beardless wheatgrass	1	0	0	0	0	0	0	0	0
Bluebunch wheatgrass	7	0	0	3	1	3	1	0	0
Crested wheatgrass	3	0	0	0	0	1	1	2	1
Intermediate wheatgrass	1	0	0	0	0	0	0	0	0
Montana wheatgrass	1	0	0	1	1	1	1	0	0
Pubescent wheatgrass	1	0	0	0	0	0	0	0	0
Siberian wheatgrass	2	0	0	0	0	0	0	0	0
Snake River wheatgrass	1	0	0	0	0	0	0	0	0
Streambank wheatgrass	1	0	0	0	0	0	0	0	0
Tall wheatgrass	2	0	0	0	0	0	0	0	0
Thickspike wheatgrass	2	0	0	0	0	0	0	0	0
Altai wildrye	1	0	0	0	0	0	0	0	0
Blue wildrye	21	8	6	8	4	15	7	2	2
Canada wildrye	1	0	0	0	0	0	0	0	0
Russian wildrye	1	0	0	0	0	0	0	0	0
<b>TOTAL GRASSES</b>	<b>2570</b>	<b>909</b>	<b>1240</b>	<b>925</b>	<b>1324</b>	<b>852</b>	<b>1339</b>	<b>807</b>	<b>1377</b>
<b>CEREALS</b>									
Barley	68	10	10	9	9	8	6	6	8
Oat	35	6	9	4	10	6	10	3	5
Red oat	6	1	0	0	0	4	5	2	2
Cereal rye	1	0	0	0	0	0	0	0	0
Mountain rye	1	0	0	0	0	0	0	0	0
Triticale	19	5	6	2	3	3	4	2	4
Club wheat	8	2	2	2	2	2	2	2	2
Durum wheat	10	0	0	0	0	0	0	0	0
Hybrid wheat	1	0	0	0	0	0	0	0	0
Wheat	95	28	43	20	22	22	24	20	29
<b>TOTAL CEREALS</b>	<b>244</b>	<b>52</b>	<b>70</b>	<b>37</b>	<b>46</b>	<b>45</b>	<b>51</b>	<b>35</b>	<b>50</b>
<b>LEGUMES</b>									
Alfalfa	320	9	2	10	3	10	3	10	4
Austrian winter pea	1	0	0	0	0	0	0	0	0
Field bean	73	1	1	1	1	1	2	0	0
Little burnet	2	2	3	2	4	1	4	1	2
Chickpea	6	1	0	1	1	2	3	1	2
Arrowleaf clover	2	0	0	1	1	1	1	1	4
Berseem clover	2	0	0	0	0	0	0	0	0
Crimson clover	20	1	1	1	1	1	2	3	4

<sup>1</sup>Varieties include all eligible fields; field may not be signed-up or passed in current year.

<sup>2</sup>Includes growers that did not sign-up eligible fields; Pre-variety germplasm growers NOT included.

# Varieties Eligible, Produced <sup>1</sup>, and Growers <sup>2</sup> with Fields From 2005-2008

## Oregon Seed Certification Service, Oregon State University Extension Service

CROP TYPE	Eligible Varieties in 2008	Varieties with	Growers with	Varieties with	Growers with	Varieties with	Growers with	Varieties with	Growers with
		Eligible Fields in 2008	Eligible Fields in 2008	Eligible Fields in 2007	Eligible Fields in 2007	Eligible Fields in 2006	Eligible Fields in 2006	Eligible Fields in 2005	Eligible Fields in 2005
Ladino clover	22	7	10	8	12	6	8	5	7
Persian clover	1	0	0	0	0	0	0	0	0
Red clover	90	16	15	14	20	14	17	9	18
Rose clover	2	0	0	0	0	0	0	0	0
Strawberry clover	1	0	0	0	0	0	0	0	0
White clover	44	11	14	11	14	12	14	8	10
Riverbank lupine	1	1	1	1	1	1	1	0	0
Field pea	18	1	1	1	1	0	0	0	0
Garden pea	1	1	1	0	0	0	0	0	0
Roughpea	1	0	0	0	0	0	0	0	0
Big trefoil	1	0	0	0	0	0	0	0	0
Big flower vetch	1	0	0	0	0	0	0	0	0
Common vetch	4	0	0	0	0	0	0	0	0
Hairy vetch	3	0	0	0	0	1	1	0	0
<b>TOTAL LEGUMES</b>	<b>616</b>	<b>51</b>	<b>49</b>	<b>51</b>	<b>59</b>	<b>50</b>	<b>56</b>	<b>38</b>	<b>51</b>
<b>OTHER CROPS</b>									
Buckhorn plantain	1	0	0	0	0	0	0	0	0
Buckwheat	1	0	0	0	0	0	0	0	0
Fodder beet	2	0	0	0	0	0	0	0	0
Chickory	1	0	0	0	0	0	0	0	0
Lewis flax	3	3	4	2	2	1	1	1	1
Kale	10	1	1	1	1	2	2	2	3
Forage kochia	3	0	0	0	0	0	0	0	0
Meadowfoam	15	1	1	3	6	5	4	2	4
Mint	11	0	0	0	0	2	1	3	6
Brown mustard	1	1	1	0	0	0	0	0	0
Oriental mustard	1	1	1	0	0	0	0	1	1
White mustard	1	0	0	0	0	0	0	0	0
Potato	150	35	19	0	0	31	18	57	17
Radish	4	0	0	0	0	0	0	0	0
Annual rape	49	7	5	12	13	13	9	12	7
Winter rape	27	1	1	1	1	0	0	0	0
Sugar beet	541	0	0	2	1	0	0	0	0
Sunflower	11	4	8	2	3	1	1	0	0
Swede	2	0	0	0	0	0	0	1	1
Turnip	13	0	0	1	1	0	0	2	4
<b>TOTAL OTHER CROPS</b>	<b>847</b>	<b>54</b>	<b>41</b>	<b>24</b>	<b>28</b>	<b>55</b>	<b>36</b>	<b>81</b>	<b>44</b>
<b>YEARLY TOTALS</b>	<b>4277</b>	<b>1066</b>	<b>1400</b>	<b>1037</b>	<b>1457</b>	<b>1002</b>	<b>1482</b>	<b>961</b>	<b>1522</b>

<sup>1</sup>Varieties include all eligible fields; field may not be signed-up or passed in current year.  
<sup>2</sup>Includes growers that did not sign-up eligible fields; Pre-variety germplasm growers NOT included.

# Number of Fields and Acres Eligible, Signed-up, and Passed by Generation <sup>1</sup> From 2004 - 2008

## Oregon Seed Certification Service, Oregon State University Extension Service

<u>GENERATION</u>		<u>2008</u>	<u>2008</u>	<u>2007</u>	<u>2007</u>	<u>2006</u>	<u>2006</u>	<u>2005</u>	<u>2005</u>	<u>2004</u>	<u>2004</u>
		<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>
<b>ELIGIBLE</b>	Foundation	219	1,153	238	1,243	184	1,124	208	1,271	200	1,103
	Registered	208	3,850	188	2,949	166	2,877	165	3,662	201	3,903
	Certified	6,369	273,208	6,715	287,137	6,558	283,954	6,721	283,062	6,603	278,941
	OECD 2nd Gen.	0	0	0	0	0	0	0	0	0	0
	Identity Preserved	1	1	1	29	0	0	4	94	1	8
	<b>Eligible Totals</b>	<b>6,797</b>	<b>278,212</b>	<b>7,142</b>	<b>291,358</b>	<b>6,908</b>	<b>287,955</b>	<b>7,098</b>	<b>288,089</b>	<b>7,005</b>	<b>283,955</b>
<b>SIGNED-UP</b>	Foundation	189	870	218	1,090	164	841	195	1,202	184	1,020
	Registered	187	3,216	169	2,037	140	2,147	139	2,471	169	3,029
	Certified	5,732	244,537	5,972	253,370	5,705	244,179	6,042	254,458	5,786	240,709
	OECD 2nd Gen.	0	0	0	0	0	0	0	0	0	0
	Identity Preserved	1	1	0	0	0	0	0	0	0	0
	<b>Signed-up Totals</b>	<b>6,109</b>	<b>248,624</b>	<b>6,359</b>	<b>256,497</b>	<b>6,009</b>	<b>247,167</b>	<b>6,376</b>	<b>258,131</b>	<b>6,139</b>	<b>244,758</b>
<b>PASSED</b>	Foundation	145	631	184	904	140	716	162	922	144	790
	Registered	192	3,174	172	1,892	135	1,965	138	2,256	170	2,731
	Certified	5,616	239,632	5,841	249,018	5,727	241,598	5,942	249,671	5,676	236,108
	OECD 2nd Gen.	0	0	0	0	0	0	0	0	0	0
	Identity Preserved	1	1	0	0	0	0	0	0	0	0
	<b>Passed Totals</b>	<b>5,954</b>	<b>243,438</b>	<b>6,197</b>	<b>251,814</b>	<b>6,002</b>	<b>244,279</b>	<b>6,242</b>	<b>252,849</b>	<b>5,990</b>	<b>239,629</b>

*1The totals are different than reported elsewhere in this report due to different generational formats used by Mint, Potato, and Pre-Variety Germplasm crops.*


## Program and Variety Information, 2001-2008

### Oregon Seed Certification Service, Oregon State University Extension Service

		<u>2008*</u>	<u>2007*</u>	<u>2006*</u>	<u>2005</u>	<u>2004</u>	<u>2003</u>	<u>2002</u>	<u>2001</u>
<b>General Program Information</b>	Growers	833	874	844	903	915	922	983	1,044
	Warehouses	337	391	386	382	379	375	374	382
	Contractors	390	363	350	319	293	278	251	237
	Crop Types Eligible	131	132	130	134	131	125	115	112
	Crop Types Certified	89	78	78	48	48	51	55	50
<b>Eligible Varieties</b>	Public	362	350	351	357	427	417	331	322
	Private	2,255	2,109	1,957	1,806	1,726	1,615	1,473	1,362
	OECD	571	531	520	507	476	461	440	429
	Experimental	1,161	1,173	1,181	1,182	1,197	1,106	1,037	1,020
	<b>Total Eligible Varieties</b>	<b>4,349</b>	<b>4,163</b>	<b>4,009</b>	<b>3,852</b>	<b>3,826</b>	<b>3,599</b>	<b>3,281</b>	<b>3,133</b>
<b>Varieties with Active Production</b>	Public	93	75	50	49	85	89	66	69
	Private	789	762	716	638	627	584	566	548
	OECD	62	57	62	63	50	56	57	53
	Experimental	219	235	216	220	236	231	243	290
	<b>Total Active Production</b>	<b>1,163</b>	<b>1,129</b>	<b>1,044</b>	<b>970</b>	<b>998</b>	<b>960</b>	<b>932</b>	<b>960</b>

# Eligible vs. Active Varieties by Category - 2008

Oregon Seed Certification Service  
Oregon State University Extension Service



# Active Varieties by Category Oregon Seed Certification Service

