

**Oregon Seed Certification Service**  
Department of Crop and Soil Science  
31 Crop Science Bldg  
Corvallis, Oregon 97331



**Tel:** (541) 737-4513  
**Fax:** (541) 737-2624  
[seed-cert@oscs.oregonstate.edu](mailto:seed-cert@oscs.oregonstate.edu)  
[www.oscs.oregonstate.edu](http://www.oscs.oregonstate.edu)

**Oregon Seed Certification Service  
Oregon State University  
Extension Service**

**Oregon Certification Activity Summary  
2010**

**October 2010**

**002**

# Acres Passed for Seed Certification 2005 - 2010

## Oregon Seed Certification Service, Oregon State University Extension Service

<u>CROP</u>		<u>2010</u>	<u>2009</u>	<u>2008</u>	<u>2007</u>	<u>2006</u>	<u>2005</u>
<b>BENTGRASS</b> <i>(Colonial, Creeping, Idaho, Velvet, and Spike)</i>	Public - Highland	1,729	1,632	1,916	2,568	3,478	4,302
	Public - Seaside	24	24	24	24	25	25
	Private and OECD	1,660	4,033	4,831	4,464	3,684	3,456
	Experimental	28	59	98	221	382	305
	<b>Total Acres of Bentgrass</b>	<b>3,441</b>	<b>5,748</b>	<b>6,869</b>	<b>7,277</b>	<b>7,569</b>	<b>8,088</b>
<b>BLUEGRASS</b> <i>(Big, Creeping, Kentucky, Rough, Supina, and Wood)</i>	Public	55	57	67	67	80	80
	Private & OECD	8,600	11,896	12,285	15,824	16,102	17,762
	Experimental	327	475	1,340	932	510	525
	<b>Total Acres of Bluegrass</b>	<b>8,982</b>	<b>12,428</b>	<b>13,692</b>	<b>16,823</b>	<b>16,692</b>	<b>18,367</b>
<b>FINE FESCUE</b> <i>(Blue, Chewings, Hard, Idaho, Annual, Red, Sheep)</i>	Public - Boreal	0	0	0	70	70	70
	Public - Cascade	78	82	40	32	87	99
	Public - Covar	19	19	19	0	0	0
	Public - Durar	12	12	12	0	0	0
	Public - Zorro	0	0	0	0	0	1
	Private and OECD	15,109	17,366	15,243	14,808	12,364	11,933
	Experimental	1,018	473	927	1,480	1,124	584
	<b>Total Acres of Fine Fescue</b>	<b>16,236</b>	<b>17,952</b>	<b>16,241</b>	<b>16,390</b>	<b>13,645</b>	<b>12,687</b>
<b>TALL FESCUE</b>	Public - Alta	0	130	30	130	130	100
	Public - Fawn	6,671	6,263	5,956	4,223	4,925	5,641
	Public-Kentucky 31	5,329	5,880	5,187	4,017	2,501	1,716
	Private and OECD	56,776	85,517	103,180	101,318	90,658	88,196
	Experimental	5,441	5,817	4,331	2,623	2,115	1,912
	<b>Total Acres of Tall Fescue</b>	<b>74,217</b>	<b>103,607</b>	<b>118,684</b>	<b>112,311</b>	<b>100,329</b>	<b>97,565</b>
<b>ORCHARDGRASS</b>	Public - Berber	18	18	18	0	0	0
	Public - Latar	79	79	79	79	79	79
	Public - Paiute	439	483	425	425	400	432
	Public - Potomac	2,510	2,633	2,361	2,406	2,133	2,876
	Private and OECD	4,867	4,829	4,492	4,318	4,465	4,991
	Experimental	229	113	292	349	132	171
	<b>Total Acres of Orchardgrass</b>	<b>8,142</b>	<b>8,155</b>	<b>7,667</b>	<b>7,577</b>	<b>7,209</b>	<b>8,549</b>
<b>ANNUAL AND INTERMEDIATE RYEGRASS</b>	Public - Floregon	0	0	10	10	0	0
	Public - Gulf	55	80	81	212	232	195
	Private and OECD	5,806	5,213	2,661	2,720	2,550	3,327
	Experimental	859	429	171	148	561	373
<b>Total Acres of Annual &amp; Intermediate Ryegrass</b>	<b>6,720</b>	<b>5,722</b>	<b>2,923</b>	<b>3,090</b>	<b>3,343</b>	<b>3,895</b>	
<b>PERENNIAL RYEGRASS</b>	Public - Linn	739	1,087	972	1,455	2,389	1,888
	Private and OECD	39,067	43,829	48,135	57,942	61,112	76,769
	Experimental	1,595	1,491	2,209	4,451	8,932	3,914
	<b>Total Acres of Perennial Ryegrass</b>	<b>41,401</b>	<b>46,407</b>	<b>51,316</b>	<b>63,848</b>	<b>72,433</b>	<b>82,571</b>
<b>ALFALFA</b>	Public	0	0	0	0	0	0
	Private and OECD	207	116	135	141	95	85
	Experimental	50	0	47	390	328	506
	<b>Total Acres of Alfalfa</b>	<b>257</b>	<b>116</b>	<b>182</b>	<b>531</b>	<b>423</b>	<b>591</b>
<b>CLOVERS</b> <i>(Berseem, Crimson, Ladino, Red, Arrowleaf, Rose, White)</i>	Public	275	270	344	267	466	248
	Private and OECD	5,090	4,643	3,444	3,509	3,052	2,373
	Experimental	601	1,047	607	476	485	243
	<b>Total Acres of Clovers</b>	<b>5,966</b>	<b>5,960</b>	<b>4,395</b>	<b>4,252</b>	<b>4,003</b>	<b>2,864</b>
<b>MINT</b>	Public	23	3	2	5	12	68
	Experimental	0	0	0	0	0	10
	<b>Total Acres of Mint</b>	<b>23</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>12</b>	<b>78</b>

\*Not Available for Crop Year  
\*\*Acres Applied For


# Acres Passed for Seed Certification 2005 - 2010

## Oregon Seed Certification Service, Oregon State University Extension Service


<u>CROP</u>		<u>2010</u>	<u>2009</u>	<u>2008</u>	<u>2007</u>	<u>2006</u>	<u>2005</u>
<b>SMALL GRAINS</b> <i>(Barley, Oat, Red Oat, Club wheat, Wheat, Triticale, Cereal Rye, Sorghum)</i>	Public	12,303	11,051	10,826	9,201	9,077	10,338
	Private and OECD	7,319	8,792	5,617	4,456	4,349	3,131
	Experimental	35	229	4	364	274	125
	<b>Total Acres of Small Grains</b>	<b>19,657</b>	<b>20,072</b>	<b>16,447</b>	<b>14,021</b>	<b>13,700</b>	<b>13,594</b>
<b>GRASS CROPS</b> <i>(Indian ricegrass, Seashore paspalum, Blue wildrye, Crested dogtail, hairgrasses, Timothy, Sudangrass, Festulolium, Wheatgrasses)</i>	Public	148	138	469	290	252	52
	Private and OECD	238	253	370	446	397	254
	Experimental	12	5	3	81	73	104
	<b>Total Acres Other Grass Crops</b>	<b>398</b>	<b>396</b>	<b>842</b>	<b>817</b>	<b>722</b>	<b>410</b>
<b>OTHER LEGUME CROPS</b> <i>(Field beans, Little burnet, Lupine, Vetches, Field pea, Trefoil, Chickpea)</i>	Public	163	167	135	201	166	63
	Private and OECD	133	0	16	125	156	200
	Experimental	0	45	65	45	0	0
	<b>Total Acres Other Legumes</b>	<b>296</b>	<b>212</b>	<b>216</b>	<b>371</b>	<b>322</b>	<b>263</b>
<b>OTHER CROPS</b> <i>(Sugar beets, Radish, Plantain, Kale, Corn, Sunflower, Meadowfoam, Turnip, Rapes, forage kochia, flax, Mustard)</i>	Public	59	64	26	16	0	7
	Private and OECD	2,580	1,511	79	788	189	496
	Experimental	2,508	2,160	1,254	1,261	811	414
	<b>Total Acres of Other Crops</b>	<b>5,147</b>	<b>3,735</b>	<b>1,359</b>	<b>2,065</b>	<b>1,000</b>	<b>917</b>
<b>POTATO</b>	Public	1,483	1,615	1,815	1,790	2,418	2,045
	Private and OECD	901	770	666	515	264	195
	Experimental	52	23	27	10	34	11
	<b>Total Acres of Potatoes</b>	<b>2,436</b>	<b>2,408</b>	<b>2,508</b>	<b>2,315</b>	<b>2,716</b>	<b>2,250</b>
	Survey Seed Farm Req. (acs)	0	0	0	0	8	0
	Winter Test (# of Seed lots)	*	88	86	88	74	78
<b>TOTAL ACREAGE OF:</b>	<b>All Crops Certified</b>	<b>193,458</b>	<b>233,011</b>	<b>243,438</b>	<b>251,814</b>	<b>244,279</b>	<b>252,849</b>
	<b>Public Varieties</b>	<b>32,211</b>	<b>31,768</b>	<b>30,795</b>	<b>27,488</b>	<b>28,920</b>	<b>30,324</b>
	<b>Private and OECD Varieties</b>	<b>148,353</b>	<b>188,768</b>	<b>201,154</b>	<b>211,374</b>	<b>199,437</b>	<b>213,168</b>
	<b>Experimental Varieties</b>	<b>12,755</b>	<b>12,366</b>	<b>11,375</b>	<b>12,831</b>	<b>15,761</b>	<b>9,197</b>
	<b>Establishing Crop History**</b>	<b>1,462</b>	<b>2,509</b>	<b>1,954</b>	<b>4,993</b>	<b>3,887</b>	<b>3,992</b>
	<b>Modified Land History**</b>	<b>5,784</b>	<b>3,550</b>	<b>3,169</b>	<b>3,140</b>	<b>5,125</b>	<b>4,520</b>
	<b>Pre-Variety Germplasm</b>	<b>139</b>	<b>90</b>	<b>95</b>	<b>121</b>	<b>161</b>	<b>160</b>
<b>TOTALS FOR MIXTURES &amp; BLENDS</b>	<b># Requests\# Separate Co.'s</b>	<b>*</b>	<b>1,724\31</b>	<b>1,482\29</b>	<b>1,796\33</b>	<b>2,129\25</b>	<b>2,326\30</b>
	<b>No. of Blends\# Companies</b>	<b>*</b>	<b>53\13</b>	<b>21\10</b>	<b>51\17</b>	<b>44\11</b>	<b>49\30</b>
	<b>Pounds of Blends Certified</b>	<b>*</b>	<b>1,821,785</b>	<b>878,995</b>	<b>1,240,612</b>	<b>1,337,884</b>	<b>891,520</b>
	<b>No. of Mixtures\# Companies</b>	<b>*</b>	<b>1,671\24</b>	<b>1,461\24</b>	<b>1,745\24</b>	<b>2,085\23</b>	<b>2,277\27</b>
	<b>Pounds of Mixtures Certified</b>	<b>*</b>	<b>30,998,764</b>	<b>27,725,512</b>	<b>34,421,841</b>	<b>39,761,392</b>	<b>42,262,495</b>
<b>PRE-VARIETY GERMPLASM TOTALS</b>	G0 Collections (species/sites)	5/5	0/0	5/5	2/2	1/1	0/0
	<b>Total Acres of P.V.G.</b>	<b>139</b>	<b>90</b>	<b>95</b>	<b>121</b>	<b>161</b>	<b>160</b>
<b>OECD*** TOTALS</b>	<b>Pounds tagged</b>	<b>25,256,840</b>	<b>23,495,243</b>	<b>32,610,136</b>	<b>12,756,113</b>	<b>10,242,299</b>	<b>21,756,307</b>
	<b>No. of lots tagged</b>	<b>1,538</b>	<b>1,419</b>	<b>1,986</b>	<b>766</b>	<b>780</b>	<b>1,378</b>
	<b>No. Varieties tagged</b>	<b>253</b>	<b>206</b>	<b>217</b>	<b>167</b>	<b>158</b>	<b>169</b>
	<b>Foreign Lots Received in OR</b>	<b>106</b>	<b>96</b>	<b>68</b>	<b>57</b>	<b>80</b>	<b>99</b>

\*Not Available for Crop Year  
\*\*Acres Applied For

**Total Acres Passed for Certification**  
**Oregon Seed Certification Service**  
**Oregon State University Extension Service**



**Acres Certified by Category in 2010**  
**Oregon Seed Certification Service**  
**Oregon State University Extension Service**



- Public Varieties
- Private and OECD Varieties
- Experimental Varieties

# Seed Certification Activities by County 2007 - 2010

## Eligible Fields, Acres Passed, and Growers with Production

### Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2010	2010	2010	2009	2009	2009	2008	2008	2008	2007	2007	2007	
		Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*	
<b>BAKER</b>	Annual Rape	0	0		0	0		0	0		0	0		
	Barley	0	0		0	0		0	0		0	0		
	Chewings fescue	0	0		0	0		1	27		1	27		
	Kentucky bluegrass	0	0		2	87		3	161		4	181		
	Mint	0	0		0	0		1	2		0	0		
	Potato	2	33		1	40		1	40		1	33		
	Red fescue	0	0		0	0		0	0		1	35		
	Wheat	0	0		0	0		0	0		0	0		
	<b>Total Baker</b>	<b>2</b>	<b>33</b>	<b>1</b>	<b>3</b>	<b>127</b>	<b>2</b>	<b>6</b>	<b>230</b>	<b>3</b>	<b>7</b>	<b>276</b>	<b>4</b>	
	<b>BENTON</b>	Annual rape	0	0		0	0		0	0		1	20	
Annual ryegrass		20	1,082		12	897		14	329		16	634		
Arrowleaf Clover		0	0		0	0		0	0		1	60		
Blue wildrye		2	2		2	2		3	3		4	4		
Chewings fescue		0	0		1	1		1	3		1	3		
Creeping bentgrass		1	20		3	100		4	117		3	97		
Festulolium		0	0		0	0		1	40		1	40		
Hard fescue		0	0		0	0		0	0		0	0		
Idaho bentgrass		0	0		0	0		1	49		1	49		
Intermediate ryegrass		4	95		5	269		4	154		9	316		
Kale		1	33		0	0		1	16		0	0		
Ladino clover		0	0		0	0		0	0		1	50		
Meadowfoam		0	0		0	0		0	0		0	0		
Oat		0	0		0	0		0	0		0	0		
Orchardgrass		36	1,623		37	1,407		32	1,225		30	1,077		
Perennial ryegrass		10	372		13	425		18	809		28	1,283		
Potato		0	0		0	0		1	1		0	0		
Red clover		6	226		4	165		2	55		3	100		
Red fescue		0	0		0	0		0	0		0	0		
Red oat		0	0		0	0		0	0		0	0		
Riverbank lupine		0	0		0	0		1	3		0	0		
Tall fescue		120	7,438		169	10,101		202	11,930		189	10,392		
Velvet bentgrass		0	0		0	0		0	0		0	0		
Wheat		7	378		10	639		12	447		4	133		
White clover		5	353		4	234		6	206		6	160		
Pre-variety germplasm		18	16.66		22	12.38		19	4.73		8	14.78		
<b>Total Benton</b>		<b>230</b>	<b>11,639</b>	<b>30</b>	<b>282</b>	<b>14,252</b>	<b>33</b>	<b>322</b>	<b>15,392</b>	<b>35</b>	<b>306</b>	<b>14,433</b>	<b>33</b>	
<b>CLACKAMAS</b>		Annual ryegrass	6	72		9	89		2	33		3	45	
		Blue fescue	0	0		1	2		0	0		0	0	
		Chewings fescue	1	31		4	56		4	56		3	25	
	Colonial bentgrass	0	0		0	0		0	0		0	0		
	Creeping bentgrass	8	118		23	416		23	455		22	430		
	Crested dogtail	1	2		1	2		0	0		0	0		
	Crimson clover	0	0		0	0		0	0		0	0		
	Festulolium	2	35		0	0		0	0		0	0		
	Flax	1	2		0	0		0	0		0	0		
	Hard Fescue	11	227		2	21		0	0		0	0		
	Kentucky bluegrass	2	9		2	9		5	35		4	30		
	Oat	2	60		0	0		0	0		0	0		
	Orchardgrass	9	194		14	300		9	148		7	98		
	Perennial ryegrass	66	1,824		69	1,874		72	1,854		100	2,583		
	Red clover	6	163		6	196		0	0		2	64		
	Red fescue	6	128		2	72		2	72		0	0		
	Seashore paspalum	2	88		12	155		13	186		13	186		
	Tall fescue	44	1,247		85	2,365		93	2,565		86	2,258		
	Tufted hairgrass	0	0		0	0		0	0		0	0		
	Velvet bentgrass	0	0		1	20		1	20		1	20		
Wheat	1	11		0	0		1	47		0	0			
<b>Total Clackamas</b>	<b>168</b>	<b>4,211</b>	<b>25</b>	<b>231</b>	<b>5,577</b>	<b>26</b>	<b>225</b>	<b>5,471</b>	<b>27</b>	<b>241</b>	<b>5,739</b>	<b>29</b>		
<b>COLUMBIA</b>	Tall fescue	0	0		1	42		3	117		3	142		
	<b>Total Columbia</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>42</b>	<b>0</b>	<b>3</b>	<b>117</b>	<b>1</b>	<b>3</b>	<b>142</b>	<b>1</b>	

Gro\* = Total number of growers with production in county.

# Seed Certification Activities by County 2007 - 2010

## Eligible Fields, Acres Passed, and Growers with Production

### Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2010	2010	2010	2009	2009	2009	2008	2008	2008	2007	2007	2007	
		Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*	
<b>CROOK</b>	Barley	1	18		0	0		0	0		0	0		
	Potato	0	0		0	0		10	76		0	0		
	Rough bluegrass	0	0		0	0		0	0		0	0		
	Triticale	1	55		1	55		2	67		0	0		
	Wheat	3	89		0	0		0	0		0	0		
	Mint	1	20		0	0		0	0		0	0		
	<b>Total Crook</b>	<b>6</b>	<b>182</b>	<b>1</b>	<b>1</b>	<b>55</b>	<b>1</b>	<b>12</b>	<b>143</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	
<b>DESCHUTES</b>	Basin wildrye	0	0		0	0		0	0		0	0		
	Kentucky bluegrass	0	0		0	0		0	0		0	0		
	Wheat	0	0		1	125		0	0		0	0		
	<b>Total Deschutes</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>125</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	
<b>DOUGLAS</b>	Annual Rape	0	0		0	0		3	12		2	4		
	Meadowfoam	1	42		1	50		0	0		4	140		
	Sugar beet	3	3		0	0		0	0		0	0		
	Tall fescue	3	103		2	78		0	0		0	0		
	<b>Total Douglas</b>	<b>7</b>	<b>148</b>	<b>2</b>	<b>3</b>	<b>128</b>	<b>2</b>	<b>3</b>	<b>12</b>	<b>0</b>	<b>6</b>	<b>144</b>	<b>1</b>	
<b>GILLIAM</b>	Alfalfa	0	0		0	0		1	19		2	119		
	Kentucky bluegrass	0	0		0	0		0	0		0	0		
	Perennial ryegrass	0	0		0	0		1	120		0	0		
	Wheat	1	250		0	0		0	0		0	0		
<b>Total Gilliam</b>	<b>1</b>	<b>250</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>139</b>	<b>0</b>	<b>2</b>	<b>119</b>	<b>0</b>		
<b>HARNEY</b>	Mint	2	3		0	0		0	0		0	0		
	<b>Total Harney</b>	<b>2</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	
<b>JACKSON</b>	Alfalfa	0	0		0	0		0	0		3	50		
	Creeping bentgrass	0	0		0	0		4	33		4	33		
	Tall fescue	0	0		0	0		0	0		0	0		
	<b>Total Jackson</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>33</b>	<b>1</b>	<b>7</b>	<b>83</b>	<b>2</b>	
<b>JEFFERSON</b>	Barley	2	38		1	20		2	46		9	148		
	Beardless wheatgrass	1	6		0	0		0	0		0	0		
	Big bluegrass	4	20		7	57		6	67		6	67		
	Blue fescue	0	0		0	0		0	0		1	18		
	Chickpea	0	0		0	0		0	0		0	0		
	Crested wheatgrass	0	0		0	0		0	0		0	0		
	Hard fescue	0	0		0	0		0	0		1	24		
	Intermediate ryegrass	0	0		0	0		0	0		1	5		
	Kentucky bluegrass	107	3,073		120	3,431		163	4,393		184	5,067		
	Lewis flax	6	54		6	64		3	26		1	16		
	Potato	25	423		23	345		25	321		17	333		
	Red Fescue	1	20		1	20		0	0		2	51		
	Rough bluegrass	52	1,383		60	1,904		60	1,794		64	1,880		
	Triticale	0	0		0	0		0	0		0	0		
	Wheat	55	1,566		46	1,321		63	1,679		67	1,695		
	Pre-variety germplasm	5	35		5	23		5	23		4	16		
	<b>Total Jefferson</b>	<b>258</b>	<b>6,618</b>	<b>39</b>	<b>269</b>	<b>7,185</b>	<b>43</b>	<b>327</b>	<b>8,349</b>	<b>43</b>	<b>357</b>	<b>9,320</b>	<b>51</b>	
	<b>KLAMATH</b>	Barley	0	0		1	42		2	80		0	0	
		Mint	0	0		0	0		0	0		0	0	
Oat		1	14		1	38		1	30		0	0		
Potato		68	930		56	890		63	946		55	751		
Triticale		1	62		7	283		2	105		1	40		
Wheat		2	55		3	57		4	83		0	0		
<b>Total Klamath</b>		<b>72</b>	<b>1,061</b>	<b>11</b>	<b>68</b>	<b>1,310</b>	<b>10</b>	<b>72</b>	<b>1,244</b>	<b>10</b>	<b>56</b>	<b>791</b>	<b>8</b>	
<b>LAKE</b>	Oat	0	0		1	124		1	127		1	49		
	Red oat	0	0		1	125		0	0		0	0		
	Triticale	0	0		1	130		0	0		0	0		
<b>Total Lake</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>379</b>	<b>2</b>	<b>1</b>	<b>127</b>	<b>1</b>	<b>1</b>	<b>49</b>	<b>1</b>		
<b>LANE</b>	Annual rape	0	0		0	0		1	2		2	6		
	Annual ryegrass	21	748		12	334		9	187		8	243		
	Chewings fescue	4	54		3	13		2	10		1	5		
	Colonial bentgrass	5	253		5	253		4	186		4	322		
	Creeping bentgrass	6	110		9	202		9	251		10	255		

Gro\* = Total number of growers with production in county.

# Seed Certification Activities by County 2007 - 2010

## Eligible Fields, Acres Passed, and Growers with Production

### Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2010	2010	2010	2009	2009	2009	2008	2008	2008	2007	2007	2007
		Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*
LANE	Crimson clover	0	0		0	0		0	0		0	0	
	Festulolium	0	0		1	5		0	0		1	66	
	Field bean	0	0		0	0		1	5		0	0	
	Field pea	0	0		1	47		1	7		1	3	
	Garden Pea	0	0		0	0		2	15		0	0	
	Hard fescue	2	10		3	14		2	12		2	8	
	Intermediate ryegrass	1	40		0	0		2	42		4	162	
	Kale	0	0		0	0		0	0		1	22	
	Kentucky bluegrass	0	0		0	0		0	0		0	0	
	Ladino clover	1	100		0	0		0	0		0	0	
	Meadow fescue	0	0		0	0		0	0		1	5	
	Meadowfoam	0	0		0	0		0	0		2	32	
	Oat	0	0		0	0		2	101		0	0	
	Orchardgrass	47	2,146		41	1,949		33	1,689		26	1,406	
	Perennial ryegrass	31	855		43	1,229		49	1,402		64	1,676	
	Red clover	3	79		1	5		1	5		1	5	
	Red fescue	2	6		4	17		3	14		3	9	
	Redtop	0	0		0	0		2	11		1	11	
	Rough bluegrass	0	0		0	0		0	0		1	1	
	Smooth brome	3	40		1	5		1	5		0	0	
	Sugar beet	4	9		0	0		0	0		0	0	
	Sudangrass	0	0		0	0		3	139		1	26	
	Swede	0	0		0	0		0	0		0	0	
	Tall fescue	93	4,566		142	5,291		179	6,550		185	6,639	
	White clover	1	6		0	0		0	0		1	2	
	Wood bluegrass	0	0		0	0		0	0		3	43	
	Pre-variety germplasm	0	0		0	0		0	0		0	0	
<b>Total Lane</b>	<b>224</b>	<b>9,022</b>	<b>25</b>	<b>266</b>	<b>9,364</b>	<b>29</b>	<b>306</b>	<b>10,633</b>	<b>34</b>	<b>323</b>	<b>10,947</b>	<b>31</b>	
LINN	Alfalfa	1	50		0	0		0	0		0	0	
	Annual rape	0	0		0	0		0	0		2	25	
	Annual ryegrass	50	3,003		32	2,562		21	1,407		17	1,048	
	Chewings fescue	20	726		29	1,203		30	1,175		27	1,086	
	Chicory	1	70		0	0		0	0		0	0	
	Colonial bentgrass	16	738		14	673		18	852		25	1,123	
	Creeping bentgrass	7	205		29	766		29	768		28	778	
	Crested dogtail	0	0		0	0		0	0		1	45	
	Crimson clover	0	0		0	0		0	0		0	0	
	Festulolium	0	0		0	0		0	0		0	0	
	Flax	1	3		0	0		0	0		0	0	
	Hairy vetch	1	20		0	0		0	0		0	0	
	Hard fescue	10	261		9	159		7	141		6	122	
	Intermediate ryegrass	10	359		9	271		2	57		2	67	
	Ladino clover	17	1,131		16	1,338		14	1,340		15	1,554	
	Little burnet	2	17		1	20		1	20		1	20	
	Meadowfoam	3	52		1	295		0	0		1	12	
	Oat	3	144		1	10		0	0		0	0	
	Orchardgrass	78	2,528		85	2,817		80	2,636		75	2,651	
	Perennial ryegrass	122	6,193		124	6,567		131	7,008		158	8,670	
	Red clover	10	334		6	134		2	3		3	102	
	Red fescue	25	1,009		14	638		11	522		10	516	
	Tall fescue	356	20,539		469	26,226		546	30,017		479	27,076	
	Triticale	2	53		1	50		1	40		0	0	
	Tufted hairgrass	0	0		0	0		2	9		2	9	
	Turnip	2	80		4	70		0	0		1	17	
	Velvet bentgrass	0	0		1	47		1	51		1	27	
Wheat	15	817		4	357		4	204		1	53		
White clover	15	1,129		18	1,271		16	987		15	668		
Pre-variety germplasm	8	23.97		10	14.97		8	20.51		3	15		
<b>Total Linn</b>	<b>775</b>	<b>39,485</b>	<b>123</b>	<b>877</b>	<b>45,489</b>	<b>127</b>	<b>924</b>	<b>47,258</b>	<b>126</b>	<b>873</b>	<b>45,684</b>	<b>130</b>	

Gro\* = Total number of growers with production in county.

Oct. 2010



# Seed Certification Activities by County 2007 - 2010

## Eligible Fields, Acres Passed, and Growers with Production

### Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2010	2010	2010	2009	2009	2009	2008	2008	2008	2007	2007	2007
		Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*
<b>MALHEUR</b>	Kentucky bluegrass	0	0		0	0		0	0		1	62	
	Potato	2	100		2	130		2	125		3	150	
	<b>Total Malheur</b>	<b>2</b>	<b>100</b>	<b>1</b>	<b>2</b>	<b>130</b>	<b>1</b>	<b>2</b>	<b>125</b>	<b>1</b>	<b>4</b>	<b>212</b>	<b>2</b>
<b>MARION</b>	Annual ryegrass	0	0		1	36		0	0		0	0	
	Annual rape	0	0		0	0		0	0		1	20	
	Barley	0	0		0	0		1	20		0	0	
	Blue fescue	2	90		2	90		0	0		1	33	
	Blue wildrye	2	20		1	6		0	0		0	0	
	Chewings fescue	105	4,522		141	6,104		134	5,721		135	5,867	
	Colonial bentgrass	24	824		30	910		35	1,031		46	1,293	
	Creeping bentgrass	37	1,097		82	2,275		104	2,962		96	2,714	
	Crimson clover	0	0		0	0		0	0		0	0	
	Hard fescue	55	1,903		41	1,586		39	1,404		30	970	
	Intermediate ryegrass	0	0		0	0		0	0		1	4	
	Kale	1	24		3	49		0	0		0	0	
	Kentucky bluegrass	0	0		0	0		4	4		4	8	
	Lewis flax	0	0		0	0		0	0		0	0	
	Little burnet	0	0		3	50		4	60		4	60	
	Meadow brome	0	0		1	3		0	0		0	0	
	Meadow fescue	0	0		0	0		1	24		1	24	
	Meadowfoam	0	0		2	11		1	14		0	0	
	Oat	2	66		1	46		5	170		1	10	
	Orchardgrass	22	428		24	509		25	448		19	397	
	Perennial ryegrass	582	20,697		646	22,640		697	24,286		855	29,219	
	Red clover	7	153		4	82		3	115		3	96	
	Red fescue	94	4,282		83	3,989		70	3,074		66	2,902	
	Red oat	3	64		4	138		0	0		0	0	
	Riverbank lupine	0	0		0	0		0	0		1	2	
	Seashore paspalum	2	20		6	58		7	79		7	79	
	Sheep fescue	11	421		8	226		7	317		6	368	
	Sugar beet	0	0		0	0		0	0		2	55	
	Tall fescue	229	8,089		454	14,088		549	16,936		490	14,507	
	Tufted hairgrass	2	12		0	0		0	0		0	0	
	Turnip	0	0		1	30		0	0		0	0	
	Velvet bentgrass	4	76		5	86		4	83		5	102	
	Wheat	40	1,830		20	733		14	487		0	0	
	White clover	2	64		3	84		2	42		1	26	
Winter rape	0	0		1	24		1	25		0	0		
Wood bluegrass	0	0		0	0		0	0		0	0		
Pre-variety germplasm	15	62.00		16	35.05		17	40.30		14	48.55		
<b>Total Marion</b>	<b>1,241</b>	<b>44,744</b>	<b>221</b>	<b>1,583</b>	<b>53,888</b>	<b>248</b>	<b>1,724</b>	<b>57,342</b>	<b>255</b>	<b>1,789</b>	<b>58,805</b>	<b>278</b>	
<b>MORROW</b>	Annual rape	1	130		4	372		0	0		0	0	
	Barley	0	0		1	123		0	0		0	0	
	Chewings fescue	0	0		0	0		0	0		0	0	
	Corn	28	475		13	171		0	0		0	0	
	Hard fescue	0	0		0	0		4	266		0	0	
	Kentucky bluegrass	7	630		15	1,068		7	512		0	0	
	Perennial ryegrass	6	585		11	1,017		13	1,211		14	1,360	
	Red fescue	1	55		0	0		0	0		1	75	
	Sunflower	0	0		4	235		1	40		0	0	
	Tall fescue	1	140		1	140		2	260		0	0	
	Wheat	3	160		1	70		0	0		0	0	
	<b>Total Morrow</b>	<b>47</b>	<b>2,175</b>	<b>5</b>	<b>50</b>	<b>3,196</b>	<b>13</b>	<b>27</b>	<b>2,289</b>	<b>5</b>	<b>15</b>	<b>1,435</b>	<b>4</b>
	<b>MULTNOMAH</b>	Perennial ryegrass	4	172		4	172		7	272		9	369
Red clover		0	0		0	0		0	0		0	0	
Tall fescue		10	497		20	873		22	1,101		22	1,196	
Wheat		1	11		0	0		0	0		0	0	
<b>Total Multnomah</b>		<b>15</b>	<b>680</b>	<b>0</b>	<b>24</b>	<b>1,045</b>	<b>2</b>	<b>29</b>	<b>1,373</b>	<b>0</b>	<b>31</b>	<b>1,565</b>	<b>0</b>
<b>POLK</b>	Annual rape	0	0		0	0		0	0		1	7	
	Annual ryegrass	21	1,132		14	803		11	594		8	504	

Gro\* = Total number of growers with production in county.

# Seed Certification Activities by County 2007 - 2010

## Eligible Fields, Acres Passed, and Growers with Production

### Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2010	2010	2010	2009	2009	2009	2008	2008	2008	2007	2007	2007	
		Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*	
<b>POLK</b>	Arrowleaf Clover	0	0		0	0		0	0		0	0		
	Blue wildrye	0	0		0	0		0	0		0	0		
	Chewings fescue	3	118		3	118		2	43		4	117		
	Club wheat	2	36		0	0		0	0		0	0		
	Colonial bentgrass	0	0		0	0		0	0		1	12		
	Field pea	2	17		0	0		0	0		0	0		
	Hard fescue	3	71		2	54		2	54		2	54		
	Intermediate ryegrass	1	6		2	110		1	30		0	0		
	Kale	0	0		1	23		0	0		0	0		
	Ladino clover	5	386		2	213		2	154		1	81		
	Meadowfoam	1	23		0	0		0	0		4	155		
	Mint	0	0		1	3		0	0		0	0		
	Oat	2	20		2	9		0	0		1	25		
	Orchardgrass	13	620		17	670		28	995		36	1,353		
	Perennial ryegrass	46	2,666		57	2,458		55	2,434		88	3,927		
	Red clover	2	55		1	43		1	43		0	0		
	Red oat	1	25		0	0		0	0		0	0		
	Tall fescue	218	10,637		318	15,274		353	17,096		331	16,158		
	Triticale	0	0		3	107		0	0		1	24		
	Turnip	1	118		0	0		0	0		0	0		
	Velvet bentgrass	0	0		0	0		0	0		1	11		
	Wheat	9	574		6	285		9	399		2	22		
	White clover	2	23		6	275		1	42		0	0		
Pre-variety germplasm	0	0.00		1	0.01		1	0.01		0	0			
<b>Total Polk</b>	<b>332</b>	<b>16,527</b>	<b>56</b>	<b>436</b>	<b>20,445</b>	<b>68</b>	<b>466</b>	<b>21,884</b>	<b>69</b>	<b>481</b>	<b>22,450</b>	<b>72</b>		
<b>SHERMAN</b>	Barley	2	299		3	197		7	532		3	362		
	Club wheat	3	444		5	463		3	424		2	250		
	Wheat	45	4,713		40	5,554		27	3,297		29	4,500		
<b>Total Sherman</b>	<b>50</b>	<b>5,456</b>	<b>1</b>	<b>48</b>	<b>6,214</b>	<b>1</b>	<b>37</b>	<b>4,253</b>	<b>1</b>	<b>34</b>	<b>5,112</b>	<b>1</b>		
<b>UMATILLA</b>	Alfalfa	4	160		4	116		5	163		9	362		
	Annual rape	2	248		1	118		1	6		0	0		
	Barley	0	0		0	0		0	0		0	0		
	Bermudagrass	1	30		1	30		1	30		0	0		
	Big bluegrass	0	0		0	0		0	0		0	0		
	Blue fescue	0	0		0	0		1	48		1	48		
	Chewings fescue	2	200		6	208		5	123		6	190		
	Chickpea	0	0		0	0		0	0		1	32		
	Corn	216	1,758		92	553		0	0		0	0		
	Field bean	0	0		0	0		0	0		1	125		
	Hard fescue	2	187		4	500		2	180		4	299		
	Kentucky bluegrass	11	958		30	2,211		53	2,506		63	3,489		
	Perennial ryegrass	50	4,951		59	6,484		67	6,916		70	6,896		
	Red clover	2	75		2	150		3	150		2	110		
	Red fescue	0	0		0	0		2	224		2	224		
	Sheep fescue	2	87		0	0		1	125		0	0		
	Sudangrass	3	120		1	130		5	327		5	260		
	Sunflower	2	11		1	5		0	0		0	0		
	Tall fescue	1	125		4	264		7	422		8	427		
	Triticale	0	0		0	0		1	1		0	0		
	Wheat	17	3,129		26	3,771		22	3,465		27	3,496		
	Winter rape	0	0		0	0		0	0		1	175		
	White clover	0	0		0	0		0	0		0	0		
	Pre-variety germplasm	1	1.20		3	2.85		6	4.74		11	17.15		
	<b>Total Umatilla</b>	<b>316</b>	<b>12,040</b>	<b>14</b>	<b>234</b>	<b>14,543</b>	<b>57</b>	<b>182</b>	<b>14,691</b>	<b>18</b>	<b>211</b>	<b>16,150</b>	<b>22</b>	
	<b>UNION</b>	Alfalfa	2	47		0	0		0	0		0	0	
		Annual rape	10	930		5	520		8	541		18	1,122	
Barley		13	449		8	272		8	299		11	511		
Big bluegrass		1	35		0	0		0	0		0	0		
Chewings fescue		9	341		14	589		16	637		25	848		
Club wheat		3	81		1	23		1	22		1	23		

Gro\* = Total number of growers with production in county.

# Seed Certification Activities by County 2007 - 2010

## Eligible Fields, Acres Passed, and Growers with Production

### Oregon Seed Certification Service, Oregon State University Extension Service

COUNTY	CROP	2010	2010	2010	2009	2009	2009	2008	2008	2008	2007	2007	2007	
		Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*	
<b>UNION</b>	Field bean	4	146		0	0		0	0		0	0		
	Hard fescue	6	178		8	255		11	430		11	406		
	Kentucky bluegrass	66	2,803		91	3,661		100	4,099		128	5,357		
	Mint	0	0		0	0		0	0		1	5		
	Oat	1	67		0	0		1	65		2	82		
	Potato	18	950		21	1,003		20	999		32	1,048		
	Red clover	9	262		4	135		0	0		0	0		
	Red fescue	32	1,274		45	1,960		39	1,506		64	2,425		
	Sheep fescue	2	35		2	35		2	35		0	0		
	Sunflower	17	1,015		19	1,145		9	621		5	225		
	Tall fescue	1	44		1	44		1	44		2	78		
	Triticale	1	78		5	311		7	370		4	210		
	Wheat	27	1,251		34	1,484		41	1,838		23	918		
	Pre-variety germplasm	0	0		2	2		2	2		7	9.3		
	<b>Total Union</b>	<b>222</b>	<b>9,986</b>	<b>38</b>	<b>260</b>	<b>11,439</b>	<b>43</b>	<b>266</b>	<b>11,508</b>	<b>44</b>	<b>334</b>	<b>13,267</b>	<b>50</b>	
<b>WALLOWA</b>	Annual rape	0	0		0	0		0	0		0	0		
	Barley	2	110		1	70		7	465		4	289		
	Brown mustard	1	40		0	0		1	32		0	0		
	Oat	0	0		0	0		0	0		0	0		
	Oriental mustard	0	0		0	0		1	40		0	0		
	Red clover	1	72		0	0		1	40		2	62		
	Wheat	25	1,627		25	1,417		19	1,096		13	805		
	White mustard	1	50		0	0		0	0		0	0		
		<b>Total Wallowa</b>	<b>30</b>	<b>1,899</b>	<b>4</b>	<b>26</b>	<b>1,487</b>	<b>5</b>	<b>29</b>	<b>1,673</b>	<b>5</b>	<b>19</b>	<b>1,156</b>	<b>5</b>
	<b>WASCO</b>	Kentucky bluegrass	0	0		0	0		0	0		3	97	
Rough bluegrass		2	71		0	0		0	0		0	0		
Tall fescue		1	20		1	20		0	0		0	0		
Wheat		3	206		5	344		0	0		0	0		
Pre-variety germplasm		0	0		0	0		0	0		0	0		
		<b>Total Wasco</b>	<b>6</b>	<b>297</b>	<b>0</b>	<b>6</b>	<b>364</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>97</b>	<b>0</b>
<b>WASHINGTON</b>	Annual fescue	0	0		0	0		0	0		0	0		
	Annual rape	0	0		0	0		0	0		0	0		
	Annual ryegrass	2	55		0	0		2	33		3	43		
	Crimson clover	4	206		5	408		2	210		6	365		
	Hairy vetch	4	96		1	5		0	0		0	0		
	Intermediate ryegrass	4	93		3	62		1	18		0	0		
	Little burnet	0	0		2	90		2	90		2	90		
	Oat	2	72		0	0		0	0		1	28		
	Orchardgrass	1	18		1	18		1	18		0	0		
	Perennial ryegrass	22	1,068		29	1,335		49	2,261		85	3,284		
	Red clover	4	157		4	189		3	137		5	204		
	Red oat	1	7		0	0		0	0		0	0		
	Sheep fescue	0	0		2	22		2	22		0	0		
	Tall fescue	228	8,791		324	12,200		355	12,895		377	13,560		
	Wheat	13	327		6	128		6	145		1	30		
	White clover	0	0		0	0		0	0		0	0		
		<b>Total Washington</b>	<b>285</b>	<b>10,890</b>	<b>58</b>	<b>377</b>	<b>14,457</b>	<b>63</b>	<b>423</b>	<b>15,829</b>	<b>65</b>	<b>480</b>	<b>17,604</b>	<b>65</b>
	<b>WHEELER</b>	Rough bluegrass	0	0		0	0		5	121		5	176	
		Wheat	4	120		0	0		0	0		0	0	
			<b>Total Wheeler</b>	<b>4</b>	<b>120</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>121</b>	<b>0</b>	<b>5</b>	<b>176</b>
<b>YAMHILL</b>	Annual ryegrass	1	35		9	289		5	39		1	14		
	Barley	1	37											
	Colonial bentgrass	0	0		0	0		0	0		0	0		
	Crimson clover	4	200		1	80		1	37		0	0		
	Festulolium	0	0		0	0		0	0		2	73		
	Intermediate ryegrass	0	0		0	0		0	0		0	0		
	Ladino clover	4	417		3	235		2	223		1	80		
	Little burnet	0	0		0	0		0	0		1	39		
	Meadowfoam	0	0		0	0		0	0		0	0		
	Oat	0	0		8	302		4	110		5	223		

Gro\* = Total number of growers with production in county.

**Seed Certification Activities by County 2007 - 2010**  
**Eligible Fields, Acres Passed, and Growers with Production**  
**Oregon Seed Certification Service, Oregon State University Extension Service**

COUNTY	CROP	2010	2010	2010	2009	2009	2009	2008	2008	2008	2007	2007	2007
		Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*	Fields	Acres	Gro*
YAMHILL	Orchardgrass	13	585		17	485		17	508		20	595	
	Perennial ryegrass	51	2,018		61	2,206		73	2,743		117	4,581	
	Red clover	10	333		12	487		13	484		7	208	
	Red oat	0	0		0	0		0	0		0	0	
	Sugar beet	0	0		0	0		0	0		1	12	
	Tall fescue	265	11,981		383	16,601		432	18,751		449	19,878	
	Wheat	6	244		17	849		8	186		3	100	
	White clover	1	42		3	236		2	122		2	255	
	<b>Total Yamhill</b>	<b>356</b>	<b>15,892</b>	<b>71</b>	<b>514</b>	<b>21,770</b>	<b>83</b>	<b>557</b>	<b>23,203</b>	<b>84</b>	<b>609</b>	<b>26,058</b>	<b>84</b>
<b>YEARLY TOTALS</b>		<b>4,651</b>	<b>193,458</b>	<b>726</b>	<b>5,565</b>	<b>233,011</b>	<b>860</b>	<b>5,954</b>	<b>243,438</b>	<b>831</b>	<b>6,197</b>	<b>251,814</b>	<b>874</b>

Gro\* = Total number of growers with production in county.

Oct. 2010



**Number of Fields and Acres Passed for Production of  
Foundation, Registered, or Certified Class Seed in 2010  
Oregon Seed Certification Service, Oregon State University Extension Service**

<i>CLASS OF SEED</i>	<b>FOUNDATION</b>		<b>REGISTERED</b>		<b>CERTIFIED</b>		<b>TOTALS FOR 2010</b>	
	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>
<b><i>GRASSES</i></b>								
Annual ryegrass	4	14	11	88	106	6,025	121	6,127
Basin wildrye	0	0	0	0	0	0	0	0
Beardless wheatgrass	0	0	1	6	0	0	1	6
Bermudagrass	0	0	0	0	1	30	1	30
Big bluegrass	0	0	0	0	5	55	5	55
Blue fescue	0	0	0	0	2	90	2	90
Bluebunch wheatgrass	0	0	0	0	0	0	0	0
Blue wildrye	2	2	0	0	2	20	4	22
Chewings fescue	1	3	1	5	142	5,984	144	5,992
Colonial bentgrass	0	0	1	5	44	1,810	45	1,815
Creeping bentgrass	2	7	0	0	57	1,543	59	1,550
Creeping bluegrass	0	0	0	0	0	0	0	0
Crested dogtail	1	2	0	0	0	0	1	2
Crested hairgrass	0	0	0	0	0	0	0	0
Crested wheatgrass	0	0	0	0	0	0	0	0
Festulolium	0	0	0	0	2	35	2	35
Hard fescue	3	10	2	16	84	2,811	89	2,837
Idaho bentgrass	0	0	0	0	0	0	0	0
Indian ricegrass	0	0	0	0	0	0	0	0
Intermediate ryegrass	0	0	1	6	19	587	20	593
Kentucky bluegrass	5	17	2	4	186	7,452	193	7,473
Meadow fescue	0	0	0	0	1	23	1	23
Meadow brome	0	0	0	0	0	0	0	0
Orchardgrass	1	8	1	20	217	8,114	219	8,142
Perennial ryegrass	26	137	16	89	948	41,175	990	41,401
Red fescue	5	25	3	17	153	6,732	161	6,774
Redtop	0	0	0	0	0	0	0	0
Rough bluegrass	1	5	0	0	53	1,449	54	1,454
Seashore paspalum	0	0	0	0	4	108	4	108
Sheep fescue	0	0	0	0	15	543	15	543
Siberian wheatgrass	0	0	0	0	3	40	3	40
Smooth brome	0	0	0	0	0	0	0	0
Streambank wheatgrass	0	0	0	0	0	0	0	0
Sudangrass	0	0	0	0	3	120	3	120
Tall fescue	13	71	8	51	1,549	74,095	1,570	74,217
Tall wheatgrass	0	0	0	0	0	0	0	0
Thickspike wheatgrass	0	0	0	0	0	0	0	0
Timothy	0	0	0	0	0	0	0	0
Tufted hairgrass	0	0	0	0	2	12	2	12
Velvet bentgrass	0	0	0	0	4	76	4	76
Western wheatgrass	0	0	0	0	0	0	0	0
Wood bluegrass	0	0	0	0	0	0	0	0
<b><i>TOTAL GRASSES</i></b>	<b>64</b>	<b>301</b>	<b>47</b>	<b>307</b>	<b>3,602</b>	<b>158,929</b>	<b>3,713</b>	<b>159,537</b>

**Number of Fields and Acres Passed for Production of  
Foundation, Registered, or Certified Class Seed in 2010  
Oregon Seed Certification Service, Oregon State University Extension Service**

<i>CLASS OF SEED</i>	<b>FOUNDATION</b>		<b>REGISTERED</b>		<b>CERTIFIED</b>		<b>TOTALS FOR 2010</b>	
	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>
<b><i>CEREALS</i></b>								
Barley	0	0	4	84	17	867	21	951
Cereal Rye	0	0	0	0	0	0	0	0
Club wheat	0	0	4	91	4	470	8	561
Durum wheat	0	0	0	0	0	0	0	0
Oat	0	0	4	86	9	357	13	443
Red oat	0	0	4	71	1	25	5	96
Sorghum	0	0	0	0	0	0	0	0
Triticale	1	15	0	0	4	233	5	248
Wheat	0	0	35	1,500	242	15,858	277	17,358
<b><i>TOTAL CEREALS</i></b>	<b>1</b>	<b>15</b>	<b>51</b>	<b>1,832</b>	<b>277</b>	<b>17,810</b>	<b>329</b>	<b>19,657</b>
<b><i>LEGUMES</i></b>								
Alfalfa	0	0	0	0	7	257	7	257
Arrowleaf clover	0	0	0	0	0	0	0	0
Birdsfoot trefoil	0	0	0	0	0	0	0	0
Chickpea	0	0	0	0	0	0	0	0
Common vetch	0	0	0	0	0	0	0	0
Crimson clover	0	0	2	55	6	351	8	406
Field bean	0	0	0	0	4	146	4	146
Field pea	0	0	0	0	2	17	2	17
Garden pea	0	0	0	0	0	0	0	0
Hairy vetch	1	5	0	0	4	111	5	116
Ladino clover	0	0	0	0	27	2,034	27	2,034
Little burnet	0	0	1	2	1	15	2	17
Red clover	5	65	1	6	54	1,838	60	1,909
Riverbank lupine	0	0	0	0	0	0	0	0
Rose clover	0	0	0	0	0	0	0	0
White clover	1	6	0	0	25	1,611	26	1,617
<b><i>TOTAL LEGUMES</i></b>	<b>7</b>	<b>76</b>	<b>4</b>	<b>63</b>	<b>130</b>	<b>6,380</b>	<b>141</b>	<b>6,519</b>
<b><i>OTHER CROPS</i></b>								
Annual rape	0	0	0	0	13	1,308	13	1,308
Brown mustard	0	0	0	0	1	40	1	40
Buckhorn plantain	0	0	0	0	0	0	0	0
Chicory	0	0	0	0	1	70	1	70
Corn	177	912	0	0	67	1,321	244	2,233
Fodder beet	0	0	0	0	0	0	0	0
Forage kochia	0	0	0	0	0	0	0	0
Flax	2	5	0	0	0	0	2	5
Kale	0	0	0	0	2	57	2	57
Lewis flax	0	0	2	10	4	44	6	54
Meadowfoam	3	52	0	0	1	42	4	94
Mint	0	0	0	0	3	23	3	23
Oriental Mustard	0	0	0	0	0	0	0	0
Radish	0	0	0	0	0	0	0	0
Potato	0	0	0	0	115	2,436	115	2,436
Sugar beet	0	0	7	12	0	0	7	12
Sunflower	2	11	0	0	17	1,015	19	1,026
Swede	0	0	0	0	0	0	0	0
Turnip	0	0	0	0	3	198	3	198
White Mustard	0	0	0	0	1	50	1	50
Winter rape	0	0	0	0	0	0	0	0
All Pre-Variety germplasm crops	0	0	0	0	47	139	47	139
<b><i>TOTAL OTHER CROPS</i></b>	<b>184</b>	<b>980</b>	<b>9</b>	<b>22</b>	<b>275</b>	<b>6,743</b>	<b>468</b>	<b>7,745</b>
<b><i>TOTALS PER CLASS</i></b>	<b>256</b>	<b>1,372</b>	<b>111</b>	<b>2,224</b>	<b>4,284</b>	<b>189,862</b>	<b>4,651</b>	<b>193,458</b>

**Total Acres Certified by Crop Kind in 2010**  
**Oregon Seed Certification Service**  
**Oregon State University Extension Service**



# Comparison of Production for Selected Crops: 2009 vs. 2010

## Oregon Seed Certification Service, Oregon State University Extension Service

CROP	TOTALS FOR 2010		TOTALS FOR 2009		PERCENT CHANGE IN 2010	
	<i>Fields</i>	<i>Acres</i>	<i>Fields</i>	<i>Acres</i>	<i>Fields</i>	<i>Acres</i>
<b><i>SELECTED GRASSES</i></b>						
Annual ryegrass	121	6,127	89	5,010	36.0%	22.3%
Beardless wheatgrass	1	6	0	0	100.0%	100.0%
Bermudagrass	1	30	1	30	0.0%	0.0%
Big bluegrass	5	55	7	57	-28.6%	-3.5%
Blue fescue	2	90	3	92	-33.3%	-2.2%
Blue wildrye	4	22	3	8	33.3%	175.0%
Chewings fescue	144	5,992	201	8,292	-28.4%	-27.7%
Colonial bentgrass	45	1,815	49	1,836	-8.2%	-1.1%
Creeping bentgrass	59	1,550	146	3,759	-59.6%	-58.8%
Crested dogtail	1	2	1	2	0.0%	0.0%
Festulolium	2	35	1	5	100.0%	600.0%
Hard fescue	89	2,837	69	2,589	29.0%	9.6%
Intermediate ryegrass	20	593	19	712	5.3%	-16.7%
Kentucky bluegrass	193	7,473	260	10,467	-25.8%	-28.6%
Meadow fescue	1	23	0	0	100.0%	100.0%
Meadow brome	0	0	1	3	-100.0%	-100.0%
Orchardgrass	219	8,142	236	8,155	-7.2%	-0.2%
Perennial ryegrass	990	41,401	1,116	46,407	-11.3%	-10.8%
Red fescue	161	6,774	149	6,696	8.1%	1.2%
Rough bluegrass	54	1,454	60	1,904	-10.0%	-23.6%
Seashore paspalum	4	108	18	213	-77.8%	-49.3%
Sheep fescue	15	543	12	283	25.0%	91.9%
Siberian wheatgrass	3	40	0	0	100.0%	100.0%
Smooth brome	0	0	1	5	-100.0%	-100.0%
Sudangrass	3	120	1	130	200.0%	-7.7%
Tall fescue	1,570	74,217	2,374	103,607	-33.9%	-28.4%
Tufted hairgrass	2	12	0	0	100.0%	100.0%
Velvet bentgrass	4	76	7	153	-42.9%	-50.3%
<b><i>CHANGE IN GRASSES</i></b>	<b>3,713</b>	<b>159,537</b>	<b>4,824</b>	<b>200,415</b>	<b>-23.0%</b>	<b>-20.4%</b>



# Comparison of Production for Selected Crops: 2009 vs. 2010

## Oregon Seed Certification Service, Oregon State University Extension Service

CROP	TOTALS FOR 2010		TOTALS FOR 2009		PERCENT CHANGE IN 2010	
	<i>Fields</i>	<i>Acres</i>	<i>Fields</i>	<i>Acres</i>	<i>Fields</i>	<i>Acres</i>
<b><i>SELECTED CEREALS</i></b>						
Barley	21	951	15	724	40.0%	31.4%
Club wheat	8	561	6	486	33.3%	15.4%
Oat	13	443	14	529	-7.1%	-16.3%
Red oat	5	96	5	263	0.0%	-63.5%
Triticale	5	248	18	936	-72.2%	-73.5%
Wheat	277	17,358	244	17,134	13.5%	1.3%
<b><i>CHANGE IN CEREALS</i></b>	<b>329</b>	<b>19,657</b>	<b>302</b>	<b>20,072</b>	<b>8.9%</b>	<b>-2.1%</b>
<b><i>SELECTED LEGUMES</i></b>						
Alfalfa	7	257	4	116	75.0%	121.6%
Crimson clover	8	406	6	488	33.3%	-16.8%
Field bean	4	146	0	0	100.0%	100.0%
Field pea	2	17	1	47	100.0%	-63.8%
Hairy vetch	5	116	1	5	400.0%	2220.0%
Ladino clover	27	2,034	21	1,786	28.6%	13.9%
Little burnet	2	17	6	160	-66.7%	-89.4%
Red clover	60	1,909	44	1,586	36.4%	20.4%
White clover	26	1,617	34	2,100	-23.5%	-23.0%
<b><i>CHANGE IN LEGUMES</i></b>	<b>141</b>	<b>6,519</b>	<b>117</b>	<b>6,288</b>	<b>20.5%</b>	<b>3.7%</b>
<b><i>SELECTED OTHER CROPS</i></b>						
Annual rape	13	1,308	10	1,010	30.0%	29.5%
Brown mustard	1	40	0	0	100.0%	100.0%
Chicory	1	70	0	0	100.0%	100.0%
Corn	244	2,233	105	724	132.4%	208.4%
Flax	2	5	0	0	100.0%	100.0%
Kale	2	57	4	72	-50.0%	-20.8%
Lewis flax	6	54	6	64	0.0%	-15.6%
Meadowfoam	4	94	4	356	0.0%	-73.6%
Mint	3	23	1	3	200.0%	666.7%
Potato	115	2,436	103	2,408	11.7%	1.2%
Sugar beet	7	12	0	0	100.0%	100.0%
Sunflower	19	1,026	24	1,385	-20.8%	-25.9%
Turnip	3	198	5	100	-40.0%	98.0%
White mustard	1	50	0	0	100.0%	100.0%
Winter rape	0	0	1	24	-100.0%	-100.0%
All Pre-Variety germplasm crops	47	139	59	90	-20.3%	54.4%
<b><i>CHANGE IN OTHER CROPS</i></b>	<b>468</b>	<b>7,745</b>	<b>322</b>	<b>6,236</b>	<b>45.3%</b>	<b>24.2%</b>
<b><i>OVERALL CHANGE IN SELECTED CROPS</i></b>						
	<b>4,651</b>	<b>193,458</b>	<b>5,565</b>	<b>233,011</b>	<b>-16.4%</b>	<b>-17.0%</b>

# Varieties Eligible, Produced <sup>1</sup>, and Growers <sup>2</sup> with Fields From 2007-2010

## Oregon Seed Certification Service, Oregon State University Extension Service

CROP TYPE	Varieties	Growers	Varieties	Growers	Varieties	Growers	Varieties	Growers	
	Eligible Varieties in 2010	with Eligible Fields in 2010	with Eligible Fields in 2010	with Eligible Fields in 2009	with Eligible Fields in 2009	with Eligible Fields in 2008	with Eligible Fields in 2008	with Eligible Fields in 2007	with Eligible Fields in 2007
<b>GRASSES</b>									
Weeping alkaligrass	2	0	0	0	0	0	0	0	0
Meadow barley	2	2	3	2	3	2	2	2	2
Colonial bentgrass	34	3	17	7	18	7	21	8	28
Creeping bentgrass	76	32	30	41	40	43	44	38	42
Idaho bentgrass	1	0	0	0	0	1	1	1	1
Redtop bentgrass	0	0	0	0	0	1	1	1	1
Spike bentgrass	1	1	1	0	0	0	0	0	0
Velvet bentgrass	7	3	3	4	4	4	2	6	3
Bermudagrass	18	1	1	1	1	1	1	0	0
Big bluegrass	1	1	2	1	1	1	1	1	1
Canada bluegrass	3	0	0	0	0	0	0	0	0
Creeping bluegrass	1	0	0	0	0	0	0	0	0
Kentucky bluegrass	387	57	54	88	63	114	73	113	86
Rough bluegrass	34	12	14	15	17	17	18	17	21
Supina bluegrass	1	0	0	0	0	0	0	0	0
Wood bluegrass	3	0	0	0	0	0	0	1	2
California brome	13	4	2	3	2	3	2	0	0
Meadow brome	3	0	0	1	1	0	0	0	0
Mountain brome	5	0	0	0	0	0	0	2	2
Smooth brome	4	1	1	1	1	1	1	0	0
Sweet brome	2	0	0	0	0	0	0	0	0
Reed canarygrass	3	0	0	0	0	0	0	0	0
Crested dogtail	1	1	1	1	1	0	0	1	1
Annual fescue	1	0	0	0	0	0	0	0	0
Blue fescue	2	1	2	2	3	2	1	2	3
California fescue	5	0	0	0	0	0	0	0	0
Chewings fescue	118	29	46	37	56	38	48	39	56
Hard fescue	68	25	39	26	37	28	36	23	29
Idaho fescue	4	0	0	1	1	1	1	3	1
Meadow fescue	5	1	1	0	0	1	1	2	2
Red fescue	110	33	55	32	53	34	41	35	61
Roemers fescue	15	7	2	0	0	0	0	0	0
Sheep fescue	12	8	11	7	8	7	8	3	3
Tall fescue	597	231	394	278	479	282	505	285	478
Festulolium	10	1	1	2	1	1	1	2	2
Creeping foxtail	1	0	0	0	0	0	0	0	0
Meadow foxtail	3	0	0	0	0	0	0	0	0
Water foxtail	1	0	0	0	0	0	0	0	0
Coastal hairgrass	1	1	2	0	0	0	0	0	0
Crested hairgrass	2	0	0	0	0	0	0	0	0
Tufted hairgrass	11	4	4	2	1	4	3	4	4
Hardinggrass	1	0	0	0	0	0	0	0	0
Tall mannagrass	1	0	0	0	0	0	0	0	0
California oatgrass	10	4	3	4	4	3	3	0	0
Orchardgrass	134	40	56	39	60	42	58	41	56
Seashore paspalum	1	1	2	1	4	1	4	1	4
Polargrass	1	0	0	0	0	0	0	0	0
Annual ryegrass	187	54	48	40	39	32	26	28	28
Intermediate ryegrass	37	7	9	7	11	5	7	7	11
Perennial ryegrass	681	189	265	204	295	224	321	246	388

<sup>1</sup>Varieties include all eligible fields; field may not be signed-up or passed in current year.

<sup>2</sup>Includes growers that did not sign-up eligible fields; Pre-variety germplasm growers NOT included.

# Varieties Eligible, Produced <sup>1</sup>, and Growers <sup>2</sup> with Fields From 2007-2010

## Oregon Seed Certification Service, Oregon State University Extension Service

CROP TYPE	Eligible Varieties in 2010	Varieties with Eligible Fields in 2010	Growers with Eligible Fields in 2010	Varieties with Eligible Fields in 2009	Growers with Eligible Fields in 2009	Varieties with Eligible Fields in 2008	Growers with Eligible Fields in 2008	Varieties with Eligible Fields in 2007	Growers with Eligible Fields in 2007
	Wimmera ryegrass	1	0	0	0	0	0	0	0
Sudangrass	1	1	1	1	1	1	3	1	2
Timothy	24	0	0	0	0	0	0	0	0
Beardless wheatgrass	1	1	1	0	0	0	0	0	0
Bluebunch wheatgrass	7	1	1	1	1	0	0	3	1
Crested wheatgrass	3	0	0	0	0	0	0	0	0
Intermediate wheatgrass	1	0	0	0	0	0	0	0	0
Montana wheatgrass	1	0	0	0	0	0	0	1	1
Pubescent wheatgrass	1	0	0	0	0	0	0	0	0
Siberian wheatgrass	2	0	0	0	0	0	0	0	0
Snake River wheatgrass	1	0	0	0	0	0	0	0	0
Streambank wheatgrass	1	0	0	0	0	0	0	0	0
Tall wheatgrass	2	0	0	0	0	0	0	0	0
Thickspike wheatgrass	2	0	0	0	0	0	0	0	0
Altai wildrye	1	0	0	0	0	0	0	0	0
Basin wildrye	2	0	0	0	0	0	0	0	0
Blue wildrye	21	6	6	5	4	8	6	8	4
Canada wildrye	1	0	0	0	0	0	0	0	0
Russian wildrye	1	0	0	0	0	0	0	0	0
<b>TOTAL GRASSES</b>	<b>2695</b>	<b>763</b>	<b>1078</b>	<b>854</b>	<b>1210</b>	<b>909</b>	<b>1240</b>	<b>925</b>	<b>1324</b>
<b>CEREALS</b>									
Barley	69	8	7	7	6	10	10	9	9
Oat	36	8	10	6	8	6	9	4	10
Red oat	4	3	3	2	2	1	0	0	0
Cereal rye	1	0	0	0	0	0	0	0	0
Mountain rye	0	0	0	0	0	0	0	0	0
Triticale	21	4	4	5	7	5	6	2	3
Club wheat	11	5	4	2	2	2	2	2	2
Durum wheat	10	0	0	0	0	0	0	0	0
Hybrid wheat	1	0	0	0	0	0	0	0	0
Wheat	105	26	39	28	42	28	43	20	22
<b>TOTAL CEREALS</b>	<b>258</b>	<b>54</b>	<b>67</b>	<b>50</b>	<b>67</b>	<b>52</b>	<b>70</b>	<b>37</b>	<b>46</b>
<b>LEGUMES</b>									
Alfalfa	335	7	4	4	1	9	2	10	3
Austrian winter pea	1	0	0	0	0	0	0	0	0
Field bean	73	1	2	0	0	1	1	1	1
Little burnet	2	1	1	2	3	2	3	2	4
Chickpea	6	0	0	0	0	1	0	1	1
Arrowleaf clover	3	1	1	0	0	0	0	1	1
Berseem clover	2	0	0	0	0	0	0	0	0
Crimson clover	24	3	2	1	1	1	1	1	1

<sup>1</sup>Varieties include all eligible fields; field may not be signed-up or passed in current year.

<sup>2</sup>Includes growers that did not sign-up eligible fields; Pre-variety germplasm growers NOT included.

## Varieties Eligible, Produced <sup>1</sup>, and Growers <sup>2</sup> with Fields From 2007-2010 Oregon Seed Certification Service, Oregon State University Extension Service

CROP TYPE	Varieties	Growers	Varieties	Growers	Varieties	Growers	Varieties	Growers	
	Eligible Varieties in 2010	with Eligible Fields in 2010	with Eligible Fields in 2010	Eligible Fields in 2009	with Eligible Fields in 2009	Eligible Fields in 2008	with Eligible Fields in 2008	Eligible Fields in 2007	with Eligible Fields in 2007
Ladino clover	24	9	14	7	11	7	10	8	12
Persian clover	2	0	0	0	0	0	0	0	0
Red clover	97	21	32	16	28	16	15	14	20
Rose clover	2	0	0	0	0	0	0	0	0
Strawberry clover	1	0	0	0	0	0	0	0	0
White clover	50	13	16	13	16	11	14	11	14
Riverbank lupine	1	0	0	0	0	1	1	1	1
Field pea	20	2	1	1	1	1	1	1	1
Garden pea	1	0	0	0	0	1	1	0	0
Roughpea	1	0	0	0	0	0	0	0	0
Big trefoil	1	0	0	0	0	0	0	0	0
Birdsfoot trefoil	6	0	0	0	0	0	0	0	0
Big flower vetch	1	0	0	0	0	0	0	0	0
Common vetch	4	0	0	0	0	0	0	0	0
Hairy vetch	5	2	3	1	1	0	0	0	0
<b>TOTAL LEGUMES</b>	<b>662</b>	<b>60</b>	<b>76</b>	<b>45</b>	<b>62</b>	<b>51</b>	<b>49</b>	<b>51</b>	<b>59</b>
<b>OTHER CROPS</b>									
Buckhorn plantain	0	0	0	0	0	0	0	0	0
Buckwheat	1	0	0	0	0	0	0	0	0
Corn	N/A	178	2	0	0	0	0	0	0
Fodder beet	2	0	0	0	0	0	0	0	0
Chickory	3	1	1	0	0	0	0	0	0
Flax	1	1	2	0	0	0	0	0	0
Lewis flax	3	1	3	1	3	3	4	2	2
Kale	13	2	2	4	3	1	1	1	1
Forage kochia	3	0	0	0	0	0	0	0	0
Meadowfoam	16	2	2	1	3	1	1	3	6
Mint	11	2	2	1	1	0	0	0	0
Brown mustard	1	1	1	0	0	1	1	0	0
Oriental mustard	1	0	0	0	0	1	1	0	0
White mustard	2	1	1	0	0	0	0	0	0
Potato	151	35	13	30	16	35	19	0	0
Radish	4	0	0	0	0	0	0	0	0
Annual rape	52	2	7	2	5	7	5	12	13
Winter rape	27	0	0	1	1	1	1	1	1
Sugar beet	547	7	1	0	0	0	0	2	1
Sunflower	19	6	9	9	13	4	8	2	3
Swede	2	0	0	0	0	0	0	0	0
Turnip	15	1	2	2	2	0	0	1	1
<b>TOTAL OTHER CROPS</b>	<b>874</b>	<b>240</b>	<b>48</b>	<b>51</b>	<b>47</b>	<b>54</b>	<b>41</b>	<b>24</b>	<b>28</b>
<b>YEARLY TOTALS</b>	<b>4489</b>	<b>1117</b>	<b>1269</b>	<b>1000</b>	<b>1386</b>	<b>1066</b>	<b>1400</b>	<b>1037</b>	<b>1457</b>

<sup>1</sup>Varieties include all eligible fields; field may not be signed-up or passed in current year.

<sup>2</sup>Includes growers that did not sign-up eligible fields; Pre-variety germplasm growers NOT included.

# Number of Fields and Acres Eligible, Signed-up, and Passed by Generation <sup>1</sup> From 2006 - 2010

## Oregon Seed Certification Service, Oregon State University Extension Service

<u>GENERATION</u>		<u>2010</u>	<u>2010</u>	<u>2009</u>	<u>2009</u>	<u>2008</u>	<u>2008</u>	<u>2007</u>	<u>2007</u>	<u>2006</u>	<u>2006</u>
		<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>	<u>Fields</u>	<u>Acres</u>
<b>ELIGIBLE</b>	Foundation	305	2,092	270	1,972	219	1,153	238	1,243	184	1,124
	Registered	151	3,050	177	3,912	208	3,850	188	2,949	166	2,877
	Certified	4,933	224,602	5,989	269,745	6,369	273,208	6,715	287,137	6,558	283,954
	OECD 2nd Gen.	2	76	0	0	0	0	0	0	0	0
	Identity Preserved	0	0	2	76	1	1	1	29	0	0
	<b>Eligible Totals</b>	<b>5,391</b>	<b>229,820</b>	<b>6,438</b>	<b>275,705</b>	<b>6,797</b>	<b>278,212</b>	<b>7,142</b>	<b>291,358</b>	<b>6,908</b>	<b>287,955</b>
<b>SIGNED-UP</b>	Foundation	272	1,452	230	1,344	189	870	218	1,090	164	841
	Registered	122	2,463	147	3,155	187	3,216	169	2,037	140	2,147
	Certified	4,313	193,122	5,323	233,228	5,732	244,537	5,972	253,370	5,705	244,179
	OECD 2nd Gen.	2	76	0	0	0	0	0	0	0	0
	Identity Preserved	0	0	0	0	1	1	0	0	0	0
	<b>Signed-up Totals</b>	<b>4,709</b>	<b>197,113</b>	<b>5,700</b>	<b>237,727</b>	<b>6,109</b>	<b>248,624</b>	<b>6,359</b>	<b>256,497</b>	<b>6,009</b>	<b>247,167</b>
<b>PASSED</b>	Foundation	256	1,372	205	1,193	145	631	184	904	140	716
	Registered	111	2,224	137	2,804	192	3,174	172	1,892	135	1,965
	Certified	4,282	189,786	5,223	229,014	5,616	239,632	5,841	249,018	5,727	241,598
	OECD 2nd Gen.	2	76	0	0	0	0	0	0	0	0
	Identity Preserved	0	0	0	0	1	1	0	0	0	0
	<b>Passed Totals</b>	<b>4,651</b>	<b>193,458</b>	<b>5,565</b>	<b>233,011</b>	<b>5,954</b>	<b>243,438</b>	<b>6,197</b>	<b>251,814</b>	<b>6,002</b>	<b>244,279</b>


*1The totals are different than reported elsewhere in this report due to different generational formats used by Mint, Potato, and Pre-Variety Germplasm crops.*

## Program and Variety Information, 2003-2010

### Oregon Seed Certification Service, Oregon State University Extension Service

		<u>2010</u>	<u>2009</u>	<u>2008</u>	<u>2007</u>	<u>2006*</u>	<u>2005</u>	<u>2004</u>	<u>2003</u>
<b>General Program Information</b>	Growers	726	860	833	874	844	903	915	922
	Warehouses	346	342	337	391	386	382	379	375
	Contractors	378	379	390	363	350	319	293	278
	Crop Types Eligible	142	136	131	132	130	134	131	125
	Crop Types Certified	81	83	89	78	78	48	48	51
<b>Eligible Varieties</b>	Public	442	428	362	350	351	357	427	417
	Private	2,740	2,464	2,255	2,109	1,957	1,806	1,726	1,615
	OECD	626	580	571	531	520	507	476	461
	Experimental	1,124	1,120	1,161	1,173	1,181	1,182	1,197	1,106
	<b>Total Eligible Varieties</b>	<b>4,932</b>	<b>4,592</b>	<b>4,349</b>	<b>4,163</b>	<b>4,009</b>	<b>3,852</b>	<b>3,826</b>	<b>3,599</b>
<b>Varieties with Active Production</b>	Public	78	66	93	75	50	49	85	89
	Private	865	741	789	762	716	638	627	584
	OECD	90	84	62	57	62	63	50	56
	Experimental	134	166	219	235	216	220	236	231
	<b>Total Active Production</b>	<b>1,167</b>	<b>1,057</b>	<b>1,163</b>	<b>1,129</b>	<b>1,044</b>	<b>970</b>	<b>998</b>	<b>960</b>

# Active Varieties by Category Oregon Seed Certification Service



# Eligible vs. Active Varieties by Category - 2010

Oregon Seed Certification Service  
Oregon State University Extension Service

