

Oregon Seed Certification Service
Department of Crop and Soil Science
31 Crop Science Bldg
Corvallis, Oregon 97331



Tel: (541) 737-4513
Fax: (541) 737-2624
seed-cert@oscs.oregonstate.edu
seedcert.oregonstate.edu

Oregon Certification Activity Summary 2015

Oregon Seed Certification Service
Oregon State University
Extension Service

October 2015

Special Report 002

Acres Passed for Seed Certification 2010 - 2015

Oregon Seed Certification Service, Oregon State University Extension Service

| <u>CROP</u> | | <u>2015</u> | <u>2014</u> | <u>2013</u> | <u>2012</u> | <u>2011</u> | <u>2010</u> |
|---|--|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| BENTGRASS <i>(Colonial, Creeping, Redtop, Idaho, Velvet, and Spike)</i> | Public - Highland | 1,731 | 1,586 | 1,704 | 2,032 | 1,916 | 1,729 |
| | Public - Seaside | 0 | 0 | 24 | 24 | 24 | 24 |
| | Private and OECD | 3,033 | 2,146 | 1,818 | 1,651 | 1,259 | 1,660 |
| | Experimental | 46 | 40 | 76 | 76 | 265 | 28 |
| | Total Acres of Bentgrass | 4,810 | 3,772 | 3,622 | 3,783 | 3,464 | 3,441 |
| BLUEGRASS <i>(Big, Creeping, Kentucky, Rough, Supina, and Wood)</i> | Public | 34 | 34 | 39 | 0 | 0 | 55 |
| | Private & OECD | 12,641 | 10,389 | 9,858 | 8,766 | 7,782 | 8,600 |
| | Experimental | 218 | 134 | 267 | 465 | 458 | 327 |
| | Total Acres of Bluegrass | 12,893 | 10,557 | 10,164 | 9,231 | 8,240 | 8,982 |
| FINE FESCUE <i>(Blue, Chewings, Hard, Idaho, Annual, Red, Sheep)</i> | Public - Boreal | 0 | 0 | 0 | 0 | 0 | 0 |
| | Public - Cascade | 37 | 37 | 37 | 37 | 38 | 78 |
| | Public - Covar | 0 | 0 | 55 | 55 | 45 | 19 |
| | Public - Durar | 0 | 0 | 0 | 0 | 0 | 12 |
| | Private and OECD | 12,895 | 13,166 | 13,109 | 14,353 | 14,485 | 15,109 |
| | Experimental | 213 | 43 | 142 | 290 | 929 | 1,018 |
| | Total Acres of Fine Fescue | 13,145 | 13,246 | 13,343 | 14,735 | 15,497 | 16,236 |
| TALL FESCUE | Public - Alta | 0 | 0 | 0 | 0 | 0 | 0 |
| | Public - Fawn | 5,220 | 5,345 | 5,624 | 5,705 | 6,003 | 6,671 |
| | Public - Kentucky 31 | 5,080 | 5,873 | 5,799 | 6,889 | 6,139 | 5,329 |
| | Private and OECD | 86,825 | 83,559 | 77,318 | 66,246 | 54,178 | 56,776 |
| | Experimental | 3,270 | 2,874 | 1,447 | 2,111 | 5,628 | 5,441 |
| | Total Acres of Tall Fescue | 100,395 | 97,651 | 90,188 | 80,951 | 71,948 | 74,217 |
| ORCHARDGRASS | Public - Berber | 0 | 0 | 0 | 0 | 0 | 18 |
| | Public - Latar | 54 | 54 | 54 | 54 | 79 | 79 |
| | Public - Paiute | 232 | 241 | 397 | 397 | 397 | 439 |
| | Public - Potomac | 1,752 | 1,923 | 1,697 | 2,548 | 2,606 | 2,510 |
| | Private and OECD | 4,164 | 3,403 | 3,641 | 3,858 | 4,625 | 4,867 |
| | Experimental | 39 | 2 | 0 | 73 | 185 | 229 |
| | Total Acres of Orchardgrass | 6,241 | 5,623 | 5,789 | 6,930 | 7,892 | 8,142 |
| ANNUAL AND INTERMEDIATE RYEGRASS | Public - Floregon | 0 | 0 | 0 | 0 | 0 | 0 |
| | Public - Gulf | 80 | 80 | 80 | 80 | 80 | 55 |
| | Private and OECD | 11,558 | 14,733 | 13,321 | 16,862 | 9,634 | 5,806 |
| | Experimental | 191 | 548 | 172 | 187 | 977 | 859 |
| | Total Acres of Annual & Intermediate Ryegrass | 11,829 | 15,361 | 13,573 | 17,129 | 10,691 | 6,720 |
| PERENNIAL RYEGRASS | Public - Linn | 1,077 | 1,390 | 1,356 | 1,157 | 831 | 739 |
| | Private and OECD | 54,083 | 53,824 | 53,645 | 56,692 | 46,743 | 39,067 |
| | Experimental | 1,923 | 3,477 | 2,124 | 2,946 | 2,984 | 1,595 |
| | Total Acres of Perennial Ryegrass | 57,083 | 58,691 | 57,125 | 60,795 | 50,558 | 41,401 |
| ALFALFA | Public | 0 | 0 | 0 | 0 | 0 | 0 |
| | Private and OECD | 864 | 522 | 405 | 497 | 108 | 207 |
| | Experimental | 734 | 418 | 737 | 367 | 56 | 50 |
| | Total Acres of Alfalfa | 1,598 | 940 | 1,142 | 864 | 164 | 257 |
| CLOVERS <i>(Berseem, Crimson, Ladino, Red, Arrowleaf, Rose, White)</i> | Public | 267 | 203 | 295 | 310 | 295 | 275 |
| | Private and OECD | 4,677 | 4,069 | 4,892 | 5,329 | 5,418 | 5,090 |
| | Experimental | 150 | 13 | 8 | 103 | 371 | 601 |
| | Total Acres of Clovers | 5,094 | 4,285 | 5,195 | 5,742 | 6,084 | 5,966 |
| MINT | Public | 61 | 60 | 94 | 3 | 30 | 23 |
| | Experimental | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total Acres of Mint | 61 | 60 | 94 | 3 | 30 | 23 |

*Not Available for Crop Year
**Acres Applied For


Acres Passed for Seed Certification 2010 - 2015

Oregon Seed Certification Service, Oregon State University Extension Service

| <u>CROP</u> | | <u>2015</u> | <u>2014</u> | <u>2013</u> | <u>2012</u> | <u>2011</u> | <u>2010</u> |
|---|--------------------------------------|----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| SMALL GRAINS (Barley, Oat, Red Oat, Club wheat, Wheat, Triticale, Cereal Rye, Sorghum) | Public | 6,475 | 7,726 | 7,201 | 7,726 | 10,899 | 12,303 |
| | Private and OECD | 19,671 | 16,921 | 16,870 | 11,452 | 11,446 | 7,319 |
| | Experimental | 363 | 40 | 687 | 610 | 202 | 35 |
| | Total Acres of Small Grains | 26,509 | 24,687 | 24,758 | 19,788 | 22,547 | 19,657 |
| GRASS CROPS (Indian ricegrass, Paspalum, Bermudagrass, Blue wildrye, Crested dogtail, hairgrasses, Timothy, Brome, Sudangrass, Festulolium, Wheatgrasses) | Public | 531 | 758 | 1,154 | 596 | 275 | 148 |
| | Private and OECD | 471 | 138 | 269 | 397 | 193 | 238 |
| | Experimental | 7 | 0 | 11 | 14 | 56 | 12 |
| | Total Acres Other Grass Crops | 1,009 | 896 | 1,434 | 1,007 | 524 | 398 |
| OTHER LEGUME CROPS (Field beans, Little burnet, Lupine, Vetches, Field pea, Trefoil, Chickpea) | Public | 569 | 67 | 11 | 6 | 2 | 163 |
| | Private and OECD | 0 | 0 | 85 | 91 | 74 | 133 |
| | Experimental | 0 | 35 | 0 | 2 | 0 | 0 |
| | Total Acres Other Legumes | 569 | 102 | 96 | 99 | 76 | 296 |
| OTHER CROPS (Sugar beets, Radish, Plantain, Kale, Corn, Sunflower, Meadowfoam, Turnip, Rapes, Forage kochia, Flax, Mustard) | Public | 5 | 97 | 58 | 58 | 21 | 59 |
| | Private and OECD | 4,107 | 11,508 | 13,257 | 8,132 | 4,144 | 2,580 |
| | Experimental | 321 | 49 | 22 | 450 | 1,150 | 2,508 |
| | Total Acres of Other Crops | 4,433 | 11,654 | 13,337 | 8,640 | 5,315 | 5,147 |
| POTATO | Public | 1,134 | 1,072 | 1,333 | 1,510 | 2,075 | 1,483 |
| | Private | 1,672 | 1,840 | 1,095 | 1,132 | 424 | 901 |
| | Experimental | 27 | 52 | 25 | 66 | 58 | 52 |
| | Total Acres of Potatoes | 2,833 | 2,964 | 2,453 | 2,708 | 2,557 | 2,436 |
| | Winter Test (# of Seed lots) | * | 161 | 126 | 127 | 119 | 95 |
| TOTAL ACREAGE OF: | <i>All Crops Certified</i> | 248,643 | 251,093 | 243,105 | 232,821 | 205,806 | 193,458 |
| | <i>Public Varieties</i> | 24,339 | 26,546 | 27,012 | 29,187 | 31,755 | 32,211 |
| | <i>Private and OECD Varieties</i> | 216,661 | 216,218 | 209,583 | 195,458 | 160,513 | 148,353 |
| | <i>Experimental Varieties</i> | 7,502 | 7,725 | 5,718 | 7,760 | 13,319 | 12,755 |
| | <i>Establishing Crop History**</i> | 483 | 877 | 453 | 893 | 601 | 1,462 |
| | <i>Modified Land History**</i> | 1,777 | 2,434 | 774 | 1,265 | 1,275 | 5,784 |
| | <i>Pre-Variety Germplasm</i> | 141 | 604 | 792 | 416 | 219 | 139 |
| TOTALS FOR MIXTURES & BLENDS | <i># Requests\# Separate Co.'s</i> | * | 1,956\32 | 1,891\32 | 2,040\31 | 2,241\30 | 2,173\30 |
| | <i>No. of Blends\# Companies</i> | * | 62\18 | 55\16 | 58\14 | 108\18 | 42\18 |
| | <i>Pounds of Blends Certified</i> | * | 2,835,456 | 1,324,062 | 1,350,574 | 2,566,132 | 1,580,763 |
| | <i>No. of Mixtures\# Companies</i> | * | 1894\26 | 1,836\27 | 1982\28 | 2,133\25 | 2,131\23 |
| | <i>Pounds of Mixtures Certified</i> | * | 39,312,421 | 38,667,819 | 38,298,276 | 44,843,645 | 43,538,200 |
| PRE-VARIETY GERMPLASM TOTALS | G0 Collections (species/sites) | 0\0 | 0\0 | 0\0 | 2\2 | 2\2 | 5\5 |
| | Total Acres of P.V.G. | 141 | 604 | 792 | 416 | 219 | 139 |
| OECD*** TOTALS | <i>Pounds tagged</i> | 43,979,742 | 46,663,596 | 61,232,677 | 75,044,426 | 54,860,879 | 25,256,840 |
| | <i>No. of lots tagged</i> | 2,025 | 2,274 | 2,920 | 3,885 | 2,832 | 1,538 |
| | <i>No. varieties tagged</i> | 260 | 279 | 315 | 322 | 282 | 253 |
| | <i>Foreign lots received in OR.</i> | 121 | 126 | 136 | 209 | 126 | 106 |

*Not Available for Crop Year
**Acres Applied For


Acres Certified by Category in 2015
Oregon Seed Certification Service
Oregon State University Extension Service



- Public Varieties
- Private and OECD Varieties
- Experimental Varieties

Total Acres Passed for Certification

Oregon Seed Certification Service
Oregon State University Extension Service



Seed Certification Activities by County 2012 - 2015

Eligible Fields, Acres Passed, and Growers with Production

Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2015 Fields | 2015 Acres | 2015 Gro* | 2014 Fields | 2014 Acres | 2014 Gro* | 2013 Fields | 2013 Acres | 2013 Gro* | 2012 Fields | 2012 Acres | 2012 Gro* |
|------------------|------------------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|
| BAKER | Alfalfa | 1 | 65 | | 1 | 65 | | 0 | 0 | | 0 | 0 | |
| | Field bean | 6 | 236 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Sunflower | 0 | 0 | | 1 | 140 | | 0 | 0 | | 0 | 0 | |
| | Wheat | 0 | 0 | | 1 | 14 | | 0 | 0 | | 0 | 0 | |
| | Total Baker | 7 | 301 | 2 | 3 | 219 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| BENTON | Annual ryegrass | 31 | 1,863 | | 59 | 3,193 | | 51 | 3,214 | | 55 | 3,556 | |
| | Arrowleaf Clover | 0 | 0 | | 0 | 0 | | 1 | 45 | | 5 | 135 | |
| | Blue wildrye | 0 | 0 | | 1 | 1 | | 1 | 1 | | 1 | 1 | |
| | Chewings fescue | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Colonial bentgrass | 1 | 10 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Creeping bentgrass | 2 | 54 | | 1 | 20 | | 1 | 20 | | 1 | 20 | |
| | Festulolium | 0 | 0 | | 0 | 0 | | 1 | 10 | | 1 | 10 | |
| | Hard fescue | 0 | 0 | | 0 | 0 | | 1 | 5 | | 0 | 0 | |
| | Intermediate ryegrass | 3 | 117 | | 3 | 80 | | 3 | 70 | | 1 | 30 | |
| | Meadow fescue | 1 | 2 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Meadowfoam | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 70 | |
| | Orchardgrass | 33 | 1,340 | | 25 | 1,296 | | 29 | 1,388 | | 31 | 1,383 | |
| | Perennial ryegrass | 14 | 1,524 | | 16 | 1,435 | | 16 | 714 | | 18 | 729 | |
| | Radish | 0 | 0 | | 1 | 36 | | 0 | 0 | | 0 | 0 | |
| | Red clover | 4 | 182 | | 5 | 202 | | 6 | 280 | | 8 | 322 | |
| | Riverbank lupine | 1 | 1 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Tall fescue | 180 | 12,393 | | 181 | 11,227 | | 170 | 10,859 | | 146 | 9,112 | |
| | Turnip | 1 | 3 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Wheat | 3 | 106 | | 3 | 122 | | 8 | 273 | | 8 | 272 | |
| | White clover | 1 | 60 | | 0 | 0 | | 0 | 0 | | 2 | 383 | |
| | Pre-variety germplasm | 5 | 29.16 | | 3 | 2.46 | | 14 | 12.56 | | 14 | 14.69 | |
| | Total Benton | 280 | 17,684 | 35 | 298 | 17,614 | 33 | 302 | 16,892 | 29 | 292 | 16,038 | 30 |
| CLACKAMAS | Annual ryegrass | 5 | 197 | | 2 | 80 | | 2 | 92 | | 4 | 160 | |
| | Barley | 2 | 45 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Cereal rye | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 13 | |
| | Chewings fescue | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 31 | |
| | Creeping bentgrass | 12 | 286 | | 10 | 184 | | 6 | 113 | | 6 | 69 | |
| | Crimson clover | 0 | 0 | | 2 | 34 | | 0 | 0 | | 0 | 0 | |
| | Festulolium | 0 | 0 | | 0 | 0 | | 1 | 10 | | 4 | 85 | |
| | Hard Fescue | 1 | 5 | | 1 | 5 | | 0 | 0 | | 6 | 157 | |
| | Ladino clover | 0 | 0 | | 1 | 6 | | 0 | 0 | | 0 | 0 | |
| | Orchardgrass | 2 | 53 | | 2 | 53 | | 2 | 53 | | 2 | 53 | |
| | Perennial ryegrass | 98 | 2,757 | | 91 | 2,720 | | 78 | 2,309 | | 98 | 2,831 | |
| | Radish | 5 | 125 | | 3 | 86 | | 5 | 186 | | 0 | 0 | |
| | Red clover | 11 | 381 | | 3 | 113 | | 5 | 60 | | 0 | 0 | |
| | Red fescue | 3 | 67 | | 1 | 52 | | 2 | 78 | | 2 | 46 | |
| | Seashore paspalum | 0 | 0 | | 11 | 14 | | 8 | 11 | | 2 | 2 | |
| | Tall fescue | 150 | 4,157 | | 140 | 3,888 | | 103 | 3,023 | | 87 | 2,371 | |
| | Velvet bentgrass | 1 | 12 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Wheat | 2 | 85 | | 4 | 101 | | 3 | 120 | | 1 | 21 | |
| | *Misc. crops | 0 | 0 | | 0 | 0 | | 0 | 0 | | 4 | 122 | |
| | Total Clackamas | 292 | 8,170 | 22 | 271 | 7,336 | 24 | 215 | 6,055 | 22 | 218 | 5,961 | 19 |
| COLUMBIA | Tall fescue | 0 | 0 | | 1 | 95 | | 1 | 95 | | 1 | 95 | |
| | Total Columbia | 0 | 0 | 0 | 1 | 95 | 1 | 1 | 95 | 0 | 1 | 95 | 0 |

Gro* = Total number of growers with production in county.

*Misc. crops, Crops with fewer than two contractors

Oct. 2015

Seed Certification Activities by County 2012 - 2015

Eligible Fields, Acres Passed, and Growers with Production

Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2015 Fields | 2015 Acres | 2015 Gro* | 2014 Fields | 2014 Acres | 2014 Gro* | 2013 Fields | 2013 Acres | 2013 Gro* | 2012 Fields | 2012 Acres | 2012 Gro* |
|------------------------|--------------------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|
| CROOK | Alfalfa | 0 | 0 | | 1 | 40 | | 3 | 67 | | 0 | 0 | |
| | Kentucky bluegrass | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 52 | |
| | Total Crook | 0 | 0 | 0 | 1 | 40 | 1 | 3 | 67 | 0 | 1 | 52 | 1 |
| DESCHUTES | Alfalfa | 0 | 0 | | 0 | 0 | | 1 | 35 | | 0 | 0 | |
| | Barley | 1 | 28 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Red oat | 0 | 0 | | 1 | 28 | | 0 | 0 | | 0 | 0 | |
| | Wheat | 1 | 56 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Total Deschutes | 2 | 84 | 1 | 1 | 28 | 1 | 1 | 35 | 0 | 0 | 0 | 0 |
| DOUGLAS | Meadowfoam | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 80 | |
| | Orchardgrass | 0 | 0 | | 0 | 0 | | 1 | 9 | | 2 | 26 | |
| | Tall fescue | 0 | 0 | | 0 | 0 | | 1 | 18 | | 2 | 99 | |
| | Total Douglas | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 27 | 2 | 6 | 205 | 2 |
| GILLIAM | Alfalfa | 0 | 0 | | 0 | 0 | | 2 | 308 | | 2 | 315 | |
| | Perennial ryegrass | 1 | 145 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Wheat | 4 | 646 | | 2 | 600 | | 4 | 625 | | 2 | 500 | |
| | Total Gilliam | 5 | 791 | 1 | 2 | 600 | 1 | 6 | 933 | 0 | 4 | 815 | 0 |
| HARNEY | Mint | 0 | 0 | | 0 | 0 | | 10 | 64 | | 3 | 3 | |
| | Wheat | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 140 | |
| | Total Harney | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 64 | 0 | 4 | 143 | 0 |
| JACKSON | Pre-variety germplasm | 15 | 5.49 | | 3 | 3 | | 7 | 3.44 | | 6 | 4.54 | |
| | Total Jackson | 15 | 5 | 1 | 3 | 3 | 1 | 7 | 3 | 1 | 6 | 5 | 1 |
| JEFFERSON | Alfalfa | 16 | 480 | | 14 | 370 | | 10 | 204 | | 4 | 101 | |
| | Barley | 0 | 0 | | 1 | 29 | | 1 | 30 | | 0 | 0 | |
| | Basin wildrye | 0 | 0 | | 1 | 5 | | 1 | 5 | | 1 | 5 | |
| | Big bluegrass | 4 | 34 | | 4 | 34 | | 5 | 39 | | 0 | 0 | |
| | Creeping bentgrass | 0 | 0 | | 2 | 40 | | 2 | 40 | | 2 | 40 | |
| | Kentucky bluegrass | 182 | 4,742 | | 163 | 4,305 | | 112 | 3,016 | | 88 | 2,497 | |
| | Potato | 22 | 449 | | 30 | 485 | | 25 | 422 | | 22 | 377 | |
| | Radish | 3 | 39 | | 0 | 0 | | 2 | 57 | | 0 | 0 | |
| | Red Fescue | 1 | 23 | | 1 | 23 | | 2 | 36 | | 2 | 36 | |
| | Rocky Mountain penstemon | 2 | 5 | | 3 | 8 | | 1 | 3 | | 1 | 3 | |
| | Rough bluegrass | 20 | 745 | | 21 | 749 | | 48 | 1,624 | | 60 | 1,709 | |
| | Sheep fescue | 0 | 0 | | 0 | 0 | | 7 | 70 | | 3 | 37 | |
| | Timothy | 0 | 0 | | 0 | 0 | | 1 | 4 | | 1 | 4 | |
| | Utah sweetvetch | 4 | 8 | | 4 | 8 | | 3 | 3 | | 3 | 3 | |
| | Wheat | 28 | 815 | | 30 | 911 | | 43 | 1,244 | | 38 | 1,058 | |
| | *Misc. crops | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 27 | |
| Pre-variety germplasm | 10 | 80.47 | | 7 | 67 | | 11 | 74 | | 9 | 66 | | |
| Total Jefferson | 292 | 7,420 | 38 | 281 | 7,034 | 37 | 274 | 6,871 | 38 | 235 | 5,963 | 37 | |
| KLAMATH | Barley | 0 | 0 | | 1 | 82 | | 2 | 103 | | 3 | 106 | |
| | Mint | 4 | 61 | | 5 | 60 | | 3 | 30 | | 0 | 0 | |
| | Oat | 2 | 6 | | 1 | 10 | | 0 | 0 | | 0 | 0 | |
| | Potato | 85 | 1,018 | | 95 | 1,019 | | 106 | 1,104 | | 104 | 1,182 | |
| | Sunflower | 0 | 0 | | 0 | 0 | | 1 | 50 | | 0 | 0 | |
| | Triticale | 2 | 44 | | 0 | 0 | | 1 | 77 | | 0 | 0 | |
| | Wheat | 2 | 34 | | 5 | 70 | | 3 | 55 | | 4 | 56 | |
| | Total Klamath | 95 | 1,163 | 8 | 107 | 1,241 | 13 | 116 | 1,419 | 11 | 111 | 1,344 | 11 |

Gro* = Total number of growers with production in county.

*Misc. crops, Crops with fewer than two contractors

Oct. 2015

Seed Certification Activities by County 2012 - 2015

Eligible Fields, Acres Passed, and Growers with Production

Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2015 Fields | 2015 Acres | 2015 Gro* | 2014 Fields | 2014 Acres | 2014 Gro* | 2013 Fields | 2013 Acres | 2013 Gro* | 2012 Fields | 2012 Acres | 2012 Gro* | |
|-----------------------|-----------------------|------------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|--|
| LAKE | Barley | 1 | 80 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| | Oat | 0 | 0 | | 0 | 0 | | 1 | 20 | | 1 | 70 | | |
| | Triticale | 6 | 625 | | 2 | 130 | | 1 | 45 | | 4 | 386 | | |
| | Total Lake | 7 | 705 | 1 | 2 | 130 | 1 | 2 | 65 | 2 | 5 | 456 | 2 | |
| LANE | Alfalfa | 0 | 0 | | 1 | 45 | | 2 | 65 | | 1 | 10 | | |
| | Annual ryegrass | 38 | 1,201 | | 39 | 1,489 | | 38 | 1,594 | | 52 | 2,128 | | |
| | Barley | 0 | 0 | | 1 | 39 | | 0 | 0 | | 0 | 0 | | |
| | Chewings fescue | 2 | 24 | | 3 | 29 | | 2 | 8 | | 3 | 51 | | |
| | Chicory | 1 | 5 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| | Club wheat | 2 | 55 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| | Colonial bentgrass | 5 | 219 | | 3 | 178 | | 5 | 248 | | 5 | 253 | | |
| | Creeping bentgrass | 12 | 178 | | 3 | 64 | | 3 | 60 | | 4 | 90 | | |
| | Creeping bluegrass | 0 | 0 | | 1 | 8 | | 1 | 8 | | 0 | 0 | | |
| | Festulolium | 4 | 104 | | 1 | 46 | | 0 | 0 | | 0 | 0 | | |
| | Hard fescue | 1 | 5 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| | Intermediate ryegrass | 4 | 141 | | 4 | 136 | | 2 | 52 | | 5 | 88 | | |
| | Ladino clover | 1 | 5 | | 1 | 5 | | 0 | 0 | | 0 | 0 | | |
| | Meadow fescue | 1 | 5 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| | Orchardgrass | 42 | 1,787 | | 34 | 1,497 | | 38 | 1,703 | | 45 | 2,109 | | |
| | Perennial ryegrass | 42 | 1,060 | | 55 | 1,590 | | 48 | 1,428 | | 43 | 1,369 | | |
| | Radish | 0 | 0 | | 1 | 70 | | 2 | 49 | | 0 | 0 | | |
| | Red clover | 7 | 208 | | 4 | 270 | | 1 | 150 | | 0 | 0 | | |
| | Red fescue | 6 | 64 | | 3 | 41 | | 2 | 8 | | 1 | 3 | | |
| | Smooth brome | 0 | 0 | | 0 | 0 | | 0 | 0 | | 3 | 40 | | |
| | Sugar beet | 0 | 0 | | 0 | 0 | | 1 | 7 | | 4 | 35 | | |
| | Swede | 0 | 0 | | 1 | 12 | | 0 | 0 | | 0 | 0 | | |
| | Tall fescue | 92 | 4,665 | | 94 | 4,790 | | 104 | 5,190 | | 101 | 4,750 | | |
| | Timothy | 0 | 0 | | 0 | 0 | | 1 | 4 | | 1 | 4 | | |
| | Triticale | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 20 | | |
| | Weeping alkaligrass | 1 | 2 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| | Wheat | 2 | 74 | | 0 | 0 | | 0 | 0 | | 1 | 54 | | |
| | Pre-variety germplasm | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| | Total Lane | 263 | 9,802 | 24 | 249 | 10,309 | 26 | 250 | 10,574 | 25 | 270 | 11,004 | 27 | |
| | LINN | Alfalfa | 0 | 0 | | 0 | 0 | | 1 | 75 | | 4 | 221 | |
| | | Annual ryegrass | 89 | 6,143 | | 116 | 7,604 | | 97 | 6,706 | | 113 | 8,301 | |
| | | Arrowleaf clover | 1 | 25 | | 0 | 0 | | 0 | 0 | | 1 | 75 | |
| Ball clover | | 0 | 0 | | 1 | 62 | | 0 | 0 | | 0 | 0 | | |
| Barley | | 5 | 147 | | 1 | 1 | | 0 | 0 | | 0 | 0 | | |
| Cereal rye | | 1 | 70 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| Chewings fescue | | 27 | 1,190 | | 28 | 1,191 | | 26 | 1,053 | | 26 | 1,005 | | |
| Colonial bentgrass | | 24 | 1,014 | | 22 | 962 | | 20 | 928 | | 21 | 940 | | |
| Creeping bentgrass | | 11 | 323 | | 8 | 175 | | 11 | 248 | | 11 | 246 | | |
| Festulolium | | 1 | 30 | | 0 | 0 | | 4 | 126 | | 4 | 136 | | |
| Hairy vetch | | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 2 | | |
| Hard fescue | | 1 | 19 | | 2 | 99 | | 2 | 99 | | 9 | 327 | | |
| Intermediate ryegrass | | 3 | 315 | | 7 | 619 | | 8 | 295 | | 8 | 275 | | |
| Kentucky bluegrass | | 0 | 0 | | 0 | 0 | | 1 | 1 | | 1 | 1 | | |
| Ladino clover | | 11 | 747 | | 7 | 398 | | 6 | 392 | | 10 | 662 | | |
| Little burnet | | 0 | 0 | | 0 | 0 | | 2 | 8 | | 1 | 3 | | |
| Meadow brome | | 0 | 0 | | 0 | 0 | | 1 | 41 | | 1 | 41 | | |
| Meadow fescue | | 2 | 123 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| Oat | | 0 | 0 | | 3 | 165 | | 6 | 174 | | 2 | 70 | | |
| Orchardgrass | | 53 | 2,196 | | 49 | 1,885 | | 56 | 1,900 | | 66 | 2,425 | | |

Gro* = Total number of growers with production in county.

*Misc. crops, Crops with fewer than two contractors

Oct. 2015

Seed Certification Activities by County 2012 - 2015

Eligible Fields, Acres Passed, and Growers with Production

Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2015 Fields | 2015 Acres | 2015 Gro* | 2014 Fields | 2014 Acres | 2014 Gro* | 2013 Fields | 2013 Acres | 2013 Gro* | 2012 Fields | 2012 Acres | 2012 Gro* |
|-------------------|-----------------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|
| LINN cont. | Perennial ryegrass | 191 | 10,248 | | 166 | 10,272 | | 170 | 10,381 | | 174 | 10,488 | |
| | Radish | 3 | 200 | | 17 | 1,156 | | 11 | 660 | | 0 | 0 | |
| | Red clover | 4 | 165 | | 5 | 176 | | 3 | 105 | | 1 | 20 | |
| | Red fescue | 37 | 1,564 | | 40 | 1,621 | | 34 | 1,536 | | 34 | 1,529 | |
| | Redtop | 1 | 21 | | 1 | 21 | | 1 | 21 | | 1 | 21 | |
| | Sheep fescue | 2 | 34 | | 2 | 34 | | 2 | 34 | | 0 | 0 | |
| | Sugar beet | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 6 | |
| | Tall fescue | 348 | 21,907 | | 331 | 20,935 | | 327 | 19,564 | | 329 | 20,103 | |
| | Triticale | 7 | 301 | | 3 | 194 | | 2 | 23 | | 0 | 0 | |
| | Turnip | 0 | 0 | | 1 | 15 | | 0 | 0 | | 0 | 0 | |
| | Wheat | 4 | 318 | | 7 | 366 | | 11 | 461 | | 12 | 638 | |
| | White clover | 12 | 945 | | 10 | 860 | | 12 | 1,009 | | 18 | 1,378 | |
| | *Misc. crops | 0 | 0 | | 0 | 0 | | 0 | 0 | | 8 | 395 | |
| | Pre-variety germplasm | 6 | 25.97 | | 5 | 22.56 | | 18 | 45.62 | | 11 | 38.22 | |
| Total Linn | | 844 | 48,071 | 139 | 832 | 48,834 | 131 | 832 | 45,886 | 127 | 869 | 49,346 | 125 |
| MALHEUR | Potato | 20 | 186 | | 30 | 454 | | 12 | 250 | | 2 | 95 | |
| | Total Malheur | 20 | 186 | 0 | 30 | 454 | 2 | 12 | 250 | 0 | 2 | 95 | 1 |
| MARION | Annual ryegrass | 5 | 113 | | 3 | 116 | | 2 | 185 | | 1 | 49 | |
| | Austrian winter pea | 1 | 25 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Barley | 0 | 0 | | 1 | 25 | | 2 | 35 | | 1 | 9 | |
| | Blue fescue | 1 | 14 | | 3 | 57 | | 0 | 0 | | 0 | 0 | |
| | Blue wildrye | 3 | 42 | | 3 | 42 | | 2 | 32 | | 2 | 32 | |
| | Chewings fescue | 115 | 4,440 | | 99 | 4,187 | | 96 | 4,278 | | 86 | 3,868 | |
| | Colonial bentgrass | 18 | 592 | | 18 | 543 | | 22 | 611 | | 29 | 922 | |
| | Creeping bentgrass | 80 | 2,053 | | 65 | 1,541 | | 57 | 1,300 | | 46 | 1,129 | |
| | Creeping bluegrass | 0 | 0 | | 1 | 6 | | 2 | 14 | | 2 | 14 | |
| | Crimson clover | 2 | 40 | | 5 | 251 | | 1 | 36 | | 3 | 90 | |
| | Ethiopian cabbage | 1 | 10 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Festulolium | 1 | 10 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Hard fescue | 19 | 603 | | 16 | 513 | | 20 | 732 | | 42 | 1,328 | |
| | Intermediate ryegrass | 2 | 39 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Kale | 0 | 0 | | 2 | 45 | | 0 | 0 | | 3 | 30 | |
| | Little burnet | 1 | 8 | | 1 | 8 | | 0 | 0 | | 0 | 0 | |
| | Meadowfoam | 0 | 0 | | 0 | 0 | | 1 | 10 | | 2 | 25 | |
| | Oat | 13 | 284 | | 4 | 97 | | 6 | 138 | | 6 | 305 | |
| | Orchardgrass | 5 | 115 | | 4 | 108 | | 6 | 148 | | 10 | 202 | |
| | Perennial ryegrass | 664 | 23,866 | | 677 | 25,685 | | 650 | 24,546 | | 723 | 26,560 | |
| | Radish | 3 | 118 | | 5 | 274 | | 2 | 200 | | 1 | 10 | |
| | Red clover | 1 | 11 | | 0 | 0 | | 1 | 55 | | 2 | 105 | |
| | Red fescue | 71 | 3,069 | | 89 | 3,580 | | 90 | 3,815 | | 94 | 3,920 | |
| | Red oat | 2 | 37 | | 7 | 202 | | 5 | 151 | | 4 | 168 | |
| | Redtop | 1 | 32 | | 2 | 34 | | 1 | 2 | | 1 | 2 | |
| | Seashore paspalum | 1 | 10 | | 1 | 18 | | 3 | 35 | | 1 | 9 | |
| | Sheep fescue | 0 | 0 | | 1 | 6 | | 2 | 19 | | 6 | 209 | |
| | Sugar beet | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 4 | |
| | Tall fescue | 489 | 16,483 | | 466 | 15,392 | | 402 | 13,087 | | 347 | 11,694 | |
| | Timothy | 0 | 0 | | 0 | 0 | | 1 | 20 | | 1 | 20 | |
| | Tufted hairgrass | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 12 | |
| | Turnip | 1 | 71 | | 0 | 0 | | 1 | 15 | | 3 | 80 | |
| | Velvet bentgrass | 3 | 16 | | 2 | 10 | | 2 | 31 | | 3 | 51 | |
| | Wheat | 24 | 655 | | 35 | 1,247 | | 36 | 1,459 | | 21 | 557 | |
| | White clover | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Winter rape | 1 | 47 | | 1 | 37 | | 0 | 0 | | 1 | 25 | |

Gro* = Total number of growers with production in county.

*Misc. crops, Crops with fewer than two contractors

Oct. 2015

Seed Certification Activities by County 2012 - 2015

Eligible Fields, Acres Passed, and Growers with Production

Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2015 Fields | 2015 Acres | 2015 Gro* | 2014 Fields | 2014 Acres | 2014 Gro* | 2013 Fields | 2013 Acres | 2013 Gro* | 2012 Fields | 2012 Acres | 2012 Gro* |
|------------------------|-----------------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|
| MARION <i>cont.</i> | *Misc. crops | 0 | 0 | | 0 | 0 | | 0 | 0 | | 3 | 123 | |
| | Pre-variety germplasm | 1 | 0.01 | | 3 | 8.00 | | 11 | 16.90 | | 14 | 59.57 | |
| | Total Marion | 1,529 | 52,803 | 219 | 1,514 | 54,032 | 226 | 1,424 | 50,971 | 231 | 1,461 | 51,612 | 231 |
| MORROW | Alfalfa | 2 | 300 | | 0 | 0 | | 1 | 35 | | 0 | 0 | |
| | Chewings fescue | 0 | 0 | | 0 | 0 | | 1 | 70 | | 1 | 70 | |
| | Corn | 0 | 0 | | 9 | 15 | | 10 | 355 | | 0 | 0 | |
| | Field bean | 2 | 291 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Hard fescue | 3 | 313 | | 4 | 361 | | 2 | 149 | | 1 | 82 | |
| | Intermediate ryegrass | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 125 | |
| | Kentucky bluegrass | 16 | 1,260 | | 7 | 564 | | 7 | 644 | | 7 | 465 | |
| | Perennial ryegrass | 7 | 583 | | 5 | 488 | | 3 | 212 | | 5 | 380 | |
| | Potato | 9 | 404 | | 11 | 169 | | 0 | 0 | | 0 | 0 | |
| | Radish | 0 | 0 | | 2 | 106 | | 1 | 46 | | 0 | 0 | |
| | Red fescue | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 24 | |
| | Sheep fescue | 0 | 0 | | 1 | 82 | | 0 | 0 | | 0 | 0 | |
| | Sunflower | 0 | 0 | | 2 | 250 | | 5 | 472 | | 0 | 0 | |
| | Wheat | 6 | 872 | | 2 | 279 | | 1 | 65 | | 4 | 220 | |
| | *Misc. crops | 0 | 0 | | 0 | 0 | | 0 | 0 | | 6 | 350 | |
| | Pre-variety germplasm | 0 | 0 | | 2 | 80 | | 5 | 198 | | 0 | 0 | |
| | Total Morrow | 45 | 4,023 | 8 | 45 | 2,394 | 4 | 36 | 2,246 | 4 | 27 | 1,716 | 4 |
| MULTNOMAH | Annual ryegrass | 0 | 0 | | 0 | 0 | | 2 | 46 | | 0 | 0 | |
| | Crimson clover | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 22 | |
| | Perennial ryegrass | 14 | 537 | | 14 | 654 | | 12 | 638 | | 9 | 359 | |
| | Red clover | 3 | 69 | | 1 | 24 | | 1 | 35 | | 0 | 0 | |
| | Tall fescue | 20 | 600 | | 16 | 706 | | 15 | 719 | | 10 | 449 | |
| | Wheat | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| Total Multnomah | 37 | 1,206 | 1 | 31 | 1,384 | 1 | 30 | 1,438 | 1 | 20 | 830 | 0 | |
| POLK | Annual ryegrass | 36 | 1,567 | | 40 | 1,725 | | 26 | 847 | | 43 | 1,705 | |
| | Barley | 2 | 82 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Cereal rye | 2 | 53 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Chewings fescue | 1 | 14 | | 1 | 14 | | 1 | 14 | | 1 | 14 | |
| | Club wheat | 1 | 92 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Festulolium | 3 | 53 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Hard fescue | 1 | 26 | | 1 | 26 | | 1 | 26 | | 3 | 70 | |
| | Intermediate ryegrass | 0 | 0 | | 1 | 40 | | 0 | 0 | | 2 | 31 | |
| | Ladino clover | 2 | 209 | | 1 | 123 | | 1 | 123 | | 2 | 131 | |
| | Meadow fescue | 1 | 30 | | 1 | 30 | | 1 | 30 | | 2 | 59 | |
| | Oat | 2 | 16 | | 2 | 18 | | 2 | 75 | | 1 | 23 | |
| | Orchardgrass | 9 | 406 | | 8 | 376 | | 6 | 292 | | 8 | 342 | |
| | Perennial ryegrass | 80 | 4,744 | | 87 | 5,277 | | 95 | 5,215 | | 107 | 6,102 | |
| | Radish | 4 | 110 | | 45 | 2,260 | | 25 | 1,594 | | 0 | 0 | |
| | Red clover | 7 | 466 | | 6 | 209 | | 2 | 71 | | 2 | 70 | |
| | Sheep fescue | 0 | 0 | | 0 | 0 | | 1 | 50 | | 1 | 50 | |
| | Tall fescue | 279 | 13,397 | | 286 | 13,951 | | 255 | 12,474 | | 237 | 11,202 | |
| | Timothy | 2 | 30 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Triticale | 2 | 119 | | 4 | 251 | | 0 | 0 | | 0 | 0 | |
| | Turnip | 0 | 0 | | 0 | 0 | | 0 | 0 | | 3 | 135 | |
| | Wheat | 8 | 437 | | 6 | 567 | | 10 | 461 | | 12 | 565 | |
| | White clover | 1 | 107 | | 0 | 0 | | 1 | 20 | | 2 | 46 | |
| | White mustard | 1 | 21 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | *Misc. crops | 0 | 0 | | 0 | 0 | | 0 | 0 | | 8 | 473 | |
| | Total Polk | 444 | 21,979 | 52 | 489 | 24,867 | 57 | 427 | 21,292 | 48 | 434 | 21,018 | 52 |

Gro* = Total number of growers with production in county.

*Misc. crops, Crops with fewer than two contractors

Oct. 2015

Seed Certification Activities by County 2012 - 2015

Eligible Fields, Acres Passed, and Growers with Production

Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2015 Fields | 2015 Acres | 2015 Gro* | 2014 Fields | 2014 Acres | 2014 Gro* | 2013 Fields | 2013 Acres | 2013 Gro* | 2012 Fields | 2012 Acres | 2012 Gro* |
|-------------------------|------------------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|
| SHERMAN | Barley | 1 | 192 | | 7 | 561 | | 7 | 889 | | 4 | 428 | |
| | Club wheat | 0 | 0 | | 4 | 383 | | 5 | 328 | | 3 | 355 | |
| | Wheat | 77 | 9,535 | | 68 | 8,539 | | 90 | 8,509 | | 57 | 5,983 | |
| | Total Sherman | 78 | 9,727 | 1 | 79 | 9,483 | 1 | 102 | 9,726 | 1 | 64 | 6,766 | 1 |
| UMATILLA | Alfalfa | 6 | 576 | | 2 | 175 | | 2 | 94 | | 1 | 61 | |
| | Annual ryegrass | 0 | 0 | | 0 | 0 | | 1 | 22 | | 0 | 0 | |
| | Barley | 0 | 0 | | 1 | 20 | | 0 | 0 | | 0 | 0 | |
| | Beardless wheatgrass | 0 | 0 | | 2 | 60 | | 2 | 57 | | 0 | 0 | |
| | Bermudagrass | 3 | 60 | | 1 | 30 | | 1 | 30 | | 1 | 30 | |
| | Blue flax | 0 | 0 | | 2 | 89 | | 1 | 55 | | 1 | 55 | |
| | Bluebunch wheatgrass | 0 | 0 | | 0 | 0 | | 1 | 70 | | 0 | 0 | |
| | Buckwheat | 0 | 0 | | 2 | 180 | | 0 | 0 | | 1 | 60 | |
| | Chewings fescue | 5 | 155 | | 3 | 152 | | 0 | 0 | | 0 | 0 | |
| | Club wheat | 3 | 319 | | 0 | 0 | | 4 | 147 | | 1 | 26 | |
| | Corn | 140 | 2,440 | | 283 | 3,609 | | 370 | 5,828 | | 0 | 0 | |
| | Green needlegrass | 0 | 0 | | 1 | 44 | | 0 | 0 | | 0 | 0 | |
| | Hard fescue | 4 | 365 | | 5 | 214 | | 0 | 0 | | 0 | 0 | |
| | Indian ricegrass | 0 | 0 | | 1 | 44 | | 0 | 0 | | 0 | 0 | |
| | Kentucky bluegrass | 16 | 1,229 | | 11 | 900 | | 14 | 1,317 | | 13 | 1,020 | |
| | Perennial ryegrass | 39 | 4,391 | | 43 | 4,244 | | 56 | 4,971 | | 62 | 5,966 | |
| | Radish | 0 | 0 | | 9 | 509 | | 5 | 565 | | 0 | 0 | |
| | Red clover | 0 | 0 | | 0 | 0 | | 1 | 5 | | 0 | 0 | |
| | Safflower | 0 | 0 | | 0 | 0 | | 4 | 162 | | 4 | 173 | |
| | Seashore paspalum | 2 | 19 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Sheep fescue | 1 | 125 | | 0 | 0 | | 1 | 165 | | 3 | 152 | |
| | Siberian wheatgrass | 0 | 0 | | 0 | 0 | | 2 | 62 | | 0 | 0 | |
| | Slender wheatgrass | 0 | 0 | | 0 | 0 | | 1 | 62 | | 0 | 0 | |
| | Snake River wheatgrass | 0 | 0 | | 0 | 0 | | 2 | 188 | | 1 | 128 | |
| | Sudangrass | 4 | 240 | | 3 | 180 | | 6 | 429 | | 5 | 264 | |
| | Thickspike wheatgrass | 0 | 0 | | 1 | 44 | | 2 | 109 | | 0 | 0 | |
| | Triticale | 2 | 248 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Western wheatgrass | 1 | 106 | | 3 | 338 | | 1 | 98 | | 1 | 98 | |
| | Wheat | 39 | 4,243 | | 29 | 3,682 | | 25 | 3,888 | | 22 | 2,968 | |
| | *Misc. crops | 0 | 0 | | 0 | 0 | | 0 | 0 | | 260 | 3,909 | |
| | Pre-variety germplasm | 0 | 0.00 | | 7 | 401.00 | | 8 | 441.00 | | 5 | 233.00 | |
| | Total Umatilla | 265 | 14,516 | 12 | 409 | 14,915 | 11 | 510 | 18,765 | 18 | 381 | 15,143 | 17 |
| | UNION | Alfalfa | 4 | 156 | | 7 | 224 | | 6 | 189 | | 6 | 156 |
| Barley | | 14 | 670 | | 24 | 972 | | 18 | 857 | | 17 | 752 | |
| Chewings fescue | | 6 | 297 | | 6 | 240 | | 7 | 324 | | 5 | 192 | |
| Chickpea | | 0 | 0 | | 1 | 26 | | 0 | 0 | | 0 | 0 | |
| Club wheat | | 4 | 128 | | 1 | 63 | | 1 | 24 | | 1 | 15 | |
| Hard fescue | | 3 | 70 | | 3 | 124 | | 5 | 176 | | 6 | 215 | |
| Intermediate wheatgrass | | 1 | 67 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| Kentucky bluegrass | | 120 | 4,883 | | 100 | 3,991 | | 87 | 3,501 | | 82 | 3,473 | |
| Oat | | 1 | 40 | | 2 | 112 | | 2 | 72 | | 2 | 140 | |
| Potato | | 19 | 776 | | 28 | 837 | | 15 | 677 | | 27 | 1,054 | |
| Pubescent wheatgrass | | 1 | 76 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| Red fescue | | 18 | 659 | | 12 | 595 | | 11 | 578 | | 31 | 1,261 | |
| Sheep fescue | | 0 | 0 | | 0 | 0 | | 1 | 20 | | 2 | 58 | |
| Sunflower | | 13 | 834 | | 16 | 1,010 | | 29 | 1,990 | | 29 | 1,909 | |
| Triticale | | 1 | 18 | | 1 | 35 | | 2 | 17 | | 2 | 137 | |
| Wheat | | 55 | 2,538 | | 55 | 2,169 | | 52 | 2,187 | | 40 | 1,729 | |
| Winter rape | | 1 | 20 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |

Gro* = Total number of growers with production in county.

*Misc. crops, Crops with fewer than two contractors

Oct. 2015

Seed Certification Activities by County 2012 - 2015

Eligible Fields, Acres Passed, and Growers with Production

Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2015 Fields | 2015 Acres | 2015 Gro* | 2014 Fields | 2014 Acres | 2014 Gro* | 2013 Fields | 2013 Acres | 2013 Gro* | 2012 Fields | 2012 Acres | 2012 Gro* | |
|----------------------|-------------------------|----------------------|----------------|--------------|----------------|----------------|--------------|----------------|----------------|--------------|----------------|----------------|--------------|----------|
| UNION <i>cont.</i> | Pre-variety germplasm | 0 | 0 | | 1 | 20 | | 0 | 0 | | 0 | 0 | | |
| | Total Union | 261 | 11,232 | 30 | 257 | 10,418 | 30 | 236 | 10,612 | 27 | 250 | 11,091 | 33 | |
| WALLOWA | Barley | 0 | 0 | | 1 | 84 | | 3 | 254 | | 2 | 147 | | |
| | Brown mustard | 1 | 100 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| | Club wheat | 2 | 87 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| | Field pea | 0 | 0 | | 1 | 35 | | 0 | 0 | | 0 | 0 | | |
| | Oriental mustard | 0 | 0 | | 2 | 78 | | 1 | 50 | | 0 | 0 | | |
| | Wheat | 15 | 1,120 | | 21 | 1,496 | | 17 | 1,099 | | 17 | 975 | | |
| | White mustard | 2 | 117 | | 2 | 80 | | 1 | 60 | | 0 | 0 | | |
| | Total Wallowa | 20 | 1,424 | 4 | 27 | 1,773 | 4 | 22 | 1,463 | 4 | 19 | 1,122 | 4 | |
| WASCO | Alfalfa | 0 | 0 | | 0 | 0 | | 1 | 70 | | 0 | 0 | | |
| | Wheat | 8 | 518 | | 3 | 203 | | 6 | 241 | | 4 | 212 | | |
| | Total Wasco | 8 | 518 | 1 | 3 | 203 | 0 | 7 | 311 | 0 | 4 | 212 | 0 | |
| WASHINGTON | Cereal rye | 0 | 0 | | 0 | 0 | | 3 | 58 | | 0 | 0 | | |
| | Club wheat | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 5 | | |
| | Crimson clover | 13 | 1,053 | | 6 | 406 | | 31 | 1,838 | | 33 | 1,521 | | |
| | Hairy vetch | 0 | 0 | | 2 | 25 | | 1 | 33 | | 2 | 34 | | |
| | Oat | 0 | 0 | | 0 | 0 | | 1 | 50 | | 2 | 39 | | |
| | Orchardgrass | 2 | 75 | | 2 | 75 | | 2 | 75 | | 0 | 0 | | |
| | Perennial ryegrass | 32 | 1,785 | | 31 | 1,537 | | 36 | 1,568 | | 32 | 1,553 | | |
| | Radish | 1 | 72 | | 2 | 114 | | 3 | 162 | | 0 | 0 | | |
| | Red clover | 4 | 132 | | 3 | 123 | | 6 | 145 | | 4 | 71 | | |
| | Red oat | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 24 | | |
| | Sudangrass | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 27 | | |
| | Tall fescue | 262 | 9,676 | | 260 | 9,995 | | 228 | 9,276 | | 198 | 7,855 | | |
| | Wheat | 8 | 367 | | 16 | 521 | | 9 | 245 | | 16 | 375 | | |
| | *Misc. crops | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 50 | | |
| | Total Washington | 322 | 13,160 | 59 | 322 | 12,796 | 61 | 320 | 13,450 | 56 | 293 | 11,554 | 54 | |
| | WHEELER | Alfalfa | 1 | 21 | | 1 | 21 | | 0 | 0 | | 0 | 0 | |
| | | Total Wheeler | 1 | 21 | 1 | 1 | 21 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| YAMHILL | Annual ryegrass | 6 | 133 | | 7 | 279 | | 8 | 450 | | 12 | 681 | | |
| | Common vetch | 0 | 0 | | 0 | 0 | | 1 | 50 | | 2 | 57 | | |
| | Crimson clover | 2 | 119 | | 19 | 853 | | 19 | 607 | | 11 | 426 | | |
| | Hairy vetch | 0 | 0 | | 0 | 0 | | 1 | 2 | | 0 | 0 | | |
| | Oat | 7 | 234 | | 3 | 112 | | 5 | 144 | | 5 | 157 | | |
| | Orchardgrass | 6 | 269 | | 9 | 333 | | 5 | 221 | | 9 | 390 | | |
| | Perennial ryegrass | 121 | 5,443 | | 104 | 4,789 | | 103 | 5,143 | | 97 | 4,458 | | |
| | Radish | 3 | 96 | | 37 | 1,475 | | 14 | 761 | | 0 | 0 | | |
| | Red clover | 2 | 170 | | 2 | 170 | | 5 | 219 | | 9 | 285 | | |
| | Tall fescue | 376 | 17,117 | | 355 | 16,672 | | 332 | 15,883 | | 284 | 13,221 | | |
| | Wheat | 3 | 70 | | 5 | 187 | | 3 | 115 | | 2 | 70 | | |
| | *Misc. crops | 0 | 0 | | 0 | 0 | | 0 | 0 | | 9 | 491 | | |
| | Total Yamhill | 526 | 23,651 | 69 | 541 | 24,870 | 72 | 496 | 23,595 | 75 | 440 | 20,236 | 70 | |
| YEARLY TOTALS | | 5,658 | 248,643 | 729 | 5,799 | 251,093 | 742 | 5,643 | 243,105 | 722 | 5,417 | 232,821 | 722 | |

Gro* = Total number of growers with production in county.

*Misc. crops, Crops with fewer than two contractors

Oct. 2015


Number of Fields and Acres Passed for Production of Foundation, Registered, or Certified Class Seed in 2015 Oregon Seed Certification Service, Oregon State University Extension Service





| <i>CLASS OF SEED</i> | FOUNDATION | | REGISTERED | | CERTIFIED | | TOTALS FOR 2015 | |
|-----------------------------|-------------------|--------------|-------------------|--------------|------------------|----------------|------------------------|----------------|
| | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> |
| <i>GRASSES</i> | | | | | | | | |
| Annual ryegrass | 3 | 15 | 13 | 137 | 194 | 11,065 | 210 | 11,217 |
| Basin wildrye | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Beardless wheatgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Bermudagrass | 0 | 0 | 0 | 0 | 3 | 60 | 3 | 60 |
| Big bluegrass | 0 | 0 | 1 | 5 | 3 | 29 | 4 | 34 |
| Blue fescue | 0 | 0 | 0 | 0 | 1 | 14 | 1 | 14 |
| Blue wildrye | 0 | 0 | 0 | 0 | 3 | 42 | 3 | 42 |
| Bluebunch wheatgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Chewings fescue | 3 | 12 | 1 | 4 | 152 | 6,104 | 156 | 6,120 |
| Colonial bentgrass | 0 | 0 | 1 | 5 | 47 | 1,830 | 48 | 1,835 |
| Creeping bentgrass | 3 | 6 | 0 | 0 | 114 | 2,888 | 117 | 2,894 |
| Creeping bluegrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crested hairgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crested wheatgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Festulolium | 0 | 0 | 0 | 0 | 9 | 197 | 9 | 197 |
| Green needlegrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hard fescue | 3 | 14 | 4 | 36 | 26 | 1,356 | 33 | 1,406 |
| Indian ricegrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Intermediate ryegrass | 0 | 0 | 1 | 4 | 11 | 608 | 12 | 612 |
| Intermediate wheatgrass | 0 | 0 | 0 | 0 | 1 | 67 | 1 | 67 |
| Kentucky bluegrass | 8 | 35 | 10 | 61 | 316 | 12,018 | 334 | 12,114 |
| Meadow fescue | 1 | 5 | 1 | 2 | 3 | 153 | 5 | 160 |
| Meadow brome | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Orchardgrass | 3 | 11 | 2 | 24 | 147 | 6,206 | 152 | 6,241 |
| Perennial ryegrass | 20 | 94 | 35 | 212 | 1,248 | 56,777 | 1,303 | 57,083 |
| Pubescent wheatgrass | 0 | 0 | 1 | 76 | 0 | 0 | 1 | 76 |
| Red fescue | 10 | 47 | 3 | 32 | 123 | 5,367 | 136 | 5,446 |
| Redtop | 0 | 0 | 0 | 0 | 2 | 53 | 2 | 53 |
| Rough bluegrass | 1 | 5 | 1 | 12 | 18 | 728 | 20 | 745 |
| Seashore paspalum | 0 | 0 | 0 | 0 | 3 | 29 | 3 | 29 |
| Sheep fescue | 0 | 0 | 0 | 0 | 3 | 159 | 3 | 159 |
| Siberian wheatgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Slender wheatgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smooth brome | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Snake River wheatgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sudangrass | 0 | 0 | 0 | 0 | 4 | 240 | 4 | 240 |
| Tall fescue | 26 | 263 | 27 | 137 | 2,143 | 99,995 | 2,196 | 100,395 |
| Tall wheatgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Thickspike wheatgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Timothy | 0 | 0 | 0 | 0 | 2 | 30 | 2 | 30 |
| Tufted hairgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Velvet bentgrass | 0 | 0 | 0 | 0 | 4 | 28 | 4 | 28 |
| Weeping alkaligrass | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 2 |
| Western wheatgrass | 0 | 0 | 0 | 0 | 1 | 106 | 1 | 106 |
| Wood bluegrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>TOTAL GRASSES</i> | 82 | 509 | 101 | 747 | 4,581 | 206,149 | 4,764 | 207,405 |
| <i>CEREALS</i> | | | | | | | | |
| Barley | 0 | 0 | 5 | 113 | 21 | 1,131 | 26 | 1,244 |
| Cereal rye | 0 | 0 | 2 | 53 | 1 | 70 | 3 | 123 |
| Club wheat | 0 | 0 | 8 | 339 | 4 | 342 | 12 | 681 |
| Durum wheat | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Oat | 0 | 0 | 11 | 191 | 14 | 389 | 25 | 580 |
| Red oat | 0 | 0 | 1 | 6 | 1 | 31 | 2 | 37 |
| Sorghum | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Triticale | 0 | 0 | 6 | 92 | 14 | 1,263 | 20 | 1,355 |
| Wheat | 3 | 23 | 33 | 1,207 | 253 | 21,259 | 289 | 22,489 |
| <i>TOTAL CEREALS</i> | 3 | 23 | 66 | 2,001 | 308 | 24,485 | 377 | 26,509 |

Number of Fields and Acres Passed for Production of Foundation, Registered, or Certified Class Seed in 2015 Oregon Seed Certification Service, Oregon State University Extension Service

| <i>CLASS OF SEED</i> | FOUNDATION | | REGISTERED | | CERTIFIED | | TOTALS FOR 2015 | |
|---------------------------------|-------------------|--------------|-------------------|--------------|------------------|----------------|------------------------|----------------|
| | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> |
| <i>LEGUMES</i> | | | | | | | | |
| Alfalfa | 1 | 5 | 0 | 0 | 29 | 1,593 | 30 | 1,598 |
| Arrowleaf clover | 0 | 0 | 0 | 0 | 1 | 25 | 1 | 25 |
| Austrian winter pea | 0 | 0 | 1 | 25 | 0 | 0 | 1 | 25 |
| Ball clover | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Birdsfoot trefoil | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Chickpea | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Common vetch | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crimson clover | 1 | 5 | 0 | 0 | 16 | 1,207 | 17 | 1,212 |
| Field bean | 0 | 0 | 0 | 0 | 8 | 527 | 8 | 527 |
| Field pea | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Garden pea | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hairy vetch | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ladino clover | 0 | 0 | 1 | 5 | 13 | 956 | 14 | 961 |
| Little burnet | 0 | 0 | 1 | 8 | 0 | 0 | 1 | 8 |
| Red clover | 2 | 10 | 0 | 0 | 41 | 1,774 | 43 | 1,784 |
| Riverbank lupine | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| Rose clover | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Utah sweetvetch | 0 | 0 | 2 | 2 | 2 | 6 | 4 | 8 |
| White clover | 0 | 0 | 0 | 0 | 14 | 1,112 | 14 | 1,112 |
| <i>TOTAL LEGUMES</i> | 5 | 21 | 5 | 40 | 124 | 7,200 | 134 | 7,261 |
| <i>OTHER CROPS</i> | | | | | | | | |
| Annual rape | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Brown mustard | 0 | 0 | 0 | 0 | 1 | 100 | 1 | 100 |
| Buckhorn plantain | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Buckwheat | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Chicory | 0 | 0 | 0 | 0 | 1 | 5 | 1 | 5 |
| Corn | 110 | 1,142 | 0 | 0 | 30 | 1,298 | 140 | 2,440 |
| Ethiopian cabbage | 0 | 0 | 0 | 0 | 1 | 10 | 1 | 10 |
| Fodder beet | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Forage kochia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Flax | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Kale | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lewis flax | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Meadowfoam | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Mint | 0 | 0 | 0 | 0 | 4 | 61 | 4 | 61 |
| Oriental mustard | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Radish | 0 | 0 | 0 | 0 | 22 | 760 | 22 | 760 |
| Rocky Mountain penstemon | 0 | 0 | 1 | 2 | 1 | 3 | 2 | 5 |
| Potato | 0 | 0 | 0 | 0 | 155 | 2,833 | 155 | 2,833 |
| Safflower | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sugar beet | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sunflower | 0 | 0 | 0 | 0 | 13 | 834 | 13 | 834 |
| Swede | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Turnip | 0 | 0 | 1 | 3 | 1 | 71 | 2 | 74 |
| Winter rape | 0 | 0 | 0 | 0 | 2 | 67 | 2 | 67 |
| White mustard | 0 | 0 | 0 | 0 | 3 | 138 | 3 | 138 |
| All Pre-Variety germplasm crops | 0 | 0 | 0 | 0 | 37 | 141 | 37 | 141 |
| <i>TOTAL OTHER CROPS</i> | 110 | 1,142 | 2 | 5 | 271 | 6,321 | 383 | 7,468 |
| <i>TOTALS PER CLASS</i> | 200 | 1,695 | 174 | 2,793 | 5,284 | 244,155 | 5,658 | 248,643 |

Total Acres Certified by Crop Kind in 2015
Oregon Seed Certification Service
Oregon State University Extension Service



| | |
|---|---|
|  GRASSES |  CEREALS |
|  LEGUMES |  OTHER CROPS |

Comparison of Production for Selected Crops: 2014 vs. 2015

Oregon Seed Certification Service, Oregon State University Extension Service

| CROP | TOTALS FOR 2015 | | TOTALS FOR 2014 | | PERCENT CHANGE IN 2015 | |
|-------------------------|-----------------|----------------|-----------------|----------------|------------------------|--------------|
| | <i>Fields</i> | <i>Acres</i> | <i>Fields</i> | <i>Acres</i> | <i>Fields</i> | <i>Acres</i> |
| SELECTED GRASSES | | | | | | |
| Annual ryegrass | 210 | 11,217 | 266 | 14,486 | -21.1% | -22.6% |
| Basin wildrye | 0 | 0 | 1 | 5 | -100.0% | -100.0% |
| Beardless wheatgrass | 0 | 0 | 2 | 60 | -100.0% | -100.0% |
| Bermudagrass | 3 | 60 | 1 | 30 | 200.0% | 100.0% |
| Big bluegrass | 4 | 34 | 4 | 34 | 0.0% | 0.0% |
| Blue fescue | 1 | 14 | 3 | 57 | -66.7% | -75.4% |
| Blue wildrye | 3 | 42 | 4 | 43 | -25.0% | -2.3% |
| Chewings fescue | 156 | 6,120 | 140 | 5,813 | 11.4% | 5.3% |
| Colonial bentgrass | 48 | 1,835 | 43 | 1,683 | 11.6% | 9.0% |
| Creeping bentgrass | 117 | 2,894 | 89 | 2,024 | 31.5% | 43.0% |
| Creeping bluegrass | 0 | 0 | 2 | 14 | -100.0% | -100.0% |
| Festulolium | 9 | 197 | 1 | 46 | 800.0% | 328.3% |
| Green needlegrass | 0 | 0 | 1 | 44 | -100.0% | -100.0% |
| Hard fescue | 33 | 1,406 | 32 | 1,342 | 3.1% | 4.8% |
| Indian ricegrass | 0 | 0 | 1 | 44 | -100.0% | -100.0% |
| Intermediate ryegrass | 12 | 612 | 15 | 875 | -20.0% | -30.1% |
| Intermediate wheatgrass | 1 | 67 | 0 | 0 | 100.0% | 100.0% |
| Kentucky bluegrass | 334 | 12,114 | 281 | 9,760 | 18.9% | 24.1% |
| Meadow fescue | 5 | 160 | 1 | 30 | 400.0% | 433.3% |
| Orchardgrass | 152 | 6,241 | 133 | 5,623 | 14.3% | 11.0% |
| Perennial ryegrass | 1,303 | 57,083 | 1,289 | 58,691 | 1.1% | -2.7% |
| Pubescent wheatgrass | 1 | 76 | 0 | 0 | 100.0% | 100.0% |
| Red fescue | 136 | 5,446 | 146 | 5,912 | -6.8% | -7.9% |
| Redtop | 2 | 53 | 3 | 55 | -33.3% | -3.6% |
| Rough bluegrass | 20 | 745 | 21 | 749 | -4.8% | -0.5% |
| Seashore paspalum | 3 | 29 | 12 | 32 | -75.0% | -9.4% |
| Sheep fescue | 3 | 159 | 4 | 122 | -25.0% | 30.3% |
| Sudangrass | 4 | 240 | 3 | 180 | 33.3% | 33.3% |
| Tall fescue | 2,196 | 100,395 | 2,130 | 97,651 | 3.1% | 2.8% |
| Thickspike wheatgrass | 0 | 0 | 1 | 44 | -100.0% | -100.0% |
| Timothy | 2 | 30 | 0 | 0 | 100.0% | 100.0% |
| Velvet bentgrass | 4 | 28 | 2 | 10 | 100.0% | 180.0% |
| Weeping alkaligrass | 1 | 2 | 0 | 0 | 100.0% | 100.0% |
| Western wheatgrass | 1 | 106 | 3 | 338 | -66.7% | -68.6% |
| TOTAL IN GRASSES | 4,764 | 207,405 | 4,634 | 205,797 | 2.8% | 0.8% |
| SELECTED CEREALS | | | | | | |
| Barley | 26 | 1,244 | 38 | 1,813 | -31.6% | -31.4% |
| Cereal rye | 3 | 123 | 0 | 0 | 100.0% | 100.0% |
| Club wheat | 12 | 681 | 5 | 446 | 140.0% | 52.7% |
| Oat | 25 | 580 | 15 | 514 | 66.7% | 12.8% |
| Red oat | 2 | 37 | 8 | 230 | -75.0% | -83.9% |
| Triticale | 20 | 1,355 | 10 | 610 | 100.0% | 122.1% |
| Wheat | 289 | 22,489 | 292 | 21,074 | -1.0% | 6.7% |
| TOTAL IN CEREALS | 377 | 26,509 | 368 | 24,687 | 2.4% | 7.4% |

Comparison of Production for Selected Crops: 2014 vs. 2015

Oregon Seed Certification Service, Oregon State University Extension Service

| CROP | TOTALS FOR 2015 | | TOTALS FOR 2014 | | PERCENT CHANGE IN 2015 | |
|---|-----------------|----------------|-----------------|----------------|------------------------|---------------|
| | <i>Fields</i> | <i>Acres</i> | <i>Fields</i> | <i>Acres</i> | <i>Fields</i> | <i>Acres</i> |
| <i>SELECTED LEGUMES</i> | | | | | | |
| Alfalfa | 30 | 1,598 | 27 | 940 | 11.1% | 70.0% |
| Arrowleaf clover | 1 | 25 | 0 | 0 | 100.0% | 100.0% |
| Austrian winter pea | 1 | 25 | 0 | 0 | 100.0% | 100.0% |
| Ball clover | 0 | 0 | 1 | 62 | -100.0% | -100.0% |
| Chickpea | 0 | 0 | 1 | 26 | -100.0% | -100.0% |
| Crimson clover | 17 | 1,212 | 32 | 1,544 | -46.9% | -21.5% |
| Field bean | 8 | 527 | 0 | 0 | 100.0% | 100.0% |
| Field pea | 0 | 0 | 1 | 35 | -100.0% | -100.0% |
| Hairy vetch | 0 | 0 | 2 | 25 | -100.0% | -100.0% |
| Ladino clover | 14 | 961 | 10 | 532 | 40.0% | 80.6% |
| Little burnet | 1 | 8 | 1 | 8 | 0.0% | 0.0% |
| Red clover | 43 | 1,784 | 29 | 1,287 | 48.3% | 38.6% |
| Riverbank lupine | 1 | 1 | 0 | 0 | 100.0% | 100.0% |
| Utah sweetvetch | 4 | 8 | 4 | 8 | 0.0% | 0.0% |
| White clover | 14 | 1,112 | 10 | 860 | 40.0% | 29.3% |
| <i>TOTAL IN LEGUMES</i> | 134 | 7,261 | 118 | 5,327 | 13.6% | 36.3% |
| <i>SELECTED OTHER CROPS</i> | | | | | | |
| Brown mustard | 1 | 100 | 0 | 0 | 100.0% | 100.0% |
| Buckwheat | 0 | 0 | 2 | 180 | -100.0% | -100.0% |
| Chicory | 1 | 5 | 0 | 0 | 100.0% | 100.0% |
| Corn | 140 | 2,440 | 292 | 3,627 | -52.1% | -32.7% |
| Ethiopian cabbage | 1 | 10 | 0 | 0 | 100.0% | 100.0% |
| Flax | 0 | 0 | 2 | 89 | -100.0% | -100.0% |
| Kale | 0 | 0 | 2 | 45 | -100.0% | -100.0% |
| Mint | 4 | 61 | 5 | 60 | -20.0% | 1.7% |
| Oriental mustard | 0 | 0 | 2 | 78 | -100.0% | -100.0% |
| Potato | 155 | 2,833 | 194 | 2,964 | -20.1% | -4.4% |
| Radish | 22 | 760 | 122 | 6,086 | -82.0% | -87.5% |
| Rocky Mountain penstemon | 2 | 5 | 3 | 8 | -33.3% | -37.5% |
| Sunflower | 13 | 834 | 19 | 1,400 | -31.6% | -40.4% |
| Swede | 0 | 0 | 1 | 12 | -100.0% | -100.0% |
| Turnip | 2 | 74 | 1 | 15 | 100.0% | 393.3% |
| White Mustard | 3 | 138 | 2 | 80 | 50.0% | 72.5% |
| Winter rape | 2 | 67 | 1 | 37 | 100.0% | 81.1% |
| All Pre-Variety germplasm crops | 37 | 141 | 31 | 604 | 19.4% | -76.7% |
| <i>TOTAL IN OTHER CROPS</i> | 383 | 7,468 | 679 | 15,285 | -43.6% | -51.1% |
| <i>OVERALL TOTAL IN SELECTED CROPS</i> | | | | | | |
| | 5,658 | 248,643 | 5,799 | 251,096 | -2.4% | -1.0% |

Varieties Eligible, Produced ¹, and Growers ² with Fields From 2012-2015

Oregon Seed Certification Service, Oregon State University Extension Service

| CROP TYPE | Varieties | Growers | Varieties | Growers | Varieties | Growers | Varieties | Growers | |
|---------------------|----------------------------------|---------------------------------------|---------------------------------------|-------------------------------|---------------------------------------|-------------------------------|---------------------------------------|-------------------------------|---------------------------------------|
| | Eligible Varieties in 2015 | with Eligible Fields in 2015 | with Eligible Fields in 2015 | Eligible Fields in 2014 | with Eligible Fields in 2014 | Eligible Fields in 2013 | with Eligible Fields in 2013 | Eligible Fields in 2012 | with Eligible Fields in 2012 |
| GRASSES | | | | | | | | | |
| Seaside alkaligrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Weeping alkaligrass | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Meadow barley | 2 | 1 | 1 | 0 | 0 | 2 | 2 | 2 | 0 |
| Colonial bentgrass | 39 | 6 | 17 | 6 | 13 | 6 | 16 | 5 | 18 |
| Creeping bentgrass | 77 | 35 | 31 | 34 | 30 | 27 | 29 | 28 | 27 |
| Idaho bentgrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Spike bentgrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Velvet bentgrass | 6 | 2 | 2 | 1 | 1 | 2 | 2 | 3 | 3 |
| Bermudagrass | 25 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Big bluegrass | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 0 | 0 |
| Canada bluegrass | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Creeping bluegrass | 2 | 0 | 0 | 1 | 2 | 1 | 2 | 1 | 1 |
| Kentucky bluegrass | 425 | 67 | 63 | 61 | 56 | 50 | 50 | 40 | 51 |
| Pine bluegrass | 2 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| Rough bluegrass | 34 | 13 | 7 | 12 | 8 | 16 | 11 | 12 | 11 |
| Supina bluegrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Wood bluegrass | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| California brome | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| Meadow brome | 3 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 |
| Mountain brome | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smooth brome | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Sweet brome | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reed canarygrass | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crested dogtail | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Annual fescue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Blue fescue | 2 | 1 | 1 | 1 | 2 | 0 | 0 | 0 | 0 |
| California fescue | 6 | 2 | 1 | 1 | 1 | 1 | 1 | 3 | 2 |
| Chewings fescue | 128 | 31 | 40 | 30 | 47 | 31 | 49 | 33 | 47 |
| Hard fescue | 75 | 18 | 19 | 20 | 18 | 18 | 22 | 24 | 34 |
| Idaho fescue | 9 | 2 | 2 | 4 | 5 | 4 | 3 | 0 | 0 |
| Meadow fescue | 11 | 5 | 5 | 1 | 1 | 1 | 1 | 2 | 2 |
| Red fescue | 128 | 38 | 43 | 34 | 41 | 36 | 44 | 36 | 53 |
| Roemers fescue | 19 | 4 | 2 | 5 | 2 | 7 | 2 | 8 | 2 |
| Sheep fescue | 13 | 2 | 2 | 3 | 3 | 5 | 11 | 8 | 13 |
| Tall fescue | 692 | 271 | 420 | 270 | 418 | 252 | 402 | 233 | 383 |
| Festulolium | 15 | 5 | 6 | 1 | 1 | 4 | 5 | 4 | 6 |
| Meadow foxtail | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Water foxtail | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Annual hairgrass | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Coastal hairgrass | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 |
| Crested hairgrass | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tufted hairgrass | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 3 |
| Hardinggrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tall mannagrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Green needlegrass | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| California oatgrass | 13 | 2 | 2 | 2 | 1 | 5 | 3 | 4 | 3 |
| Orchardgrass | 142 | 30 | 39 | 27 | 36 | 28 | 43 | 33 | 48 |
| Seashore paspalum | 3 | 3 | 3 | 3 | 2 | 3 | 2 | 3 | 2 |
| Polargrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

1. Varieties include all eligible fields; field may not be signed-up or passed in current year.
2. Includes growers that did not sign-up eligible fields; Pre-variety germplasm NOT included.

Varieties Eligible, Produced ¹, and Growers ² with Fields From 2012-2015

Oregon Seed Certification Service, Oregon State University Extension Service

| CROP TYPE | Varieties | Growers | Varieties | Growers | Varieties | Growers | Varieties | Growers | |
|-------------------------|----------------------------------|---------------------------------------|---------------------------------------|-------------------------------|---------------------------------------|-------------------------------|---------------------------------------|-------------------------------|---------------------------------------|
| | Eligible Varieties in 2015 | with Eligible Fields in 2015 | with Eligible Fields in 2015 | Eligible Fields in 2014 | with Eligible Fields in 2014 | Eligible Fields in 2013 | with Eligible Fields in 2013 | Eligible Fields in 2012 | with Eligible Fields in 2012 |
| Redtop | 3 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 2 |
| Indian ricegrass | 3 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| Annual ryegrass | 271 | 83 | 93 | 95 | 95 | 88 | 63 | 94 | 90 |
| Intermediate ryegrass | 41 | 7 | 7 | 11 | 11 | 7 | 7 | 7 | 10 |
| Perennial ryegrass | 832 | 211 | 293 | 230 | 298 | 252 | 309 | 263 | 318 |
| Wimmera ryegrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sudangrass | 1 | 1 | 2 | 1 | 2 | 1 | 3 | 1 | 3 |
| Timothy | 27 | 2 | 1 | 0 | 0 | 3 | 3 | 3 | 3 |
| Beardless wheatgrass | 1 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 0 |
| Bluebunch wheatgrass | 8 | 0 | 0 | 1 | 1 | 2 | 1 | 0 | 0 |
| Crested wheatgrass | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Intermediate wheatgrass | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Montana wheatgrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Pubescent wheatgrass | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Siberian wheatgrass | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| Slender wheatgrass | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| Snake River wheatgrass | 2 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 1 |
| Streambank wheatgrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tall wheatgrass | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Thickspike wheatgrass | 3 | 0 | 0 | 1 | 1 | 2 | 1 | 0 | 0 |
| Western wheatgrass | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 1 |
| Altai wildrye | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Basin wildrye | 2 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| Blue wildrye | 29 | 1 | 2 | 3 | 1 | 4 | 3 | 9 | 5 |
| Canada wildrye | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Russian wildrye | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL GRASSES | 3,184 | 852 | 1,113 | 870 | 1,109 | 872 | 1,105 | 874 | 1,149 |
| CEREALS | | | | | | | | | |
| Barley | 78 | 10 | 10 | 9 | 10 | 10 | 8 | 9 | 7 |
| Oat | 41 | 4 | 9 | 5 | 10 | 7 | 9 | 9 | 11 |
| Red oat | 4 | 1 | 1 | 3 | 5 | 3 | 2 | 3 | 3 |
| Cereal rye | 4 | 3 | 3 | 0 | 0 | 1 | 1 | 1 | 1 |
| Triticale | 26 | 7 | 8 | 3 | 5 | 3 | 4 | 5 | 3 |
| Club wheat | 11 | 3 | 5 | 2 | 2 | 2 | 3 | 2 | 4 |
| Durum wheat | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hybrid wheat | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Wheat | 157 | 52 | 36 | 46 | 44 | 42 | 39 | 41 | 38 |
| TOTAL CEREALS | 332 | 80 | 72 | 68 | 76 | 68 | 66 | 70 | 67 |
| LEGUMES | | | | | | | | | |
| Alfalfa | 377 | 16 | 4 | 16 | 6 | 17 | 7 | 15 | 8 |
| Field bean | 74 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Little burnet | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Chickpea | 7 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| Arrowleaf clover | 3 | 1 | 1 | 0 | 0 | 1 | 1 | 2 | 2 |
| Ball clover | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| Berseem clover | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crimson clover | 25 | 5 | 5 | 5 | 7 | 6 | 4 | 7 | 7 |

1. Varieties include all eligible fields; field may not be signed-up or passed in current year.
2. Includes growers that did not sign-up eligible fields; Pre-variety germplasm NOT included.

Varieties Eligible, Produced ¹, and Growers ² with Fields From 2012-2015

Oregon Seed Certification Service, Oregon State University Extension Service

| CROP TYPE | Varieties | Growers | Varieties | Growers | Varieties | Growers | Varieties | Growers | |
|--------------------------|----------------------------------|---------------------------------------|---------------------------------------|-------------------------------|---------------------------------------|-------------------------------|---------------------------------------|-------------------------------|---------------------------------------|
| | Eligible Varieties in 2015 | with Eligible Fields in 2015 | with Eligible Fields in 2015 | Eligible Fields in 2014 | with Eligible Fields in 2014 | Eligible Fields in 2013 | with Eligible Fields in 2013 | Eligible Fields in 2012 | with Eligible Fields in 2012 |
| Ladino clover | 27 | 4 | 7 | 3 | 6 | 2 | 5 | 4 | 8 |
| Persian clover | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Red clover | 112 | 18 | 25 | 12 | 15 | 14 | 16 | 8 | 12 |
| Rose clover | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Spanish clover | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Strawberry clover | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White clover | 53 | 10 | 10 | 7 | 7 | 8 | 10 | 12 | 14 |
| Riverbank lupine | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Austrian winter pea | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Field pea | 21 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| Garden pea | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Golden pea | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Big trefoil | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Birdsfoot trefoil | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Utah sweetvetch | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Big flower vetch | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Common vetch | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 1 |
| Hairy vetch | 6 | 0 | 0 | 1 | 1 | 2 | 2 | 2 | 2 |
| TOTAL LEGUMES | 736 | 60 | 57 | 49 | 47 | 53 | 48 | 54 | 56 |
| OTHER CROPS | | | | | | | | | |
| Buckwheat | 3 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 1 |
| Corn | 647 | 106 | 2 | 250 | 2 | 261 | 2 | 0 | 0 |
| Fodder beet | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sugar beet | 551 | 0 | 0 | 0 | 0 | 1 | 1 | 7 | 1 |
| Ethiopian cabbage | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Chickory | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Flax | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lewis flax | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Blue flax | 1 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| Kale | 15 | 0 | 0 | 2 | 2 | 1 | 0 | 2 | 2 |
| Forage kochia | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Meadowfoam | 16 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 4 |
| Mint | 5 | 2 | 1 | 3 | 1 | 0 | 0 | 0 | 0 |
| Brown mustard | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Oriental mustard | 1 | 0 | 0 | 1 | 2 | 1 | 1 | 0 | 0 |
| White mustard | 5 | 3 | 3 | 1 | 2 | 1 | 1 | 0 | 0 |
| Plantain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Buckhorn plantain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rocky Mountain penstemon | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Potato | 191 | 46 | 14 | 60 | 18 | 60 | 16 | 0 | 0 |
| Radish | 13 | 5 | 12 | 8 | 52 | 3 | 40 | 2 | 23 |
| Annual rape | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter rape | 28 | 2 | 2 | 1 | 1 | 0 | 0 | 1 | 1 |
| Safflower | 2 | 0 | 0 | 0 | 0 | 2 | 4 | 1 | 4 |
| Sunflower | 46 | 4 | 1 | 7 | 3 | 16 | 3 | 9 | 1 |
| Swede | 3 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| Turnip | 17 | 2 | 2 | 1 | 1 | 1 | 1 | 4 | 3 |
| Yarrow | 6 | 1 | 1 | 2 | 1 | 5 | 4 | 1 | 1 |
| TOTAL OTHER CROPS | 1620 | 175 | 42 | 340 | 89 | 355 | 76 | 31 | 43 |
| YEARLY TOTALS | 5,872 | 1,167 | 1,284 | 1,327 | 1,321 | 1,348 | 1,295 | 1,029 | 1,315 |

1. Varieties include all eligible fields; field may not be signed-up or passed in current year.
2. Includes growers that did not sign-up eligible fields; Pre-variety germplasm NOT included.

Number of Fields and Acres Eligible, Signed-up, and Passed by Generation From 2011 - 2015

Oregon Seed Certification Service, Oregon State University Extension Service

| <u>GENERATION</u> | | <u>2015</u> | <u>2015</u> | <u>2014</u> | <u>2014</u> | <u>2013</u> | <u>2013</u> | <u>2012</u> | <u>2012</u> | <u>2011</u> | <u>2011</u> |
|-------------------|-------------------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|
| | | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> |
| ELIGIBLE | Foundation | 257 | 2,216 | 391 | 2,624 | 498 | 4,681 | 331 | 2,531 | 296 | 2,015 |
| | Registered | 176 | 3,571 | 226 | 5,145 | 165 | 3,137 | 188 | 3,416 | 165 | 3,236 |
| | Certified | 5,993 | 282,423 | 6,040 | 282,402 | 5,720 | 269,502 | 5,575 | 257,707 | 4,884 | 224,427 |
| | OECD 2nd Gen. | 0 | 0 | 2 | 76 | 9 | 409 | 3 | 134 | 2 | 76 |
| | Identity Preserved | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Eligible Totals | 6,426 | 288,210 | 6,659 | 290,247 | 6,392 | 277,729 | 6,097 | 263,788 | 5,347 | 229,754 |
| SIGNED-UP | Foundation | 230 | 1,937 | 349 | 2,054 | 458 | 4,184 | 306 | 2,263 | 268 | 1,621 |
| | Registered | 164 | 3,283 | 221 | 4,817 | 159 | 2,920 | 168 | 2,719 | 147 | 2,970 |
| | Certified | 5,399 | 249,105 | 5,433 | 251,906 | 5,159 | 240,683 | 5,046 | 232,190 | 4,431 | 203,807 |
| | OECD 2nd Gen. | 0 | 0 | 2 | 76 | 9 | 409 | 3 | 134 | 2 | 76 |
| | Identity Preserved | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Signed-up Totals | 5,793 | 254,325 | 6,005 | 258,853 | 5,785 | 248,196 | 5,523 | 237,306 | 4,848 | 208,474 |
| PASSED | Foundation | 200 | 1,695 | 328 | 1,869 | 434 | 4,037 | 282 | 2,108 | 241 | 1,487 |
| | Registered | 174 | 2,793 | 197 | 3,928 | 153 | 2,561 | 179 | 2,724 | 152 | 2,981 |
| | Certified | 5,284 | 244,155 | 5,272 | 245,220 | 5,049 | 236,126 | 4,953 | 227,855 | 4,378 | 201,262 |
| | OECD 2nd Gen. | 0 | 0 | 2 | 76 | 7 | 381 | 3 | 134 | 2 | 76 |
| | Identity Preserved | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Passed Totals | 5,658 | 248,643 | 5,799 | 251,093 | 5,643 | 243,105 | 5,417 | 232,821 | 4,773 | 205,806 |


Program and Variety Information, 2008-2015

Oregon Seed Certification Service, Oregon State University Extension Service

| | <u>2015*</u> | <u>2014*</u> | <u>2013*</u> | <u>2012*</u> | <u>2011</u> | <u>2010</u> | <u>2009</u> | <u>2008</u> |
|---|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| <i>General Program Information</i> | | | | | | | | |
| Growers | 731 | 742 | 722 | 722 | 775 | 726 | 860 | 833 |
| Warehouses | 360 | 358 | 357 | 357 | 351 | 346 | 342 | 337 |
| Contractors | 406 | 402 | 397 | 398 | 392 | 378 | 379 | 390 |
| Crop Types Eligible | 144 | 146 | 144 | 145 | 143 | 142 | 136 | 131 |
| Crop Types Certified | 82 | 85 | 98 | 92 | 86 | 81 | 83 | 89 |
| <i>Eligible Varieties</i> | | | | | | | | |
| Public | 690 | 709 | 696 | 598 | 406 | 442 | 428 | 362 |
| Private | 2,845 | 2,790 | 2,689 | 2,524 | 2,723 | 2,740 | 2,464 | 2,255 |
| OECD | 809 | 785 | 759 | 719 | 684 | 626 | 580 | 571 |
| Experimental | 1,081 | 1,136 | 1,112 | 1,070 | 1,080 | 1,124 | 1,120 | 1,161 |
| Total Eligible Varieties | 5,425 | 5,420 | 5,256 | 4,911 | 4,893 | 4,932 | 4,592 | 4,349 |
| <i>Varieties with Active Production</i> | | | | | | | | |
| Public | 76 | 116 | 105 | 62 | 60 | 78 | 66 | 93 |
| Private | 743 | 730 | 727 | 701 | 838 | 865 | 741 | 789 |
| OECD | 101 | 146 | 155 | 155 | 115 | 90 | 84 | 62 |
| Experimental | 123 | 125 | 123 | 130 | 150 | 134 | 166 | 219 |
| Total Active Production | 1,043 | 1,117 | 1,110 | 1,048 | 1,163 | 1,167 | 1,057 | 1,163 |

Active Varieties* by Category


Oregon Seed Certification Service



* Does not include corn varieties

Eligible vs. Active Varieties* by Category - 2015


Oregon Seed Certification Service
Oregon State University Extension Service



* Does not include Corn varieties

Active Varieties* by Category

Oregon Seed Certification Service



* Does not include corn varieties