

Oregon Seed Certification Service
Department of Crop and Soil Science
31 Crop Science Bldg
Corvallis, Oregon 97331



Tel: (541) 737-4513
Fax: (541) 737-2624
seed-cert@oscs.oregonstate.edu
www.oscs.oregonstate.edu

Oregon Seed Certification Service
Oregon State University
Extension Service

Oregon Certification Activity Summary
2013

October 2013

Special Report 002

Acres Passed for Seed Certification 2008 - 2013

Oregon Seed Certification Service, Oregon State University Extension Service

| <u>CROP</u> | | <u>2013</u> | <u>2012</u> | <u>2011</u> | <u>2010</u> | <u>2009</u> | <u>2008</u> |
|---|--|---------------|---------------|---------------|---------------|----------------|----------------|
| BENTGRASS <i>(Colonial, Creeping, Idaho, Velvet, and Spike)</i> | Public - Highland | 1,704 | 2,032 | 1,916 | 1,729 | 1,632 | 1,916 |
| | Public - Seaside | 24 | 24 | 24 | 24 | 24 | 24 |
| | Private and OECD | 1,818 | 1,651 | 1,259 | 1,660 | 4,033 | 4,831 |
| | Experimental | 76 | 76 | 265 | 28 | 59 | 98 |
| | Total Acres of Bentgrass | 3,622 | 3,783 | 3,464 | 3,441 | 5,748 | 6,869 |
| BLUEGRASS <i>(Big, Creeping, Kentucky, Rough, Supina, and Wood)</i> | Public | 39 | 0 | 0 | 55 | 57 | 67 |
| | Private & OECD | 9,858 | 8,766 | 7,782 | 8,600 | 11,896 | 12,285 |
| | Experimental | 267 | 465 | 458 | 327 | 475 | 1,340 |
| | Total Acres of Bluegrass | 10,164 | 9,231 | 8,240 | 8,982 | 12,428 | 13,692 |
| FINE FESCUE <i>(Blue, Chewings, Hard, Idaho, Annual, Red, Sheep)</i> | Public - Boreal | 0 | 0 | 0 | 0 | 0 | 0 |
| | Public - Cascade | 37 | 37 | 38 | 78 | 82 | 40 |
| | Public - Covar | 55 | 55 | 45 | 19 | 19 | 19 |
| | Public - Durar | 0 | 0 | 0 | 12 | 12 | 12 |
| | Private and OECD | 13,109 | 14,353 | 14,485 | 15,109 | 17,366 | 15,243 |
| | Experimental | 142 | 290 | 929 | 1,018 | 473 | 927 |
| Total Acres of Fine Fescue | 13,343 | 14,735 | 15,497 | 16,236 | 17,952 | 16,241 | |
| TALL FESCUE | Public - Alta | 0 | 0 | 0 | 0 | 130 | 30 |
| | Public - Fawn | 5,624 | 5,705 | 6,003 | 6,671 | 6,263 | 5,956 |
| | Public-Kentucky 31 | 5,799 | 6,889 | 6,139 | 5,329 | 5,880 | 5,187 |
| | Private and OECD | 77,318 | 66,246 | 54,178 | 56,776 | 85,517 | 103,180 |
| | Experimental | 1,447 | 2,111 | 5,628 | 5,441 | 5,817 | 4,331 |
| | Total Acres of Tall Fescue | 90,188 | 80,951 | 71,948 | 74,217 | 103,607 | 118,684 |
| ORCHARDGRASS | Public - Berber | 0 | 0 | 0 | 18 | 18 | 18 |
| | Public - Latar | 54 | 54 | 79 | 79 | 79 | 79 |
| | Public - Paiute | 397 | 397 | 397 | 439 | 483 | 425 |
| | Public - Potomac | 1,697 | 2,548 | 2,606 | 2,510 | 2,633 | 2,361 |
| | Private and OECD | 3,641 | 3,858 | 4,625 | 4,867 | 4,829 | 4,492 |
| | Experimental | 0 | 73 | 185 | 229 | 113 | 292 |
| | Total Acres of Orchardgrass | 5,789 | 6,930 | 7,892 | 8,142 | 8,155 | 7,667 |
| ANNUAL AND INTERMEDIATE RYEGRASS | Public - Floregon | 0 | 0 | 0 | 0 | 0 | 10 |
| | Public - Gulf | 80 | 80 | 80 | 55 | 80 | 81 |
| | Private and OECD | 13,321 | 16,862 | 9,634 | 5,806 | 5,213 | 2,661 |
| | Experimental | 172 | 187 | 977 | 859 | 429 | 171 |
| | Total Acres of Annual & Intermediate Ryegrass | 13,573 | 17,129 | 10,691 | 6,720 | 5,722 | 2,923 |
| PERENNIAL RYEGRASS | Public - Linn | 1,356 | 1,157 | 831 | 739 | 1,087 | 972 |
| | Private and OECD | 53,645 | 56,692 | 46,743 | 39,067 | 43,829 | 48,135 |
| | Experimental | 2,124 | 2,946 | 2,984 | 1,595 | 1,491 | 2,209 |
| | Total Acres of Perennial Ryegrass | 57,125 | 60,795 | 50,558 | 41,401 | 46,407 | 51,316 |
| ALFALFA | Public | 0 | 0 | 0 | 0 | 0 | 0 |
| | Private and OECD | 405 | 497 | 108 | 207 | 116 | 135 |
| | Experimental | 737 | 367 | 56 | 50 | 0 | 47 |
| | Total Acres of Alfalfa | 1,142 | 864 | 164 | 257 | 116 | 182 |
| CLOVERS <i>(Berseem, Crimson, Ladino, Red, Arrowleaf Rose, White)</i> | Public | 295 | 310 | 295 | 275 | 270 | 344 |
| | Private and OECD | 4,892 | 5,329 | 5,418 | 5,090 | 4,643 | 3,444 |
| | Experimental | 8 | 103 | 371 | 601 | 1,047 | 607 |
| | Total Acres of Clovers | 5,195 | 5,742 | 6,084 | 5,966 | 5,960 | 4,395 |
| MINT | Public | 94 | 3 | 30 | 23 | 3 | 2 |
| | Experimental | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total Acres of Mint | 94 | 3 | 30 | 23 | 3 | 2 |

*Not Available for Crop Year
**Acres Applied For


Acres Passed for Seed Certification 2008 - 2013

Oregon Seed Certification Service, Oregon State University Extension Service


| <u>CROP</u> | | <u>2013</u> | <u>2012</u> | <u>2011</u> | <u>2010</u> | <u>2009</u> | <u>2008</u> |
|---|--------------------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| SMALL GRAINS (Barley, Oat, Red Oat, Club wheat, Wheat, Triticale, Cereal Rye, Sorghum) | Public | 7,201 | 7,726 | 10,899 | 12,303 | 11,051 | 10,826 |
| | Private and OECD | 16,870 | 11,452 | 11,446 | 7,319 | 8,792 | 5,617 |
| | Experimental | 687 | 610 | 202 | 35 | 229 | 4 |
| | Total Acres of Small Grains | 24,758 | 19,788 | 22,547 | 19,657 | 20,072 | 16,447 |
| | | | | | | | |
| GRASS CROPS (Indian ricegrass, Paspalum, Blue wildrye, Crested dogtail, hairgrasses, Timothy, Brome, Sudangrass, Festulolium, Wheatgrasses) | Public | 1,154 | 596 | 275 | 148 | 138 | 469 |
| | Private and OECD | 269 | 397 | 193 | 238 | 253 | 370 |
| | Experimental | 11 | 14 | 56 | 12 | 5 | 3 |
| | Total Acres Other Grass Crops | 1,434 | 1,007 | 524 | 398 | 396 | 842 |
| | | | | | | | |
| OTHER LEGUME CROPS (Field beans, Little burnet, Lupine, Vetches, Field pea, Trefoil, Chickpea) | Public | 11 | 6 | 2 | 163 | 167 | 135 |
| | Private and OECD | 85 | 91 | 74 | 133 | 0 | 16 |
| | Experimental | 0 | 2 | 0 | 0 | 45 | 65 |
| | Total Acres Other Legumes | 96 | 99 | 76 | 296 | 212 | 216 |
| | | | | | | | |
| OTHER CROPS (Sugar beets, Radish, Plantain, Kale, Corn, Sunflower, Meadowfoam, Turnip, Rapes, forage kochia, flax, Mustard) | Public | 58 | 58 | 21 | 59 | 64 | 26 |
| | Private and OECD | 13,257 | 8,132 | 4,144 | 2,580 | 1,511 | 79 |
| | Experimental | 22 | 450 | 1,150 | 2,508 | 2,160 | 1,254 |
| | Total Acres of Other Crops | 13,337 | 8,640 | 5,315 | 5,147 | 3,735 | 1,359 |
| | | | | | | | |
| POTATO | Public | 1,333 | 1,510 | 2,075 | 1,483 | 1,615 | 1,815 |
| | Private | 1,095 | 1,132 | 424 | 901 | 770 | 666 |
| | Experimental | 25 | 66 | 58 | 52 | 23 | 27 |
| | Total Acres of Potatoes | 2,453 | 2,708 | 2,557 | 2,436 | 2,408 | 2,508 |
| | Winter Test (# of Seed lots) | * | 127 | 119 | 95 | 88 | 86 |
| TOTAL ACREAGE OF: | <i>All Crops Certified</i> | 243,105 | 232,821 | 205,806 | 193,458 | 233,011 | 243,438 |
| | <i>Public Varieties</i> | 27,012 | 29,187 | 31,755 | 32,211 | 31,768 | 30,795 |
| | <i>Private and OECD Varieties</i> | 209,583 | 195,458 | 160,513 | 148,353 | 188,768 | 201,154 |
| | <i>Experimental Varieties</i> | 5,718 | 7,760 | 13,319 | 12,755 | 12,366 | 11,375 |
| | <i>Establishing Crop History**</i> | 453 | 893 | 601 | 1,462 | 2,509 | 1,954 |
| | <i>Modified Land History**</i> | 774 | 1,265 | 1,275 | 5,784 | 3,550 | 3,169 |
| | <i>Pre-Variety Germplasm</i> | 792 | 416 | 219 | 139 | 90 | 95 |
| TOTALS FOR MIXTURES & BLENDS | <i># Requests\# Separate Co.'s</i> | * | 2040\31 | 2,241\30 | 2,173\30 | 1,724\31 | 1,482\29 |
| | <i>No. of Blends\# Companies</i> | * | 58\14 | 108\18 | 42\18 | 53\13 | 21\10 |
| | <i>Pounds of Blends Certified</i> | * | 1,350,574 | 2,566,132 | 1,580,763 | 1,821,785 | 878,995 |
| | <i>No. of Mixtures\# Companies</i> | * | 1982\28 | 2,133\25 | 2,131\23 | 1,671\24 | 1,461\24 |
| | <i>Pounds of Mixtures Certified</i> | * | 38,298,276 | 44,843,645 | 43,538,200 | 30,998,764 | 27,725,512 |
| PRE-VARIETY GERMPLASM TOTALS | G0 Collections (species/sites) | 0/0 | 2/2 | 2/2 | 5/5 | 0/0 | 5/5 |
| | Total Acres of P.V.G. | 792 | 416 | 219 | 139 | 90 | 95 |
| OECD*** TOTALS | <i>Pounds tagged</i> | 61,232,677 | 75,044,426 | 54,860,879 | 25,256,840 | 23,495,243 | 32,610,136 |
| | <i>No. of lots tagged</i> | 2,920 | 3,885 | 2,832 | 1,538 | 1,419 | 1,986 |
| | <i>No. varieties tagged</i> | 315 | 322 | 282 | 253 | 206 | 217 |
| | <i>Foreign lots received in OR.</i> | 136 | 209 | 126 | 106 | 96 | 68 |

*Not Available for Crop Year
**Acres Applied For

Total Acres Passed for Certification
Oregon Seed Certification Service
Oregon State University Extension Service



Acres Certified by Category in 2013
Oregon Seed Certification Service
Oregon State University Extension Service



- Public Varieties
- Private and OECD Varieties
- Experimental Varieties

Seed Certification Activities by County 2010 - 2013

Eligible Fields, Acres Passed, and Growers with Production

Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2013 | 2013 | 2013 | 2012 | 2012 | 2012 | 2011 | 2011 | 2011 | 2010 | 2010 | 2010 |
|------------------------|-----------------------|-----------------|---------------|-----------|------------|---------------|-----------|------------|---------------|-----------|------------|---------------|-----------|
| | | Fields | Acres | Gro* | Fields | Acres | Gro* | Fields | Acres | Gro* | Fields | Acres | Gro* |
| BAKER | Potato | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 33 | |
| | Total Baker | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 33 | 1 |
| BENTON | Annual ryegrass | 51 | 3,214 | | 55 | 3,556 | | 34 | 2,254 | | 20 | 1,082 | |
| | Arrowleaf Clover | 1 | 45 | | 5 | 135 | | 1 | 40 | | 0 | 0 | |
| | Blue wildrye | 1 | 1 | | 1 | 1 | | 1 | 1 | | 2 | 2 | |
| | Chewings fescue | 0 | 0 | | 0 | 0 | | 1 | 1 | | 0 | 0 | |
| | Creeping bentgrass | 1 | 20 | | 1 | 20 | | 1 | 20 | | 1 | 20 | |
| | Festulolium | 1 | 10 | | 1 | 10 | | 0 | 0 | | 0 | 0 | |
| | Hard fescue | 1 | 5 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Intermediate ryegrass | 3 | 70 | | 1 | 30 | | 7 | 199 | | 4 | 95 | |
| | Kale | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 33 | |
| | Ladino clover | 0 | 0 | | 0 | 0 | | 1 | 70 | | 0 | 0 | |
| | Meadowfoam | 0 | 0 | | 1 | 70 | | 2 | 39 | | 0 | 0 | |
| | Orchardgrass | 29 | 1,388 | | 31 | 1,383 | | 39 | 1,766 | | 36 | 1,623 | |
| | Perennial ryegrass | 16 | 714 | | 18 | 729 | | 10 | 261 | | 10 | 372 | |
| | Red clover | 6 | 280 | | 8 | 322 | | 8 | 238 | | 6 | 226 | |
| | Tall fescue | 170 | 10,859 | | 146 | 9,112 | | 126 | 8,053 | | 120 | 7,438 | |
| | Wheat | 8 | 273 | | 8 | 272 | | 11 | 815 | | 7 | 378 | |
| | White clover | 0 | 0 | | 2 | 383 | | 5 | 583 | | 5 | 353 | |
| | Pre-variety germplasm | 14 | 12.56 | | 14 | 14.69 | | 20 | 20.41 | | 18 | 16.66 | |
| | Total Benton | 302 | 16,892 | 29 | 292 | 16,038 | 30 | 267 | 14,360 | 32 | 230 | 11,639 | 30 |
| | CLACKAMAS | Annual ryegrass | 2 | 92 | | 4 | 160 | | 0 | 0 | | 6 | 72 |
| Cereal rye | | 0 | 0 | | 1 | 13 | | 0 | 0 | | 0 | 0 | |
| Chewings fescue | | 0 | 0 | | 1 | 31 | | 1 | 31 | | 1 | 31 | |
| Creeping bentgrass | | 6 | 113 | | 6 | 69 | | 4 | 57 | | 8 | 118 | |
| Crested dogtail | | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 2 | |
| Festulolium | | 1 | 10 | | 4 | 85 | | 4 | 83 | | 2 | 35 | |
| Flax | | 0 | 0 | | 0 | 0 | | 1 | 3 | | 1 | 2 | |
| Hard Fescue | | 0 | 0 | | 6 | 157 | | 10 | 225 | | 11 | 227 | |
| Kentucky bluegrass | | 0 | 0 | | 0 | 0 | | 1 | 16 | | 2 | 9 | |
| Oat | | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 60 | |
| Orchardgrass | | 2 | 53 | | 2 | 53 | | 8 | 163 | | 9 | 194 | |
| Perennial ryegrass | | 78 | 2,309 | | 98 | 2,831 | | 84 | 2,374 | | 66 | 1,824 | |
| Radish | | 5 | 186 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| Red clover | | 5 | 60 | | 0 | 0 | | 2 | 35 | | 6 | 163 | |
| Red fescue | | 2 | 78 | | 2 | 46 | | 5 | 120 | | 6 | 128 | |
| Seashore paspalum | | 8 | 11 | | 2 | 2 | | 0 | 0 | | 2 | 88 | |
| Tall fescue | | 103 | 3,023 | | 87 | 2,371 | | 57 | 1,650 | | 44 | 1,247 | |
| Wheat | | 3 | 120 | | 1 | 21 | | 0 | 0 | | 1 | 11 | |
| *Misc. crops | | 0 | 0 | | 4 | 122 | | 0 | 0 | | 0 | 0 | |
| Total Clackamas | | 215 | 6,055 | 22 | 218 | 5,961 | 19 | 177 | 4,757 | 20 | 168 | 4,211 | 25 |
| COLUMBIA | Tall fescue | 1 | 95 | | 1 | 95 | | 1 | 95 | | 0 | 0 | |
| | Total Columbia | 1 | 95 | 0 | 1 | 95 | 0 | 1 | 95 | 0 | 0 | 0 | 0 |
| CROOK | Alfalfa | 3 | 67 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Barley | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 18 | |
| | Kentucky bluegrass | 0 | 0 | | 1 | 52 | | 1 | 52 | | 0 | 0 | |
| | Red fescue | 0 | 0 | | 0 | 0 | | 1 | 35 | | 0 | 0 | |
| | Triticale | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 55 | |
| | Wheat | 0 | 0 | | 0 | 0 | | 0 | 0 | | 3 | 89 | |
| | Mint | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 20 | |
| | Total Crook | 3 | 67 | 0 | 1 | 52 | 1 | 2 | 87 | 1 | 6 | 182 | 1 |
| | DESCHUTES | Alfalfa | 1 | 35 | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| Total Deschutes | | 1 | 35 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DOUGLAS | Meadowfoam | 0 | 0 | | 2 | 80 | | 1 | 57 | | 1 | 42 | |
| | Oat | 0 | 0 | | 0 | 0 | | 1 | 50 | | 0 | 0 | |
| | Orchardgrass | 1 | 9 | | 2 | 26 | | 2 | 26 | | 0 | 0 | |
| | Sugar beet | 0 | 0 | | 0 | 0 | | 0 | 0 | | 3 | 3 | |
| | Tall fescue | 1 | 18 | | 2 | 99 | | 3 | 126 | | 3 | 103 | |
| Total Douglas | 2 | 27 | 2 | 6 | 205 | 2 | 7 | 259 | 3 | 7 | 148 | 2 | |
| GILLIAM | Alfalfa | 2 | 308 | | 2 | 315 | | 0 | 0 | | 0 | 0 | |
| | Wheat | 4 | 625 | | 2 | 500 | | 2 | 300 | | 1 | 250 | |
| | Total Gilliam | 6 | 933 | 0 | 4 | 815 | 0 | 2 | 300 | 0 | 1 | 250 | 0 |

Gro* = Total number of growers with production in county.
 *Misc. crops Crops with fewer than two contractors

Seed Certification Activities by County 2010 - 2013

Eligible Fields, Acres Passed, and Growers with Production

Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2013 | 2013 | 2013 | 2012 | 2012 | 2012 | 2011 | 2011 | 2011 | 2010 | 2010 | 2010 | |
|----------------------|--------------------------|------------|---------------|-----------|------------|---------------|-----------|------------|--------------|-----------|------------|--------------|-----------|--|
| | | Fields | Acres | Gro* | Fields | Acres | Gro* | Fields | Acres | Gro* | Fields | Acres | Gro* | |
| HARNEY | Mint | 10 | 64 | | 3 | 3 | | 2 | 30 | | 2 | 3 | | |
| | Wheat | 0 | 0 | | 1 | 140 | | 0 | 0 | | 0 | 0 | | |
| | Total Harney | 10 | 64 | 0 | 4 | 143 | 0 | 2 | 30 | 1 | 2 | 3 | 0 | |
| JACKSON | Pre-variety germplasm | 7 | 3.44 | | 6 | 4.54 | | 0 | 0 | | 0 | 0 | | |
| | Total Jackson | 7 | 3 | 1 | 6 | 5 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | |
| JEFFERSON | Alfalfa | 10 | 204 | | 4 | 101 | | 1 | 6 | | 0 | 0 | | |
| | Barley | 1 | 30 | | 0 | 0 | | 1 | 37 | | 2 | 38 | | |
| | Basin wildrye | 1 | 5 | | 1 | 5 | | 1 | 5 | | 0 | 0 | | |
| | Beardless wheatgrass | 0 | 0 | | 0 | 0 | | 1 | 6 | | 1 | 6 | | |
| | Big bluegrass | 5 | 39 | | 0 | 0 | | 0 | 0 | | 4 | 20 | | |
| | Creeping bentgrass | 2 | 40 | | 2 | 40 | | 0 | 0 | | 0 | 0 | | |
| | Kentucky bluegrass | 112 | 3,016 | | 88 | 2,497 | | 91 | 2,673 | | 107 | 3,073 | | |
| | Lewis flax | 0 | 0 | | 0 | 0 | | 1 | 6 | | 6 | 54 | | |
| | Potato | 25 | 422 | | 22 | 377 | | 21 | 399 | | 25 | 423 | | |
| | Radish | 2 | 57 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| | Red Fescue | 2 | 36 | | 2 | 36 | | 3 | 56 | | 1 | 20 | | |
| | Rocky Mountain penstemon | 1 | 3 | | 1 | 3 | | 0 | 0 | | 0 | 0 | | |
| | Rough bluegrass | 48 | 1,624 | | 60 | 1,709 | | 60 | 1,590 | | 52 | 1,383 | | |
| | Sheep fescue | 7 | 70 | | 3 | 37 | | 1 | 4 | | 0 | 0 | | |
| | Timothy | 1 | 4 | | 1 | 4 | | 0 | 0 | | 0 | 0 | | |
| | Utah sweetvetch | 3 | 3 | | 3 | 3 | | 2 | 2 | | 0 | 0 | | |
| | Wheat | 43 | 1,244 | | 38 | 1,058 | | 49 | 1,466 | | 55 | 1,566 | | |
| | *Misc. crops | 0 | 0 | | 1 | 27 | | 0 | 0 | | 0 | 0 | | |
| | Pre-variety germplasm | 11 | 74 | | 9 | 66 | | 12 | 76 | | 5 | 35 | | |
| | Total Jefferson | 274 | 6,871 | 38 | 235 | 5,963 | 37 | 244 | 6,326 | 38 | 258 | 6,618 | 39 | |
| | KLAMATH | Barley | 2 | 103 | | 3 | 106 | | 1 | 56 | | 0 | 0 | |
| | | Mint | 3 | 30 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | | Oat | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 14 | |
| Potato | | 106 | 1104 | | 104 | 1182 | | 86 | 1076 | | 68 | 930 | | |
| Sunflower | | 1 | 50 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| Triticale | | 1 | 77 | | 0 | 0 | | 1 | 45 | | 1 | 62 | | |
| Wheat | | 3 | 55 | | 4 | 56 | | 5 | 136 | | 2 | 55 | | |
| Total Klamath | | 116 | 1,419 | 11 | 111 | 1,344 | 11 | 93 | 1,313 | 10 | 72 | 1,061 | 11 | |
| LAKE | | Oat | 1 | 20 | | 1 | 70 | | 2 | 291 | | 0 | 0 | |
| | | Triticale | 1 | 45 | | 4 | 386 | | 0 | 0 | | 0 | 0 | |
| Total Lake | | 2 | 65 | 2 | 5 | 456 | 2 | 2 | 291 | 1 | 0 | 0 | 0 | |
| LANE | Alfalfa | 2 | 65 | | 1 | 10 | | 0 | 0 | | 0 | 0 | | |
| | Annual ryegrass | 38 | 1,594 | | 52 | 2,128 | | 16 | 340 | | 21 | 748 | | |
| | Chewings fescue | 2 | 8 | | 3 | 51 | | 4 | 54 | | 4 | 54 | | |
| | Colonial bentgrass | 5 | 248 | | 5 | 253 | | 5 | 253 | | 5 | 253 | | |
| | Creeping bentgrass | 3 | 60 | | 4 | 90 | | 6 | 110 | | 6 | 110 | | |
| | Creeping bluegrass | 1 | 8 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| | Festulolium | 0 | 0 | | 0 | 0 | | 1 | 3 | | 0 | 0 | | |
| | Hard fescue | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 10 | | |
| | Intermediate ryegrass | 2 | 52 | | 5 | 88 | | 3 | 77 | | 1 | 40 | | |
| | Kentucky bluegrass | 0 | 0 | | 0 | 0 | | 1 | 5 | | 0 | 0 | | |
| | Ladino clover | 0 | 0 | | 0 | 0 | | 1 | 100 | | 1 | 100 | | |
| | Orchardgrass | 38 | 1,703 | | 45 | 2,109 | | 48 | 2,342 | | 47 | 2,146 | | |
| | Perennial ryegrass | 48 | 1,428 | | 43 | 1,369 | | 37 | 1,095 | | 31 | 855 | | |
| | Radish | 2 | 49 | | 0 | 0 | | 0 | 0 | | 0 | 0 | | |
| | Red clover | 1 | 150 | | 0 | 0 | | 2 | 59 | | 3 | 79 | | |
| | Red fescue | 2 | 8 | | 1 | 3 | | 1 | 3 | | 2 | 6 | | |
| | Smooth brome | 0 | 0 | | 3 | 40 | | 3 | 40 | | 3 | 40 | | |
| | Sugar beet | 1 | 7 | | 4 | 35 | | 2 | 15 | | 4 | 9 | | |
| | Tall fescue | 104 | 5,190 | | 101 | 4,750 | | 90 | 4,257 | | 93 | 4,566 | | |
| | Timothy | 1 | 4 | | 1 | 4 | | 0 | 0 | | 0 | 0 | | |
| | Triticale | 0 | 0 | | 1 | 20 | | 0 | 0 | | 0 | 0 | | |
| | Wheat | 0 | 0 | | 1 | 54 | | 0 | 0 | | 0 | 0 | | |
| | White clover | 0 | 0 | | 0 | 0 | | 1 | 6 | | 1 | 6 | | |
| | Pre-variety germplasm | 0 | 0 | | 0 | 0 | | 3 | 19 | | 0 | 0 | | |
| | Total Lane | 250 | 10,574 | 25 | 270 | 11,004 | 27 | 224 | 8,778 | 24 | 224 | 9,022 | 25 | |

Gro* = Total number of growers with production in county.
 *Misc. crops Crops with fewer than two contractors

Seed Certification Activities by County 2010 - 2013

Eligible Fields, Acres Passed, and Growers with Production

Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2013 | 2013 | 2013 | 2012 | 2012 | 2012 | 2011 | 2011 | 2011 | 2010 | 2010 | 2010 |
|-----------------------|-----------------------|---------------|------------|------------|---------------|------------|------------|---------------|------------|------------|---------------|------------|----------|
| | | Fields | Acres | Gro* | Fields | Acres | Gro* | Fields | Acres | Gro* | Fields | Acres | Gro* |
| LINN | Alfalfa | 1 | 75 | | 4 | 221 | | 1 | 50 | | 1 | 50 | |
| | Annual ryegrass | 97 | 6,706 | | 113 | 8,301 | | 85 | 5,995 | | 50 | 3,003 | |
| | Arrowleaf Clover | 0 | 0 | | 1 | 75 | | 1 | 70 | | 0 | 0 | |
| | Chewings fescue | 26 | 1,053 | | 26 | 1,005 | | 24 | 823 | | 20 | 726 | |
| | Chicory | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 70 | |
| | Colonial bentgrass | 20 | 928 | | 21 | 940 | | 20 | 857 | | 16 | 738 | |
| | Creeping bentgrass | 11 | 248 | | 11 | 246 | | 5 | 161 | | 7 | 205 | |
| | Festulolium | 4 | 126 | | 4 | 136 | | 2 | 41 | | 0 | 0 | |
| | Flax | 0 | 0 | | 0 | 0 | | 2 | 9 | | 1 | 3 | |
| | Hairy vetch | 0 | 0 | | 1 | 2 | | 0 | 0 | | 1 | 20 | |
| | Hard fescue | 2 | 99 | | 9 | 327 | | 10 | 290 | | 10 | 261 | |
| | Intermediate ryegrass | 8 | 295 | | 8 | 275 | | 8 | 295 | | 10 | 359 | |
| | Kentucky bluegrass | 1 | 1 | | 1 | 1 | | 1 | 1 | | 0 | 0 | |
| | Ladino clover | 6 | 392 | | 10 | 662 | | 10 | 565 | | 17 | 1,131 | |
| | Little burnet | 2 | 8 | | 1 | 3 | | 0 | 0 | | 2 | 17 | |
| | Meadow brome | 1 | 41 | | 1 | 41 | | 1 | 41 | | 0 | 0 | |
| | Meadowfoam | 0 | 0 | | 0 | 0 | | 0 | 0 | | 3 | 52 | |
| | Oat | 6 | 174 | | 2 | 70 | | 2 | 42 | | 3 | 144 | |
| | Orchardgrass | 56 | 1,900 | | 66 | 2,425 | | 74 | 2,481 | | 78 | 2,528 | |
| | Perennial ryegrass | 170 | 10,381 | | 174 | 10,488 | | 156 | 8,520 | | 122 | 6,193 | |
| | Radish | 11 | 660 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Red clover | 3 | 105 | | 1 | 20 | | 4 | 183 | | 10 | 334 | |
| | Red fescue | 34 | 1,536 | | 34 | 1,529 | | 33 | 1,501 | | 25 | 1,009 | |
| | Redtop | 1 | 21 | | 1 | 21 | | 2 | 21 | | 0 | 0 | |
| | Sheep fescue | 2 | 34 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Sudangrass | 0 | 0 | | 0 | 0 | | 1 | 5 | | 0 | 0 | |
| | Sugar beet | 0 | 0 | | 2 | 6 | | 1 | 5 | | 0 | 0 | |
| | Tall fescue | 327 | 19,564 | | 329 | 20,103 | | 310 | 19,351 | | 356 | 20,539 | |
| | Triticale | 2 | 23 | | 0 | 0 | | 2 | 81 | | 2 | 53 | |
| | Turnip | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 80 | |
| | Wheat | 11 | 461 | | 12 | 638 | | 16 | 933 | | 15 | 817 | |
| | White clover | 12 | 1,009 | | 18 | 1,378 | | 18 | 1,339 | | 15 | 1,129 | |
| | *Misc. crops | 0 | 0 | | 8 | 395 | | 0 | 0 | | 0 | 0 | |
| Pre-variety germplasm | 18 | 45.62 | | 11 | 38.22 | | 7 | 15.99 | | 8 | 23.97 | | |
| Total Linn | 832 | 45,886 | 127 | 869 | 49,346 | 125 | 796 | 43,676 | 126 | 775 | 39,485 | 123 | |
| MALHEUR | Potato | 12 | 250 | | 2 | 95 | | 2 | 105 | | 2 | 100 | |
| | Total Malheur | 12 | 250 | 0 | 2 | 95 | 1 | 2 | 105 | 1 | 2 | 100 | 1 |
| MARION | Annual ryegrass | 2 | 185 | | 1 | 49 | | 4 | 108 | | 0 | 0 | |
| | Barley | 2 | 35 | | 1 | 9 | | 0 | 0 | | 0 | 0 | |
| | Blue fescue | 0 | 0 | | 0 | 0 | | 2 | 90 | | 2 | 90 | |
| | Blue wildrye | 2 | 32 | | 2 | 32 | | 3 | 42 | | 2 | 20 | |
| | Chewings fescue | 96 | 4,278 | | 86 | 3,868 | | 80 | 3,684 | | 105 | 4,522 | |
| | Colonial bentgrass | 22 | 611 | | 29 | 922 | | 26 | 864 | | 24 | 824 | |
| | Creeping bentgrass | 57 | 1,300 | | 46 | 1,129 | | 32 | 901 | | 37 | 1,097 | |
| | Creeping bluegrass | 2 | 14 | | 2 | 14 | | 1 | 8 | | 0 | 0 | |
| | Crimson clover | 1 | 36 | | 3 | 90 | | 4 | 113 | | 0 | 0 | |
| | Ethiopian cabbage | 0 | 0 | | 0 | 0 | | 1 | 10 | | 0 | 0 | |
| | Flax | 0 | 0 | | 0 | 0 | | 1 | 3 | | 0 | 0 | |
| | Hard fescue | 20 | 732 | | 42 | 1,328 | | 47 | 1,633 | | 55 | 1,903 | |
| | Intermediate ryegrass | 0 | 0 | | 0 | 0 | | 1 | 62 | | 0 | 0 | |
| | Kale | 0 | 0 | | 3 | 30 | | 0 | 0 | | 1 | 24 | |
| | Meadowfoam | 1 | 10 | | 2 | 25 | | 0 | 0 | | 0 | 0 | |
| | Oat | 6 | 138 | | 6 | 305 | | 5 | 192 | | 2 | 66 | |
| | Orchardgrass | 6 | 148 | | 10 | 202 | | 13 | 279 | | 22 | 428 | |
| | Perennial ryegrass | 650 | 24,546 | | 723 | 26,560 | | 654 | 22,933 | | 582 | 20,697 | |
| | Radish | 2 | 200 | | 1 | 10 | | 1 | 10 | | 0 | 0 | |
| | Red clover | 1 | 55 | | 2 | 105 | | 4 | 103 | | 7 | 153 | |
| | Red fescue | 90 | 3,815 | | 94 | 3,920 | | 100 | 4,293 | | 94 | 4,282 | |
| | Red oat | 5 | 151 | | 4 | 168 | | 3 | 62 | | 3 | 64 | |
| | Redtop | 1 | 2 | | 1 | 2 | | 0 | 0 | | 0 | 0 | |
| | Seashore paspalum | 3 | 35 | | 1 | 9 | | 1 | 9 | | 2 | 20 | |
| | Sheep fescue | 2 | 19 | | 6 | 209 | | 11 | 405 | | 11 | 421 | |

Gro* = Total number of growers with production in county.
 *Misc. crops Crops with fewer than two contractors

Seed Certification Activities by County 2010 - 2013

Eligible Fields, Acres Passed, and Growers with Production

Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2013 | 2013 | 2013 | 2012 | 2012 | 2012 | 2011 | 2011 | 2011 | 2010 | 2010 | 2010 |
|---------------------|------------------------|---------------|--------------|--------------|---------------|--------------|--------------|---------------|--------------|--------------|---------------|--------------|----------|
| | | Fields | Acres | Gro* | Fields | Acres | Gro* | Fields | Acres | Gro* | Fields | Acres | Gro* |
| MARION | Sugar beet | 0 | 0 | | 1 | 4 | | 0 | 0 | | 0 | 0 | |
| | Tall fescue | 402 | 13,087 | | 347 | 11,694 | | 239 | 8,229 | | 229 | 8,089 | |
| | Timothy | 1 | 20 | | 1 | 20 | | 0 | 0 | | 0 | 0 | |
| | Tufted hairgrass | 0 | 0 | | 2 | 12 | | 2 | 12 | | 2 | 12 | |
| | Turnip | 1 | 15 | | 3 | 80 | | 1 | 20 | | 0 | 0 | |
| | Velvet bentgrass | 2 | 31 | | 3 | 51 | | 3 | 51 | | 4 | 76 | |
| | Wheat | 36 | 1,459 | | 21 | 557 | | 36 | 1,369 | | 40 | 1,830 | |
| | White clover | 0 | 0 | | 0 | 0 | | 1 | 52 | | 2 | 64 | |
| | Winter rape | 0 | 0 | | 1 | 25 | | 1 | 20 | | 0 | 0 | |
| | *Misc. crops | 0 | 0 | | 3 | 123 | | 0 | 0 | | 0 | 0 | |
| | Pre-variety germplasm | 11 | 16.90 | | 14 | 59.57 | | 16 | 87.40 | | 15 | 62.00 | |
| Total Marion | 1,424 | 50,971 | 231 | 1,461 | 51,612 | 231 | 1,293 | 45,644 | 215 | 1,241 | 44,744 | 221 | |
| MORROW | Alfalfa | 1 | 35 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Annual rape | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 130 | |
| | Chewings fescue | 1 | 70 | | 1 | 70 | | 0 | 0 | | 0 | 0 | |
| | Corn | 10 | 355 | | 0 | 0 | | 27 | 400 | | 28 | 475 | |
| | Hard fescue | 2 | 149 | | 1 | 82 | | 0 | 0 | | 0 | 0 | |
| | Intermediate ryegrass | 0 | 0 | | 1 | 125 | | 0 | 0 | | 0 | 0 | |
| | Kentucky bluegrass | 7 | 644 | | 7 | 465 | | 5 | 395 | | 7 | 630 | |
| | Perennial ryegrass | 3 | 212 | | 5 | 380 | | 5 | 609 | | 6 | 585 | |
| | Radish | 1 | 46 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Red fescue | 0 | 0 | | 2 | 24 | | 2 | 55 | | 1 | 55 | |
| | Sunflower | 5 | 472 | | 0 | 0 | | 3 | 145 | | 0 | 0 | |
| | Tall fescue | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 140 | |
| | Wheat | 1 | 65 | | 4 | 220 | | 2 | 145 | | 3 | 160 | |
| | *Misc. crops | 0 | 0 | | 6 | 350 | | 0 | 0 | | 0 | 0 | |
| | Pre-variety germplasm | 5 | 198 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| Total Morrow | 36 | 2,246 | 4 | 27 | 1,716 | 4 | 44 | 1,749 | 16 | 47 | 2,175 | 5 | |
| MULTNOMAH | Annual ryegrass | 2 | 46 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Crimson clover | 0 | 0 | | 1 | 22 | | 2 | 74 | | 0 | 0 | |
| | Perennial ryegrass | 12 | 638 | | 9 | 359 | | 4 | 170 | | 4 | 172 | |
| | Red clover | 1 | 35 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Tall fescue | 15 | 719 | | 10 | 449 | | 7 | 340 | | 10 | 497 | |
| | Wheat | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 11 | |
| | Total Multnomah | 30 | 1,438 | 1 | 20 | 830 | 0 | 13 | 584 | 0 | 15 | 680 | 0 |
| POLK | Annual ryegrass | 26 | 847 | | 43 | 1,705 | | 28 | 1,293 | | 21 | 1,132 | |
| | Chewings fescue | 1 | 14 | | 1 | 14 | | 3 | 172 | | 3 | 118 | |
| | Club wheat | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 36 | |
| | Field pea | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 17 | |
| | Hard fescue | 1 | 26 | | 3 | 70 | | 2 | 44 | | 3 | 71 | |
| | Intermediate ryegrass | 0 | 0 | | 2 | 31 | | 0 | 0 | | 1 | 6 | |
| | Ladino clover | 1 | 123 | | 2 | 131 | | 4 | 280 | | 5 | 386 | |
| | Meadow fescue | 1 | 30 | | 2 | 59 | | 1 | 10 | | 0 | 0 | |
| | Meadowfoam | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 23 | |
| | Oat | 2 | 75 | | 1 | 23 | | 3 | 31 | | 2 | 20 | |
| | Orchardgrass | 6 | 292 | | 8 | 342 | | 8 | 396 | | 13 | 620 | |
| | Perennial ryegrass | 95 | 5,215 | | 107 | 6,102 | | 69 | 4,157 | | 46 | 2,666 | |
| | Radish | 25 | 1,594 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Red clover | 2 | 71 | | 2 | 70 | | 10 | 309 | | 2 | 55 | |
| | Red oat | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 25 | |
| | Sheep fescue | 1 | 50 | | 1 | 50 | | 0 | 0 | | 0 | 0 | |
| | Tall fescue | 255 | 12,474 | | 237 | 11,202 | | 217 | 10,340 | | 218 | 10,637 | |
| | Turnip | 0 | 0 | | 3 | 135 | | 5 | 224 | | 1 | 118 | |
| | Wheat | 10 | 461 | | 12 | 565 | | 18 | 801 | | 9 | 574 | |
| | White clover | 1 | 20 | | 2 | 46 | | 2 | 40 | | 2 | 23 | |
| *Misc. crops | 0 | 0 | | 8 | 473 | | 0 | 0 | | 0 | 0 | | |
| Total Polk | 427 | 21,292 | 48 | 434 | 21,018 | 52 | 370 | 18,097 | 55 | 332 | 16,527 | 56 | |
| SHERMAN | Barley | 7 | 889 | | 4 | 428 | | 3 | 292 | | 2 | 299 | |
| | Club wheat | 5 | 328 | | 3 | 355 | | 4 | 453 | | 3 | 444 | |
| | Wheat | 90 | 8,509 | | 57 | 5,983 | | 56 | 7,375 | | 45 | 4,713 | |
| | Total Sherman | 102 | 9,726 | 1 | 64 | 6,766 | 1 | 63 | 8,120 | 1 | 50 | 5,456 | 1 |

Gro* = Total number of growers with production in county.
 *Misc. crops Crops with fewer than two contractors

Seed Certification Activities by County 2010 - 2013

Eligible Fields, Acres Passed, and Growers with Production

Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2013 | 2013 | 2013 | 2012 | 2012 | 2012 | 2011 | 2011 | 2011 | 2010 | 2010 | 2010 |
|-----------------------|------------------------|---------------|---------------|------------|---------------|---------------|------------|---------------|---------------|------------|---------------|--------------|-----------|
| | | Fields | Acres | Gro* | Fields | Acres | Gro* | Fields | Acres | Gro* | Fields | Acres | Gro* |
| UMATILLA | Alfalfa | 2 | 94 | | 1 | 61 | | 1 | 61 | | 4 | 160 | |
| | Annual rape | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 248 | |
| | Annual ryegrass | 1 | 22 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Beardless wheatgrass | 2 | 57 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Bermudagrass | 1 | 30 | | 1 | 30 | | 1 | 30 | | 1 | 30 | |
| | Blue flax | 1 | 55 | | 1 | 55 | | 0 | 0 | | 0 | 0 | |
| | Bluebunch wheatgrass | 1 | 70 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Buckwheat | 0 | 0 | | 1 | 60 | | 0 | 0 | | 0 | 0 | |
| | Chewings fescue | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 200 | |
| | Club wheat | 4 | 147 | | 1 | 26 | | 3 | 255 | | 0 | 0 | |
| | Corn | 370 | 5,828 | | 0 | 0 | | 204 | 2,687 | | 216 | 1,758 | |
| | Hard fescue | 0 | 0 | | 0 | 0 | | 2 | 173 | | 2 | 187 | |
| | Kentucky bluegrass | 14 | 1,317 | | 13 | 1,020 | | 10 | 598 | | 11 | 958 | |
| | Perennial ryegrass | 56 | 4,971 | | 62 | 5,966 | | 56 | 5,403 | | 50 | 4,951 | |
| | Radish | 5 | 565 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Red clover | 1 | 5 | | 0 | 0 | | 0 | 0 | | 2 | 75 | |
| | Red fescue | 0 | 0 | | 0 | 0 | | 1 | 140 | | 0 | 0 | |
| | Safflower | 4 | 162 | | 4 | 173 | | 1 | 75 | | 0 | 0 | |
| | Sheep fescue | 1 | 165 | | 3 | 152 | | 1 | 25 | | 2 | 87 | |
| | Siberian wheatgrass | 2 | 62 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Slender wheatgrass | 1 | 62 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Snake River wheatgrass | 2 | 188 | | 1 | 128 | | 0 | 0 | | 0 | 0 | |
| | Sudangrass | 6 | 429 | | 5 | 264 | | 1 | 90 | | 3 | 120 | |
| | Sunflower | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 11 | |
| | Tall fescue | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 125 | |
| | Thickspike wheatgrass | 2 | 109 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Western wheatgrass | 1 | 98 | | 1 | 98 | | 0 | 0 | | 0 | 0 | |
| Wheat | 25 | 3,888 | | 22 | 2,968 | | 18 | 2,573 | | 17 | 3,129 | | |
| *Misc. crops | 0 | 0 | | 260 | 3,909 | | 0 | 0 | | 0 | 0 | | |
| Pre-variety germplasm | 8 | 441.00 | | 5 | 233.00 | | 0 | 0.00 | | 1 | 1.20 | | |
| Total Umatilla | 510 | 18,765 | 18 | 381 | 15,143 | 17 | 299 | 12,110 | 77 | 316 | 12,040 | 14 | |
| UNION | Alfalfa | 6 | 189 | | 6 | 156 | | 2 | 47 | | 2 | 47 | |
| | Annual rape | 0 | 0 | | 0 | 0 | | 13 | 1,075 | | 10 | 930 | |
| | Barley | 18 | 857 | | 17 | 752 | | 5 | 215 | | 13 | 449 | |
| | Big bluegrass | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 35 | |
| | Chewings fescue | 7 | 324 | | 5 | 192 | | 4 | 142 | | 9 | 341 | |
| | Club wheat | 1 | 24 | | 1 | 15 | | 3 | 122 | | 3 | 81 | |
| | Field bean | 0 | 0 | | 0 | 0 | | 0 | 0 | | 4 | 146 | |
| | Hard fescue | 5 | 176 | | 6 | 215 | | 4 | 130 | | 6 | 178 | |
| | Kentucky bluegrass | 87 | 3,501 | | 82 | 3,473 | | 70 | 3,092 | | 66 | 2,803 | |
| | Oat | 2 | 72 | | 2 | 140 | | 2 | 75 | | 1 | 67 | |
| | Potato | 15 | 677 | | 27 | 1,054 | | 26 | 977 | | 18 | 950 | |
| | Red clover | 0 | 0 | | 0 | 0 | | 5 | 133 | | 9 | 262 | |
| | Red fescue | 11 | 578 | | 31 | 1,261 | | 33 | 1,294 | | 32 | 1,274 | |
| | Sheep fescue | 1 | 20 | | 2 | 58 | | 2 | 74 | | 2 | 35 | |
| | Sunflower | 29 | 1,990 | | 29 | 1,909 | | 8 | 432 | | 17 | 1,015 | |
| | Tall fescue | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 44 | |
| | Triticale | 2 | 17 | | 2 | 137 | | 1 | 40 | | 1 | 78 | |
| | Wheat | 52 | 2,187 | | 40 | 1,729 | | 48 | 2,437 | | 27 | 1,251 | |
| | Total Union | 236 | 10,612 | 27 | 250 | 11,091 | 33 | 226 | 10,285 | 35 | 222 | 9,986 | 38 |
| | WALLOWA | Barley | 3 | 254 | | 2 | 147 | | 1 | 80 | | 2 | 110 |
| Brown mustard | | 0 | 0 | | 0 | 0 | | 1 | 55 | | 1 | 40 | |
| Oriental mustard | | 1 | 50 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| Red clover | | 0 | 0 | | 0 | 0 | | 1 | 72 | | 1 | 72 | |
| Wheat | | 17 | 1,099 | | 17 | 975 | | 19 | 1,283 | | 25 | 1,627 | |
| White mustard | | 1 | 60 | | 0 | 0 | | 1 | 25 | | 1 | 50 | |
| Total Wallowa | | 22 | 1,463 | 4 | 19 | 1,122 | 4 | 23 | 1,515 | 3 | 30 | 1,899 | 4 |
| WASCO | Alfalfa | 1 | 70 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Rough bluegrass | 0 | 0 | | 0 | 0 | | 0 | 0 | | 2 | 71 | |
| | Tall fescue | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 20 | |
| | Wheat | 6 | 241 | | 4 | 212 | | 3 | 241 | | 3 | 206 | |
| | Total Wasco | 7 | 311 | 0 | 4 | 212 | 0 | 3 | 241 | 0 | 6 | 297 | 0 |

Gro* = Total number of growers with production in county.
 *Misc. crops Crops with fewer than two contractors

Seed Certification Activities by County 2010 - 2013
Eligible Fields, Acres Passed, and Growers with Production
Oregon Seed Certification Service, Oregon State University Extension Service

| COUNTY | CROP | 2013 | 2013 | 2013 | 2012 | 2012 | 2012 | 2011 | 2011 | 2011 | 2010 | 2010 | 2010 |
|----------------------|-----------------------|-------------------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|--------------|----------------|---------------|
| | | Fields | Acres | Gro* | Fields | Acres | Gro* | Fields | Acres | Gro* | Fields | Acres | Gro* |
| WASHINGTON | Annual ryegrass | 0 | 0 | | 0 | 0 | | 2 | 33 | | 2 | 55 | |
| | Cereal rye | 3 | 58 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Club wheat | 0 | 0 | | 1 | 5 | | 0 | 0 | | 0 | 0 | |
| | Crimson clover | 31 | 1,838 | | 33 | 1,521 | | 17 | 694 | | 4 | 206 | |
| | Hairy vetch | 1 | 33 | | 2 | 34 | | 0 | 0 | | 4 | 96 | |
| | Intermediate ryegrass | 0 | 0 | | 0 | 0 | | 0 | 0 | | 4 | 93 | |
| | Oat | 1 | 50 | | 2 | 39 | | 0 | 0 | | 2 | 72 | |
| | Orchardgrass | 2 | 75 | | 0 | 0 | | 0 | 0 | | 1 | 18 | |
| | Perennial ryegrass | 36 | 1,568 | | 32 | 1,553 | | 27 | 1,209 | | 22 | 1,068 | |
| | Radish | 3 | 162 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Red clover | 6 | 145 | | 4 | 71 | | 1 | 65 | | 4 | 157 | |
| | Red oat | 0 | 0 | | 2 | 24 | | 0 | 0 | | 1 | 7 | |
| | Sudangrass | 0 | 0 | | 2 | 27 | | 0 | 0 | | 0 | 0 | |
| | Tall fescue | 228 | 9,276 | | 198 | 7,855 | | 193 | 7,587 | | 228 | 8,791 | |
| | Wheat | 9 | 245 | | 16 | 375 | | 8 | 179 | | 13 | 327 | |
| | *Misc. crops | 0 | 0 | | 1 | 50 | | 0 | 0 | | 0 | 0 | |
| | | Total Washington | 320 | 13,450 | 56 | 293 | 11,554 | 54 | 248 | 9,767 | 51 | 285 | 10,890 |
| WHEELER | Wheat | 0 | 0 | | 0 | 0 | | 0 | 0 | | 4 | 120 | |
| | Total Wheeler | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 120 | 0 |
| YAMHILL | Annual ryegrass | 8 | 450 | | 12 | 681 | | 1 | 35 | | 1 | 35 | |
| | Barley | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 37 | |
| | Common vetch | 1 | 50 | | 2 | 57 | | 3 | 74 | | 0 | 0 | |
| | Crimson clover | 19 | 607 | | 11 | 426 | | 7 | 360 | | 4 | 200 | |
| | Hairy vetch | 1 | 2 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Ladino clover | 0 | 0 | | 0 | 0 | | 3 | 309 | | 4 | 417 | |
| | Oat | 5 | 144 | | 5 | 157 | | 1 | 50 | | 0 | 0 | |
| | Orchardgrass | 5 | 221 | | 9 | 390 | | 10 | 439 | | 13 | 585 | |
| | Perennial ryegrass | 103 | 5,143 | | 97 | 4,458 | | 83 | 3,827 | | 51 | 2,018 | |
| | Radish | 14 | 761 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | Red clover | 5 | 219 | | 9 | 285 | | 10 | 192 | | 10 | 333 | |
| | Sudangrass | 0 | 0 | | 0 | 0 | | 4 | 85 | | 0 | 0 | |
| | Tall fescue | 332 | 15,883 | | 284 | 13,221 | | 248 | 11,920 | | 265 | 11,981 | |
| | Wheat | 3 | 115 | | 2 | 70 | | 2 | 25 | | 6 | 244 | |
| | White clover | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 42 | |
| | *Misc. crops | 0 | 0 | | 9 | 491 | | 0 | 0 | | 0 | 0 | |
| | | Total Yamhill | 496 | 23,595 | 75 | 440 | 20,236 | 70 | 372 | 17,316 | 66 | 356 | 15,892 |
| YEARLY TOTALS | | 5,643 | 243,105 | 722 | 5,417 | 232,821 | 722 | 4,773 | 205,806 | 776 | 4,651 | 193,458 | 726 |

Gro* = Total number of growers with production in county.
*Misc. crops Crops with fewer than two contractors

Number of Fields and Acres Passed for Production of Foundation, Registered, or Certified Class Seed in 2013 Oregon Seed Certification Service, Oregon State University Extension Service



| <i>CLASS OF SEED</i> | FOUNDATION | | REGISTERED | | CERTIFIED | | TOTALS FOR 2013 | |
|-----------------------------|-------------------|--------------|-------------------|--------------|------------------|----------------|------------------------|----------------|
| | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> |
| <i>GRASSES</i> | | | | | | | | |
| Annual ryegrass | 7 | 34 | 8 | 106 | 212 | 13,016 | 227 | 13,156 |
| Basin wildrye | 0 | 0 | 1 | 5 | 0 | 0 | 1 | 5 |
| Beardless wheatgrass | 0 | 0 | 0 | 0 | 2 | 57 | 2 | 57 |
| Bermudagrass | 0 | 0 | 0 | 0 | 1 | 30 | 1 | 30 |
| Big bluegrass | 0 | 0 | 1 | 5 | 4 | 34 | 5 | 39 |
| Blue fescue | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Bluebunch wheatgrass | 0 | 0 | 0 | 0 | 1 | 70 | 1 | 70 |
| Blue wildrye | 1 | 1 | 0 | 0 | 2 | 32 | 3 | 33 |
| Chewings fescue | 1 | 5 | 3 | 9 | 129 | 5,733 | 133 | 5,747 |
| Colonial bentgrass | 1 | 1 | 1 | 5 | 45 | 1,781 | 47 | 1,787 |
| Creeping bentgrass | 4 | 4 | 2 | 3 | 74 | 1,774 | 80 | 1,781 |
| Creeping bluegrass | 0 | 0 | 0 | 0 | 3 | 22 | 3 | 22 |
| Crested dogtail | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crested hairgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crested wheatgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Festulolium | 0 | 0 | 0 | 0 | 6 | 146 | 6 | 146 |
| Hard fescue | 3 | 11 | 1 | 5 | 27 | 1,171 | 31 | 1,187 |
| Idaho bentgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Indian ricegrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Intermediate ryegrass | 0 | 0 | 1 | 9 | 12 | 408 | 13 | 417 |
| Kentucky bluegrass | 3 | 4 | 6 | 35 | 212 | 8,440 | 221 | 8,479 |
| Meadow fescue | 0 | 0 | 0 | 0 | 1 | 30 | 1 | 30 |
| Meadow brome | 0 | 0 | 0 | 0 | 1 | 41 | 1 | 41 |
| Orchardgrass | 1 | 3 | 1 | 3 | 143 | 5,783 | 145 | 5,789 |
| Perennial ryegrass | 26 | 136 | 36 | 263 | 1,205 | 56,726 | 1,267 | 57,125 |
| Red fescue | 5 | 22 | 2 | 15 | 134 | 6,014 | 141 | 6,051 |
| Redtop | 1 | 2 | 0 | 0 | 1 | 21 | 2 | 23 |
| Rough bluegrass | 1 | 5 | 1 | 14 | 46 | 1,605 | 48 | 1,624 |
| Seashore paspalum | 0 | 0 | 0 | 0 | 11 | 46 | 11 | 46 |
| Sheep fescue | 4 | 28 | 0 | 0 | 10 | 330 | 14 | 358 |
| Siberian wheatgrass | 0 | 0 | 0 | 0 | 2 | 62 | 2 | 62 |
| Slender wheatgrass | 0 | 0 | 0 | 0 | 1 | 62 | 1 | 62 |
| Smooth brome | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Snake River wheatgrass | 0 | 0 | 1 | 60 | 1 | 128 | 2 | 188 |
| Sudangrass | 0 | 0 | 1 | 5 | 5 | 424 | 6 | 429 |
| Tall fescue | 36 | 187 | 20 | 153 | 1,882 | 89,848 | 1,938 | 90,188 |
| Tall wheatgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Thickspike wheatgrass | 0 | 0 | 0 | 0 | 2 | 109 | 2 | 109 |
| Timothy | 1 | 4 | 0 | 0 | 2 | 24 | 3 | 28 |
| Tufted hairgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Velvet bentgrass | 0 | 0 | 0 | 0 | 2 | 31 | 2 | 31 |
| Western wheatgrass | 0 | 0 | 0 | 0 | 1 | 98 | 1 | 98 |
| Wood bluegrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>TOTAL GRASSES</i> | 95 | 447 | 86 | 695 | 4,180 | 194,096 | 4,361 | 195,238 |
| <i>CEREALS</i> | | | | | | | | |
| Barley | 0 | 0 | 5 | 218 | 28 | 1,950 | 33 | 2,168 |
| Cereal Rye | 0 | 0 | 1 | 16 | 2 | 42 | 3 | 58 |
| Club wheat | 0 | 0 | 1 | 31 | 9 | 468 | 10 | 499 |
| Durum wheat | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Oat | 0 | 0 | 4 | 122 | 19 | 551 | 23 | 673 |
| Red oat | 0 | 0 | 1 | 13 | 4 | 138 | 5 | 151 |
| Sorghum | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Triticale | 2 | 5 | 3 | 80 | 1 | 77 | 6 | 162 |
| Wheat | 0 | 0 | 37 | 1,259 | 284 | 19,788 | 321 | 21,047 |
| <i>TOTAL CEREALS</i> | 2 | 5 | 52 | 1,739 | 347 | 23,014 | 401 | 24,758 |

Number of Fields and Acres Passed for Production of Foundation, Registered, or Certified Class Seed in 2013 Oregon Seed Certification Service, Oregon State University Extension Service

| <i>CLASS OF SEED</i> | FOUNDATION | | REGISTERED | | CERTIFIED | | TOTALS FOR 2013 | |
|---------------------------------|-------------------|--------------|-------------------|--------------|------------------|----------------|------------------------|----------------|
| | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> |
| <i>LEGUMES</i> | | | | | | | | |
| Alfalfa | 1 | 5 | 0 | 0 | 28 | 1,137 | 29 | 1,142 |
| Arrowleaf clover | 0 | 0 | 0 | 0 | 1 | 45 | 1 | 45 |
| Birdsfoot trefoil | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Chickpea | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Common vetch | 0 | 0 | 0 | 0 | 1 | 50 | 1 | 50 |
| Crimson clover | 0 | 0 | 1 | 18 | 50 | 2,463 | 51 | 2,481 |
| Field bean | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Field pea | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Garden pea | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hairy vetch | 0 | 0 | 0 | 0 | 2 | 35 | 2 | 35 |
| Ladino clover | 0 | 0 | 0 | 0 | 7 | 515 | 7 | 515 |
| Little burnet | 0 | 0 | 1 | 3 | 1 | 5 | 2 | 8 |
| Red clover | 3 | 21 | 0 | 0 | 28 | 1,104 | 31 | 1,125 |
| Riverbank lupine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rose clover | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Utah sweetvetch | 0 | 0 | 2 | 2 | 1 | 1 | 3 | 3 |
| White clover | 0 | 0 | 0 | 0 | 13 | 1,029 | 13 | 1,029 |
| <i>TOTAL LEGUMES</i> | 4 | 26 | 4 | 23 | 132 | 6,384 | 140 | 6,433 |
| <i>OTHER CROPS</i> | | | | | | | | |
| Annual rape | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Brown mustard | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Buckhorn plantain | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Buckwheat | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Chicory | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Corn | 327 | 3,534 | 0 | 0 | 53 | 2,649 | 380 | 6,183 |
| Ethiopian Cabbage | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fodder beet | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Forage kochia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Flax | 0 | 0 | 0 | 0 | 1 | 55 | 1 | 55 |
| Kale | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lewis flax | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Meadowfoam | 0 | 0 | 1 | 10 | 0 | 0 | 1 | 10 |
| Mint | 5 | 10 | 8 | 84 | 0 | 0 | 13 | 94 |
| Oriental mustard | 0 | 0 | 0 | 0 | 1 | 50 | 1 | 50 |
| Radish | 1 | 15 | 0 | 0 | 69 | 4,265 | 70 | 4,280 |
| Rocky Mountain penstemon | 0 | 0 | 1 | 3 | 0 | 0 | 1 | 3 |
| Potato | 0 | 0 | 0 | 0 | 158 | 2,453 | 158 | 2,453 |
| Safflower | 0 | 0 | 0 | 0 | 4 | 162 | 4 | 162 |
| Sugar beet | 0 | 0 | 1 | 7 | 0 | 0 | 1 | 7 |
| Sunflower | 0 | 0 | 0 | 0 | 35 | 2,512 | 35 | 2,512 |
| Turnip | 0 | 0 | 0 | 0 | 1 | 15 | 1 | 15 |
| Winter rape | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White mustard | 0 | 0 | 0 | 0 | 1 | 60 | 1 | 60 |
| All Pre-Variety germplasm crops | 0 | 0 | 0 | 0 | 74 | 792 | 74 | 792 |
| <i>TOTAL OTHER CROPS</i> | 333 | 3,559 | 11 | 104 | 397 | 13,013 | 741 | 16,676 |
| <i>TOTALS PER CLASS</i> | 434 | 4,037 | 153 | 2,561 | 5,056 | 236,507 | 5,643 | 243,105 |

Total Acres Certified by Crop Kind in 2013

Oregon Seed Certification Service
Oregon State University Extension Service



Comparison of Production for Selected Crops: 2012 vs. 2013

Oregon Seed Certification Service, Oregon State University Extension Service

| CROP | TOTALS FOR 2013 | | TOTALS FOR 2012 | | PERCENT CHANGE IN 2013 | |
|--------------------------|-----------------|----------------|-----------------|----------------|------------------------|--------------|
| | <i>Fields</i> | <i>Acres</i> | <i>Fields</i> | <i>Acres</i> | <i>Fields</i> | <i>Acres</i> |
| SELECTED GRASSES | | | | | | |
| Annual ryegrass | 227 | 13,156 | 280 | 16,580 | -18.9% | -20.7% |
| Basin wildrye | 1 | 5 | 1 | 5 | 0.0% | 0.0% |
| Beardless wheatgrass | 2 | 57 | 0 | 0 | 100.0% | 100.0% |
| Bermudagrass | 1 | 30 | 1 | 30 | 0.0% | 0.0% |
| Big bluegrass | 5 | 39 | 0 | 0 | 100.0% | 100.0% |
| Bluebunch wheatgrass | 1 | 70 | 0 | 0 | 100.0% | 100.0% |
| Blue wildrye | 3 | 33 | 3 | 33 | 0.0% | 0.0% |
| Chewings fescue | 133 | 5,747 | 123 | 5,231 | 8.1% | 9.9% |
| Colonial bentgrass | 47 | 1,787 | 55 | 2,115 | -14.5% | -15.5% |
| Creeping bentgrass | 80 | 1,781 | 70 | 1,594 | 14.3% | 11.7% |
| Creeping bluegrass | 3 | 22 | 2 | 14 | 50.0% | 57.1% |
| Festulolium | 6 | 146 | 9 | 231 | -33.3% | -36.8% |
| Hard fescue | 31 | 1,187 | 67 | 2,179 | -53.7% | -45.5% |
| Intermediate ryegrass | 13 | 417 | 17 | 549 | -23.5% | -24.0% |
| Kentucky bluegrass | 221 | 8,479 | 192 | 7,508 | 15.1% | 12.9% |
| Meadow fescue | 1 | 30 | 2 | 59 | -50.0% | -49.2% |
| Meadow brome | 1 | 41 | 1 | 41 | 0.0% | 0.0% |
| Orchardgrass | 145 | 5,789 | 173 | 6,930 | -16.2% | -16.5% |
| Perennial ryegrass | 1,267 | 57,125 | 1,368 | 60,795 | -7.4% | -6.0% |
| Red fescue | 141 | 6,051 | 166 | 6,819 | -15.1% | -11.3% |
| Redtop | 2 | 23 | 2 | 23 | 0.0% | 0.0% |
| Rough bluegrass | 48 | 1,624 | 60 | 1,709 | -20.0% | -5.0% |
| Seashore paspalum | 11 | 46 | 3 | 11 | 266.7% | 318.2% |
| Sheep fescue | 14 | 358 | 15 | 506 | -6.7% | -29.2% |
| Siberian wheatgrass | 2 | 62 | 0 | 0 | 100.0% | 100.0% |
| Slender wheatgrass | 1 | 62 | 0 | 0 | 100.0% | 100.0% |
| Smooth brome | 0 | 0 | 3 | 40 | -100.0% | -100.0% |
| Snake River wheatgrass | 2 | 188 | 1 | 128 | 100.0% | 46.9% |
| Sudangrass | 6 | 429 | 7 | 291 | -14.3% | 47.4% |
| Tall fescue | 1,938 | 90,188 | 1,742 | 80,951 | 11.3% | 11.4% |
| Thickspike wheatgrass | 2 | 109 | 0 | 0 | 100.0% | 100.0% |
| Timothy | 3 | 28 | 3 | 28 | 0.0% | 0.0% |
| Tufted hairgrass | 0 | 0 | 2 | 12 | -100.0% | -100.0% |
| Velvet bentgrass | 2 | 31 | 3 | 51 | -33.3% | -39.2% |
| Western wheatgrass | 1 | 98 | 1 | 98 | 0.0% | 0.0% |
| CHANGE IN GRASSES | 4,361 | 195,238 | 4,372 | 194,561 | -0.3% | 0.3% |
| SELECTED CEREALS | | | | | | |
| Barley | 33 | 2,168 | 27 | 1,442 | 22.2% | 50.3% |
| Cereal Rye | 3 | 58 | 1 | 13 | 200.0% | 346.2% |
| Club wheat | 10 | 499 | 6 | 401 | 66.7% | 24.4% |
| Oat | 23 | 673 | 19 | 804 | 21.1% | -16.3% |
| Red oat | 5 | 151 | 6 | 192 | -16.7% | -21.4% |
| Triticale | 6 | 162 | 7 | 543 | -14.3% | -70.2% |
| Wheat | 321 | 21,047 | 262 | 16,393 | 22.5% | 28.4% |
| CHANGE IN CEREALS | 401 | 24,758 | 328 | 19,788 | 22.3% | 25.1% |

Comparison of Production for Selected Crops: 2012 vs. 2013

Oregon Seed Certification Service, Oregon State University Extension Service

| CROP | TOTALS FOR 2013 | | TOTALS FOR 2012 | | PERCENT CHANGE IN 2013 | |
|---|-----------------|----------------|-----------------|----------------|------------------------|--------------|
| | <i>Fields</i> | <i>Acres</i> | <i>Fields</i> | <i>Acres</i> | <i>Fields</i> | <i>Acres</i> |
| SELECTED LEGUMES | | | | | | |
| Alfalfa | 29 | 1,142 | 18 | 864 | 61.1% | 32.2% |
| Arrowleaf clover | 1 | 45 | 6 | 210 | -83.3% | -78.6% |
| Common vetch | 1 | 50 | 2 | 57 | -50.0% | -12.3% |
| Crimson clover | 51 | 2,481 | 48 | 2,059 | 6.3% | 20.5% |
| Hairy vetch | 2 | 35 | 3 | 36 | -33.3% | -2.8% |
| Ladino clover | 7 | 515 | 12 | 793 | -41.7% | -35.1% |
| Little burnet | 2 | 8 | 1 | 3 | 100.0% | 166.7% |
| Red clover | 31 | 1,125 | 26 | 873 | 19.2% | 28.9% |
| Utah sweetvetch | 3 | 3 | 3 | 3 | 0.0% | 0.0% |
| White clover | 13 | 1,029 | 22 | 1,807 | -40.9% | -43.1% |
| CHANGE IN LEGUMES | 140 | 6,433 | 141 | 6,705 | -0.7% | -4.1% |
| SELECTED OTHER CROPS | | | | | | |
| Buckwheat | 0 | 0 | 1 | 60 | -100.0% | -100.0% |
| Corn | 380 | 6,183 | 254 | 3,553 | 49.6% | 74.0% |
| Flax | 1 | 55 | 1 | 55 | 0.0% | 0.0% |
| Kale | 0 | 0 | 3 | 30 | -100.0% | -100.0% |
| Meadowfoam | 1 | 10 | 5 | 175 | -80.0% | -94.3% |
| Mint | 13 | 94 | 3 | 3 | 333.3% | 3033.3% |
| Oriental mustard | 1 | 50 | 0 | 0 | 100.0% | 100.0% |
| Potato | 158 | 2,453 | 155 | 2,708 | 1.9% | -9.4% |
| Radish | 70 | 4,280 | 47 | 2,397 | 48.9% | 78.6% |
| Rocky Mountain penstemon | 1 | 3 | 1 | 3 | 0.0% | 0.0% |
| Safflower | 4 | 162 | 4 | 173 | 0.0% | -6.4% |
| Sugar beet | 1 | 7 | 7 | 45 | -85.7% | -84.4% |
| Sunflower | 35 | 2,512 | 29 | 1,909 | 20.7% | 31.6% |
| Turnip | 1 | 15 | 6 | 215 | -83.3% | -93.0% |
| White Mustard | 1 | 60 | 0 | 0 | 100.0% | 100.0% |
| Winter rape | 0 | 0 | 1 | 25 | -100.0% | -100.0% |
| All Pre-Variety germplasm crops | 74 | 792 | 59 | 416 | 25.4% | 90.4% |
| CHANGE IN OTHER CROPS | 741 | 16,676 | 576 | 11,767 | 28.6% | 41.7% |
| OVERALL CHANGE IN SELECTED CROPS | | | | | | |
| | 5,643 | 243,105 | 5,417 | 232,821 | 4.2% | 4.4% |

Varieties Eligible, Produced ¹, and Growers ² with Fields From 2010-2013

Oregon Seed Certification Service, Oregon State University Extension Service

| CROP TYPE | Varieties | Growers | Varieties | Growers | Varieties | Growers | Varieties | Growers | |
|-----------------------|----------------------------------|---------------------------------------|---------------------------------------|-------------------------------|---------------------------------------|-------------------------------|---------------------------------------|-------------------------------|---------------------------------------|
| | Eligible Varieties in 2013 | with Eligible Fields in 2013 | with Eligible Fields in 2013 | Eligible Fields in 2012 | with Eligible Fields in 2012 | Eligible Fields in 2011 | with Eligible Fields in 2011 | Eligible Fields in 2010 | with Eligible Fields in 2010 |
| GRASSES | | | | | | | | | |
| Seaside alkaligrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Weeping alkaligrass | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Meadow barley | 2 | 2 | 2 | 2 | 0 | 2 | 2 | 2 | 3 |
| Colonial bentgrass | 37 | 6 | 16 | 5 | 18 | 4 | 17 | 3 | 17 |
| Creeping bentgrass | 78 | 27 | 29 | 28 | 27 | 24 | 24 | 32 | 30 |
| Idaho bentgrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Spike bentgrass | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 |
| Velvet bentgrass | 7 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 |
| Bermudagrass | 22 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Big bluegrass | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 2 |
| Canada bluegrass | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Creeping bluegrass | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 0 | 0 |
| Kentucky bluegrass | 395 | 50 | 50 | 40 | 51 | 39 | 57 | 57 | 54 |
| Pine bluegrass | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | 0 |
| Rough bluegrass | 34 | 16 | 11 | 12 | 11 | 14 | 11 | 12 | 14 |
| Supina bluegrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Wood bluegrass | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| California brome | 14 | 0 | 0 | 2 | 1 | 3 | 1 | 4 | 2 |
| Meadow brome | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | 0 |
| Mountain brome | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smooth brome | 4 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| Sweet brome | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Reed canarygrass | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crested dogtail | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Annual fescue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Blue fescue | 2 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 2 |
| California fescue | 5 | 1 | 1 | 3 | 2 | 3 | 1 | 0 | 0 |
| Chewings fescue | 123 | 31 | 49 | 33 | 47 | 29 | 48 | 29 | 46 |
| Hard fescue | 72 | 18 | 22 | 24 | 34 | 26 | 32 | 25 | 39 |
| Idaho fescue | 8 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| Meadow fescue | 8 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 |
| Red fescue | 121 | 36 | 44 | 36 | 53 | 36 | 60 | 33 | 55 |
| Roemers fescue | 18 | 7 | 2 | 8 | 2 | 8 | 2 | 7 | 2 |
| Sheep fescue | 13 | 5 | 11 | 8 | 13 | 8 | 11 | 8 | 11 |
| Tall fescue | 647 | 252 | 402 | 233 | 383 | 230 | 381 | 231 | 394 |
| Festulolium | 15 | 4 | 5 | 4 | 6 | 2 | 4 | 1 | 1 |
| Creeping foxtail | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Meadow foxtail | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Water foxtail | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Annual hairgrass | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Coastal hairgrass | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 |
| Crested hairgrass | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tufted hairgrass | 11 | 1 | 1 | 3 | 3 | 4 | 4 | 4 | 4 |
| Hardinggrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tall mannagrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| California oatgrass | 13 | 5 | 3 | 4 | 3 | 2 | 3 | 4 | 3 |
| Orchardgrass | 135 | 28 | 43 | 33 | 48 | 39 | 53 | 40 | 56 |
| Seashore paspalum | 3 | 3 | 2 | 3 | 2 | 1 | 1 | 1 | 2 |
| Polargrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Redtop | 3 | 1 | 2 | 1 | 2 | 1 | 1 | 0 | 0 |
| Annual ryegrass | 242 | 88 | 63 | 94 | 90 | 75 | 60 | 54 | 48 |
| Intermediate ryegrass | 39 | 7 | 7 | 7 | 10 | 9 | 10 | 7 | 9 |

¹Varieties include all eligible fields; field may not be signed-up or passed in current year.
²Includes growers that did not sign-up eligible fields; Pre-variety germplasm NOT included.

Varieties Eligible, Produced ¹, and Growers ² with Fields From 2010-2013

Oregon Seed Certification Service, Oregon State University Extension Service

| CROP TYPE | Varieties | Growers | Varieties | Growers | Varieties | Growers | Varieties | Growers | |
|-------------------------|----------------------------------|---------------------------------------|---------------------------------------|-------------------------------|---------------------------------------|-------------------------------|---------------------------------------|-------------------------------|---------------------------------------|
| | Eligible Varieties in 2013 | with Eligible Fields in 2013 | with Eligible Fields in 2013 | Eligible Fields in 2012 | with Eligible Fields in 2012 | Eligible Fields in 2011 | with Eligible Fields in 2011 | Eligible Fields in 2010 | with Eligible Fields in 2010 |
| Perennial ryegrass | 800 | 252 | 309 | 263 | 318 | 224 | 293 | 189 | 265 |
| Wimmera ryegrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sudangrass | 1 | 1 | 3 | 1 | 3 | 1 | 3 | 1 | 1 |
| Timothy | 23 | 3 | 3 | 3 | 3 | 0 | 0 | 0 | 0 |
| Beardless wheatgrass | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 1 | 1 |
| Bluebunch wheatgrass | 8 | 2 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| Crested wheatgrass | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Intermediate wheatgrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Montana wheatgrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Pubescent wheatgrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Siberian wheatgrass | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Slender wheatgrass | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Snake River wheatgrass | 2 | 2 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| Streambank wheatgrass | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tall wheatgrass | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Thickspike wheatgrass | 3 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Western wheatgrass | 2 | 1 | 1 | 2 | 1 | 0 | 0 | 0 | 0 |
| Altai wildrye | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Basin wildrye | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | 0 |
| Blue wildrye | 27 | 4 | 3 | 9 | 5 | 8 | 4 | 6 | 6 |
| Canada wildrye | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Russian wildrye | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL GRASSES | 3,006 | 872 | 1,105 | 874 | 1,149 | 806 | 1,099 | 763 | 1,078 |
| CEREALS | | | | | | | | | |
| Barley | 74 | 10 | 8 | 9 | 7 | 7 | 5 | 8 | 7 |
| Oat | 38 | 7 | 9 | 9 | 11 | 8 | 9 | 8 | 10 |
| Red oat | 4 | 3 | 2 | 3 | 3 | 1 | 1 | 3 | 3 |
| Cereal rye | 2 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| Mountain rye | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Triticale | 24 | 3 | 4 | 5 | 3 | 3 | 3 | 4 | 4 |
| Club wheat | 11 | 2 | 3 | 2 | 4 | 3 | 4 | 5 | 4 |
| Durum wheat | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hybrid wheat | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Wheat | 133 | 42 | 39 | 41 | 38 | 39 | 37 | 26 | 39 |
| TOTAL CEREALS | 298 | 68 | 66 | 70 | 67 | 61 | 59 | 54 | 67 |
| LEGUMES | | | | | | | | | |
| Alfalfa | 362 | 17 | 7 | 15 | 8 | 5 | 4 | 7 | 4 |
| Austrian winter pea | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Field bean | 72 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| Little burnet | 2 | 1 | 1 | 1 | 1 | 0 | 0 | 1 | 1 |
| Chickpea | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Arrowleaf clover | 3 | 1 | 1 | 2 | 2 | 2 | 2 | 1 | 1 |
| Berseem clover | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crimson clover | 24 | 6 | 4 | 7 | 7 | 6 | 6 | 3 | 2 |
| Ladino clover | 25 | 2 | 5 | 4 | 8 | 7 | 11 | 9 | 14 |
| Persian clover | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Red clover | 106 | 14 | 16 | 8 | 12 | 15 | 20 | 21 | 32 |
| Rose clover | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Spanish clover | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Strawberry clover | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White clover | 50 | 8 | 10 | 12 | 14 | 14 | 16 | 13 | 16 |

¹Varieties include all eligible fields; field may not be signed-up or passed in current year.
²Includes growers that did not sign-up eligible fields; Pre-variety germplasm NOT included.

Varieties Eligible, Produced ¹, and Growers ² with Fields From 2010-2013

Oregon Seed Certification Service, Oregon State University Extension Service

| CROP TYPE | Varieties | Growers | Varieties | Growers | Varieties | Growers | Varieties | Growers | |
|--------------------------|----------------------------------|---------------------------------------|---------------------------------------|-------------------------------|---------------------------------------|-------------------------------|---------------------------------------|-------------------------------|---------------------------------------|
| | Eligible Varieties in 2013 | with Eligible Fields in 2013 | with Eligible Fields in 2013 | Eligible Fields in 2012 | with Eligible Fields in 2012 | Eligible Fields in 2011 | with Eligible Fields in 2011 | Eligible Fields in 2010 | with Eligible Fields in 2010 |
| Riverbank lupine | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Field pea | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| Garden pea | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Golden pea | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Roughpea | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Big trefoil | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Birdsfoot trefoil | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Utah sweetvetch | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | 0 |
| Big flower vetch | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Common vetch | 4 | 1 | 1 | 2 | 1 | 2 | 1 | 0 | 0 |
| Hairy vetch | 6 | 2 | 2 | 2 | 2 | 0 | 0 | 2 | 3 |
| TOTAL LEGUMES | 704 | 53 | 48 | 54 | 56 | 52 | 61 | 60 | 76 |
| OTHER CROPS | | | | | | | | | |
| Buckwheat | 2 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| Corn | N/A | 261 | 2 | 0 | 0 | 186 | 78 | 178 | 2 |
| Fodder beet | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ethiopian cabbage | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| Chickory | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Flax | 3 | 0 | 0 | 0 | 0 | 3 | 3 | 1 | 2 |
| Lewis flax | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 |
| Blue flax | 1 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| Kale | 15 | 1 | 0 | 2 | 2 | 0 | 0 | 2 | 2 |
| Forage kochia | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Meadowfoam | 16 | 1 | 1 | 1 | 4 | 1 | 2 | 2 | 2 |
| Mint | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 2 | 2 |
| Brown mustard | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 |
| Oriental mustard | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| White mustard | 2 | 1 | 1 | 0 | 0 | 1 | 1 | 1 | 1 |
| Plantain | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Buckhorn plantain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rocky Mountain penstemon | 1 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| Potato | 170 | 60 | 16 | 0 | 0 | 0 | 0 | 35 | 13 |
| Radish | 7 | 3 | 40 | 2 | 23 | 1 | 1 | 0 | 0 |
| Annual rape | 53 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 7 |
| Winter rape | 27 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 0 |
| Safflower | 2 | 2 | 4 | 1 | 4 | 1 | 1 | 0 | 0 |
| Sugar beet | 551 | 1 | 1 | 7 | 1 | 3 | 1 | 7 | 1 |
| Sunflower | 44 | 16 | 3 | 9 | 1 | 7 | 2 | 6 | 9 |
| Swede | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Turnip | 17 | 1 | 1 | 4 | 3 | 2 | 3 | 1 | 2 |
| Yarrow | 6 | 5 | 4 | 1 | 1 | 1 | 1 | 0 | 0 |
| TOTAL OTHER CROPS | 937 | 355 | 76 | 31 | 43 | 213 | 99 | 240 | 48 |
| YEARLY TOTALS | 4,945 | 1,348 | 1,295 | 1,029 | 1,315 | 1,132 | 1,318 | 1,117 | 1,269 |

¹Varieties include all eligible fields; field may not be signed-up or passed in current year.
²Includes growers that did not sign-up eligible fields; Pre-variety germplasm NOT included.

**Number of Fields and Acres Eligible, Signed-up, and Passed
by Generation From 2009 - 2013**
Oregon Seed Certification Service, Oregon State University Extension Service

| <u>GENERATION</u> | | <u>2013</u> | | <u>2012</u> | | <u>2011</u> | | <u>2010</u> | | <u>2009</u> | |
|-------------------------|--------------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|
| | | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> | <u>Fields</u> | <u>Acres</u> |
| ELIGIBLE | Foundation | 498 | 4,681 | 331 | 2,531 | 296 | 2,015 | 305 | 2,092 | 270 | 1,972 |
| | Registered | 165 | 3,137 | 188 | 3,416 | 165 | 3,236 | 151 | 3,050 | 177 | 3,912 |
| | Certified | 5,720 | 269,502 | 5,575 | 257,707 | 4,884 | 224,427 | 4,933 | 224,602 | 5,989 | 269,745 |
| | OECD 2nd Gen. | 9 | 409 | 3 | 134 | 2 | 76 | 2 | 76 | 0 | 0 |
| | Identity Preserved | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 76 |
| Eligible Totals | | 6,392 | 277,729 | 6,097 | 263,788 | 5,347 | 229,754 | 5,391 | 229,820 | 6,438 | 275,705 |
| SIGNED-UP | Foundation | 458 | 4,184 | 306 | 2,263 | 268 | 1,621 | 272 | 1,452 | 230 | 1,344 |
| | Registered | 159 | 2,920 | 168 | 2,719 | 147 | 2,970 | 122 | 2,463 | 147 | 3,155 |
| | Certified | 5,159 | 240,683 | 5,046 | 232,190 | 4,431 | 203,807 | 4,313 | 193,122 | 5,323 | 233,228 |
| | OECD 2nd Gen. | 9 | 409 | 3 | 134 | 2 | 76 | 2 | 76 | 0 | 0 |
| | Identity Preserved | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Signed-up Totals | | 5,785 | 248,196 | 5,523 | 237,306 | 4,848 | 208,474 | 4,709 | 197,113 | 5,700 | 237,727 |
| PASSED | Foundation | 434 | 4,037 | 282 | 2,108 | 241 | 1,487 | 256 | 1,372 | 205 | 1,193 |
| | Registered | 153 | 2,561 | 179 | 2,724 | 152 | 2,981 | 111 | 2,224 | 137 | 2,804 |
| | Certified | 5,049 | 236,126 | 4,953 | 227,855 | 4,378 | 201,262 | 4,282 | 189,786 | 5,223 | 229,014 |
| | OECD 2nd Gen. | 7 | 381 | 3 | 134 | 2 | 76 | 2 | 76 | 0 | 0 |
| | Identity Preserved | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Passed Totals | | 5,643 | 243,105 | 5,417 | 232,821 | 4,773 | 205,806 | 4,651 | 193,458 | 5,565 | 233,011 |

Program and Variety Information, 2006-2013


Oregon Seed Certification Service, Oregon State University Extension Service

| | | <u>2013*</u> | <u>2012*</u> | <u>2011</u> | <u>2010</u> | <u>2009</u> | <u>2008</u> | <u>2007</u> | <u>2006</u> |
|---|---------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| General Program Information | Growers | 722 | 722 | 775 | 726 | 860 | 833 | 874 | 844 |
| | Warehouses | 357 | 357 | 351 | 346 | 342 | 337 | 391 | 386 |
| | Contractors | 397 | 398 | 392 | 378 | 379 | 390 | 363 | 350 |
| | Crop Types Eligible | 144 | 145 | 143 | 142 | 136 | 131 | 132 | 130 |
| | Crop Types Certified | 98 | 92 | 86 | 81 | 83 | 89 | 78 | 78 |
| | | | | | | | | | |
| Eligible Varieties | Public | 696 | 598 | 406 | 442 | 428 | 362 | 350 | 351 |
| | Private | 2,689 | 2,524 | 2,723 | 2,740 | 2,464 | 2,255 | 2,109 | 1,957 |
| | OECD | 759 | 719 | 684 | 626 | 580 | 571 | 531 | 520 |
| | Experimental | 1,112 | 1,070 | 1,080 | 1,124 | 1,120 | 1,161 | 1,173 | 1,181 |
| | Total Eligible Varieties | 5,256 | 4,911 | 4,893 | 4,932 | 4,592 | 4,349 | 4,163 | 4,009 |
| | | | | | | | | | |
| Varieties with Active Production | Public | 105 | 62 | 60 | 78 | 66 | 93 | 75 | 50 |
| | Private | 727 | 701 | 838 | 865 | 741 | 789 | 762 | 716 |
| | OECD | 155 | 155 | 115 | 90 | 84 | 62 | 57 | 62 |
| | Experimental | 123 | 130 | 150 | 134 | 166 | 219 | 235 | 216 |
| | Total Active Production | 1,110 | 1,048 | 1,163 | 1,167 | 1,057 | 1,163 | 1,129 | 1,044 |

* Does not include Corn varieties

Active Varieties by Category


Oregon Seed Certification Service



* Does not include corn varieties

Eligible vs. Active Varieties by Category - 2013

Oregon Seed Certification Service
Oregon State University Extension Service



* Does not include Corn varieties