



**Oregon Seed Certification Service**  
<http://seedcert.oregonstate.edu>

CERTIFICATION STANDARDS  
**CHEWINGS and SLENDER CREEPING  
 RED FESCUE**  
*(Festuca rubra subsp. fallax, and rubra)*  
 Revised February 7, 2024

**Certification Standards:** The general standards for seed certification found in the Oregon Seed Certification Service (OSCS) Handbook are basic to all crops, and together with the following specific regulations constitute the standards for certified chewings and slender creeping red fescue (42 chromosomes).

**Varieties Certified:** Varieties and classes eligible for planting may be found in the OSCS Handbook.

**Field History:** To be eligible to produce Foundation seed, land must not have grown or been seeded to any fine fescue species (chewings, red, hard, sheep, blue, Idaho, annual) during the previous five years. Land must not have grown or been seeded to these grasses during the previous 18 months to produce Registered or Certified seed. For Registered and Certified classes, these requirements are waived if the previous crop year of chewings or slender creeping red fescue was of the same variety, same or higher class, and passed certification field requirements for genetic purity. Fine fescue must be planted in distinct rows. Exceptions must be approved by the Seed Certification Office prior to planting.

**Field Inspections:** Include a seedling and a seed crop inspection. The seedling application must be submitted within 60 days of planting, and a seed crop application must be submitted by April 15 of each year in which seed is produced.

**Field Standards:**

Class of seed produced	Maximum permitted Other Varieties <sup>1</sup>	Isolation Requirements <sup>2</sup>	
		Less than 5 acres	More than 5 acres
Foundation	None	900 ft.	900 ft.
Registered	0.5%	660 ft.	300 ft.
Certified	1.0%	330 ft.	165 ft.

**Seed Standards:** (Minimum Sample Size – 1/2 Pound)

Factor	Foundation (White tag)	Registered (Purple tag)	Certified (Blue tag)
Pure seed, minimum	98.00%	98.00%	97.00%
Other crops, maximum	0.10%	0.10%	0.25%
Ammonia test <sup>3</sup> , maximum	Zero Green	One Green	N/A
Inert matter, maximum	2.00%	2.00%	3.00%
Weed seed <sup>4</sup> , maximum	0.10%	0.30%	0.30%
Weed seed, GROUP A <sup>5</sup> , singly or combined	None	15/lb.	15/lb.
Germination	85%	85%	85%

<sup>1</sup> Includes off-type plants.

<sup>2</sup> See Section IV, D in the OSCS Handbook. Isolation is required between varieties of chewings, slender creeping red fescue, and annual fescue. Isolation is not required between red fescue varieties having 56 chromosomes (strong creeping) and those having 42 chromosomes (including chewings) where satisfactory documentary evidence of each variety's ploidy is accepted. Experimental, and OECD varieties for which an authentic sample has not been provided, will continue to require isolation distances for cross-pollinating varieties. 42 chromosome red fescue varieties (slender creeping) include, but may not be limited to: Barcrown II, Lighthouse, Seabreeze, Seabreeze GT, Sealink, and Shoreline. Isolation is not required between varieties in the chewings, slender creeping red fescue group and varieties in the hard, sheep, blue, Idaho fescue group.

<sup>3</sup> The ammonia test is used to determine the presence of hard, sheep, blue and Idaho fescue. See Section IX, D3 in the OSCS Handbook.

<sup>4</sup> None of the prohibited weeds listed in Section V in the OSCS Handbook allowed in any class of seed.

<sup>5</sup> GROUP A – buckhorn plantain, docks, sheep sorrel and *Galium* spp.